

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month September - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100m l	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	2.1		460	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2.8		1100	SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	2.6		460	SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.9	2.4		460	SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.8		460	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	2.6		460	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	6.0		460	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	8.0		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month August - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100m l	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	3.2		1100	NOT SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.0	3.4		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.0	3.2		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	3.2		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	2.8		1100	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	2.8		1100	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.2	2.4		460	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	5.4	6.0		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month July - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100m l	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.3		460	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.4	4.2		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.4	6.0		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.2	8.0		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		240	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.6		240	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.0	2.8		240	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	4.0		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month June - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.4		460	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.8	4.8		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	3.4	8.0		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.2	4.0		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	1.6		460	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.8		460	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	5.8	4.0		160	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	5.8	4.0		460	NOT SATISFACTORY
9	3171	Bore Water, Nepali Mohalla, Chhawani Chowk, Bhilai, Distt. - Durg.	ROCECB, BHILAI	6.0	1.4		11	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month May - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	2.4		110	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	3.2	8.0		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	4.8	4.0		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	3.2	6.0		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.3		110	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	2.4		110	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.2	8.0		110	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	3.4		110	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month April - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.5	1.2		160	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	2.4	8.0		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.0	3.0		460	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.8	3.5		460	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2		120	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.4		150	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.0	8.0		290	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	2.8		290	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month March - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.3		150	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.2	3.1		460	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	4.2	4.0		460	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	3.2	8.0		460	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		120	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.8		210	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6	3.5		290	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	3.2		290	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month February - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.6		210	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	2.4	8.0		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	2.4	6.0		460	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	2.2	8.0		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		120	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.6		160	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.0	6.0		160	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	2.4		210	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month January - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.3	1.6		260	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.2	3.2		460	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2	2.6		460	SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.0	3.8		460	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		160	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.8		260	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.8	2.0		460	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	5.8	2.8		210	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month December - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.4		280	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.0	3.2		310	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	2.2		290	SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	3.3		290	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.6		270	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8		270	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	5.8	8.0		430	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.4		260	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month November - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.5	1.2		160	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.0	2.9		460	SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	2.4		460	SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	2.0		460	SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2		160	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.4		240	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	5.6	2.3		460	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	4.2		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month October - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.6		460	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	2.8		1100	SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	2.2		460	SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	2.0		460	SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		460	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.6		460	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.8	8.0		460	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.4		460	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month September - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	2.4		1100	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	3.2		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	3.4		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	3.2		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	2.8		1100	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	2.8		1100	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.0	2.5		460	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	4.0		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month August - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	2.4		1100	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	3.4		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	3.4		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.0	3.2		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	2.4		1100	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	2.4		1100	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.1	3.8		1100	NOT SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.6	3.2		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month July - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	2.0		460	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.0	3.6		1100	NOT SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	4.2	8.0		1100	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.0	8.0		1100	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8	2.2		460	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8	2.3		460	SATISFACTORY
7	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	5.8	2.3		460	SATISFACTORY
8	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	5.8	6.0		240	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month June - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.4		64	SATISFACTORY
2	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.2	2.8		1100	SATISFACTORY
3	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	4.6	4.0		460	NOT SATISFACTORY
4	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.8	3.8		460	NOT SATISFACTORY
5	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	1.4		64	SATISFACTORY
6	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.0		93	SATISFACTORY
7	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai.	ROCECB, BHILAI	4.2	1.4		64.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation	ROCECB, BHILAI	6.0	2.2		210	SATISFACTORY
9	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	2.4		240	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month May - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.4		93	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8	1.8		120	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.0	2.6		240	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	2.3		160	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.8	3.0		240	NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.8	3.2		290	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2		93	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6	10.0		210	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month April - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2		110	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.4		160	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	2.2		360	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.0	2.3		360	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	2.2	10.0		1260	NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	0	12.0		1460	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2		98	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0		210	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month March - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.4	1.4		160	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8	1.8		260	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	2.4	4.0		460	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	4.2		260	NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2	1.8		210	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	6	2.2		260	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	1.4		120	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6	10.0		110	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month February - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.8		210.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8		260.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	2.2	6.0		560.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	2.6		260.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6	2.0		210.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.8	2.2		220.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		190.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	5.9	10.0		160.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month January - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.4		210.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.6		260.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.0	2.0		360.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	4.0		210.0	NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	2.0		230.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	2.1		260.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4		210.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0		170.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month December - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.8	1.2		162.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	1.4		182.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.0	2.0		192.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.8		140.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.6		180.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8		192.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.8	1.3		160.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.2	10.0		160.0	NOT SATISFACTORY
9	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai, Distt. - Durg.	ROCECB, BHILAI	7.8	0.8		34.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month November - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.4	190.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	1.3	185.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2.2	189.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.4	1.8	160.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	1.8	124.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	1.8	129.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.2	180.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6	8.0	160.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month October - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.8	1.4	90.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	1.4	90.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2.0	100.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.4	10.0	120.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.6	1.8	80.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.6	1.6	80.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.3	70.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12.0	60.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month September - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	2.4	80.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	2.2	30.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	3.8	30.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	4.2	130.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	3.2	30.0		NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	3.2	30.0		NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	2.0	30.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.2	6.0	80.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month August - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100m l	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.2	3.0	90.0		NOT SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.2	3.2	120.0		NOT SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.0	3.2	150.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	6.0	170.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2	3.2	60.0		NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.2	3.2	50.0		NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.2	3.0	110.0		NOT SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6	4.2	140.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month July - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.8	80.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.6	140.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.8	3.4	110.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	2.2	70.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.2	2.4	100.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.6	4.2	90.0		NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4	120.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.3	12.0	80.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month June - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.4	80.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8	30.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	3.4	4.0	50.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	6.0	70.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2	3.8	60.0		NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.4	2.8	40.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.4	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	10.0	90.0		NOT SATISFACTORY
9	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai.	ROCECB, BHILAI	7.8	0.3	40.0		SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month May - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	80.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.8	90.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	3.4	3.3	110.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	4.0	40.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	3.8	40.0		NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.4	4.0	10.0		NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.3	80.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	30.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month April - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	40.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.0	1.8	90.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.4	3.2	70.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	8.0	60.0		NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	3.2	80.0		NOT SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.7	3.3	50.0		NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	1.3	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	100.0		NOT SATISFACTORY
9	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai.	ROCECB, BHILAI	7.6	0.8			SATISFACTORY

--	--	--	--	--	--	--	--	--

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month March - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.5	1.4	40.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.6	60.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	2.5	100.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.7	20.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	2.2	70.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	2.4	50.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2	30.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.5	10.0	0.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month February- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.3	1.3	100.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.7	30.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.5	1.9	80.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.7	2.6	50.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.3	1.5	70.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.4	1.7	80.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2	1.3	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.9	8.0	80.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month January- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.2	30.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.6	40.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.1	1.8	10.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	2.7	60.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.3	1.6	50.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	60.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2	70.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	10.0	80.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month December- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.6	60.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8	40.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7	2.8	30.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2	80.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.9	1.9	70.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	2.0	80.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.6	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	20.0		NOT SATISFACTORY
9	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai	ROCECB, BHILAI	7.4	0.4			SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month November- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.6	40.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	2.4	20.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	3.4	30.0		NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.7	40.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.1	2.0	30.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7	2.8	40.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.8	50.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.5	10.0	30.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month October- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.6	40.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.6	40.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	2.5	50.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.6	0.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.6	60.0		SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	2.0	20.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	2	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.5	10.0	50.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month September- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.4	40.0		SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	2.0	30.0		SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2.0	60.0		SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.6	50.0		SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	1.8	60.0	6.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	30.0		SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	2	40.0		SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12.0	20.0		NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month August- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.4	200.0	0.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.8	90.0	0.0	SATISFACTORY
3	3166	River Sheonath at Jhenhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.1	3.3	120.0	0.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.8	40.0	0.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	1.8	190.0	0.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.7	2.0	50.0	0.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.5	1.5	90.0	0.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	16.0	170.0	0.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month July 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.0	2.8	10.0	0.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.8	60.0	0.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.4	2.4	10.0	0.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.8	110.0	0.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	2.4	120.0	0.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	2.0	130.0	0.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.8	40.0	0.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12.0	40.0	0.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month June 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.3	1.8	0.0	0.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.7	30.0	0.0	SATISFACTORY
3	3166	River Sheonath at Jhenhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8	2.8	40.0	0.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.8	100.0	0.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.3	1.6	0.0	0.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	80.0	0.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.6	0.0	0.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	70.0	0.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month May 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	20.0	80.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.4	20.0	70.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.5	3.8	10.0	80.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.6	0.0	110.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.1	1.6	10.0	70.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.0	1.8	30.0	140.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2	50.0	350.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.5	10.0	0.0	70.0	NOT SATISFACTORY
9	3171	Hand Pump Water, Nepali Mohalla, Chhawani Chowk, Bhilai Distt. - Durg	ROCECB, BHILAI	7.8	0.8	0.0	22.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month April 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	220.0	40.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.4	140.0	40.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.8	3.6	120.0	30.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.5	140.0	30.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.4	140.0	40.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	1.5	120.0	70.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.5	1.2	170.0	50.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.5	10.0	140.0	30.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month March 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.4	60.0	240.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8	50.0	170.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.5	3.6	60.0	220.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.8	20.0	170.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.7	30.0	80.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	40.0	140.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.3	40.0	220.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	40.0	170.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month January 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	40.0	110.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.6	0.0	90.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2	30.0	120.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.4	20.0	170.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.3	1.7	0.0	50.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	40.0	140.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.3	40.0	220.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	10.0	30.0	140.0	NOT SATISFACTORY
9	3171	Hand Pump Water,17/10, Nepali Mohallah, LIA, Bhilai, Distt.- Durg.	ROCECB, BHILAI					NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month December 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.2	60.0	110.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.4	40.0	170.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.0	2.3	40.0	110.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.4	30.0	140.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.6	20.0	170.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	1.7	70.0	120.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.2	60.0	280.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12.0	40.0	170.0	NOT SATISFACTORY
9	3171	Hand Pump Water,17/10, Nepali Mohallah, LIA, Bhilai, Distt.- Durg.	ROCECB, BHILAI	7.8	0.8	0.0	0.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month November 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.3	100.0	170.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.5	1.5	50.0	170.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2.2	60.0	220.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.8	40.0	140.0	SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.7	30.0	80.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2	1.8	100.0	280.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.2	110.0	350.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12	50.0	220.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month October 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.8	1.2	350.0	-	NOT SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	1.4	300.0	>1600	NOT SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.2	2	130.0	>1600	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.6	240.0	>1600	NOT SATISFACTORY
5	1846	River Kharun at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.6	1.8	100.0	350.0	SATISFACTORY
6	1847	River Kharun at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.6	1.6	140.0	1600.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.3	380.0	>1600	NOT SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12	360.0	>1600	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			Month September 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.6	1.3	210.0	1600.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.6	1.5	110.0	900.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.1	2.4	240.0	900.0	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.8	170.0	1600.0	SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.6	1.6	140.0	500.0	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.4	1.9	190.0	500.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.4	160.0	1600.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12	140.0	170.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH JULY 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.6	190.0	>1600	NOT SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.4	50.0	280.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.1	3.3	170.0	>1600	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7	2.8	190.0	>1600	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari, Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7	1.8	150.0	>1600	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.7	2	180.0	>1600	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.4	40.0	350.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	16	40.0	170.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH JUNE 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.1	1.5	160.0	>1600	NOT SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.7	110.0	900.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.0	3.4	130.0	350.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.5	3.7	110.0	>1600	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	1.9	180.0	1600.0	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8	2.1	90.0	900.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.5	128.0	1600.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	7.0	160.0	1600.0	NOT SATISFACTORY
9	3171	Hand Pump Water, 17/10, Nepali Mohallah, LIA, Bhilai, Distt.- Durg.	ROCECB, BHILAI	7.5	0.9	0.0	0.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH May 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.5	1.1	100.0	900.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.3	0.0	220.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.5	3.1	150.0	1600.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.8	70.0	220.0	SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.5	60.0	170.0	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.4	1.6	80.0	280.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.1	50.0	140.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.9	7.0	130.0	500.0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH April 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.5	1.1	2.0	0.0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.5	1.2	9.1	1.8	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.6	3	4.0	0.0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.0	2.9	1.8	0.0	SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.4	1.6	1.0	0.0	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	1.6	2.0	0.0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.6	1.0	1.8	0.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.8	8.0	6.1	1.8	NOT SATISFACTORY
9	3171	Hand Pump Water,17/10, Nepali Mohallah, LIA, Bhilai, Distt.- Durg.	ROCECB, BHILAI	7.8	0.8	0.0	0.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - MARCH 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.2	23	5	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.4	130	63	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.5	3.8	70	10	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8	3.6	22	5	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.1	1.6	26	25	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	7	1.8	70	29	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.2	79	7	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.5	10	140	51	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - FEBRUARY 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.3	1.3	23	0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.6	500	0	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.6	3.8	23	0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.7	3.8	30	0	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	1.8	500	0	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	6.8	2	170	0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.3	350	0	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.5	8	170	0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - JANUARY 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.4	70	19	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3	1.7	13	6	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.8	3.7	11	10	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.6	3.9	22	7	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0	1.9	26	12	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.7	2	70	10	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.5	7	4	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.3	8	7	6	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - DECEMBER 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.1	1.5	9	5	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	1.8	9	1	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.4	3.4	0	0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.5	3.7	0	0	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	1.9	9	5	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	6.8	2.1	4	0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.7	0	0	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.4	7	9	2	NOT SATISFACTORY
9	3171	Hand Pump Water, Shankar Nagar, Nepali Mohalla, H.I.A., Bhilai, Distt-Durg (C.G.)	ROCECB, BHILAI	7.4	0.9	8	3	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - NOVEMBER 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.6	280	39	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2	2	23	3	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.8	3.4	70	2	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	3.9	14	5	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.6	2.1	900	25	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	6.6	2.2	300	29	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	1.9	7	7	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.5	8	1600	51	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - OCTOBER 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2	1.8	240	3	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7	2.2	1600	63	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.8	3.6	140	79	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6	4.2	280	4	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8	2.2	220	4	SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	6.4	2.4	39	0	SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4	2	45	4	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.4	8	0	0	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - SEPTEMBER 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	2.8	21	10	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.6	3.2	24	8	NOT SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6	4.8	220	6	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	8.2	1600	8	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2	4.8	49	16	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.2	4.6	150	7	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8	2.8	79	21	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	5.8	10.8	22	12	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - AUGUST 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	2	920	320	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.3	2.2	540	360	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	4.8	6	540	280	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	8.4	1600	280	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.8	3.8	2400	240	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up streem,	ROCECB, BHILAI	5.8	3.4	2400	340	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.4	2	2400	290	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	5.8	8.6	220	180	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - JULY 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	2	220	230	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.4	2	27	40	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.2	2.8	280	110	SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	8.2	140	0	NOT SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.0	6.2	13	70	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.8	8.4	170	110	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8	1.8	23	40	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	5.8	9.6	140	100	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - JUNE 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	1.2	540	140	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8	1.8	130	50	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	4.6	6.4	540	50	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2	2.4	70	0	SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.6	3.2	49	0	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.8	6.2	180	0	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7	1.3	920	120	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.0	3.4	45	0	NOT SATISFACTORY
9	3171	Hand Pump Water, Shankar Nagar, Nepali Mohalla, H.I.A., Bhilai, Distt-Durg (C.G.)	ROCECB, BHILAI	6.2	0.8	0	0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - MAY 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8	1.6	79	0	SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8	1.7	140	0	SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	4.8	4.3	95	0	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8		350	210	SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	5.2	3.3	240	160	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	4.8	4.1	64	0	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7	1.4	350	200	SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6	2.5	0	0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - APRIL 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.6				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.2				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.3				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	5.8				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	5.8				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - MARCH 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.7				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.2				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7				SATISFACTORY
5	1846	River Kharoon at Kumhari, Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.2				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.9				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - FEBRUARY 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	5.6				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.8				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH - JANUARY 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.8				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.7				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.7				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)										
S.No.	Station code	Name of Monitoring Station		Monitoring Agency	DO	BOD	MONTH - DECEMBER 2018		TC	Water Quality Status
		Monitoring Months (YEAR)	Water Quality Criteria				>4.0mg/l	<3.0mg/l		
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point		ROCECB, BHILAI	7.2					SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon		ROCECB, BHILAI	7.2					SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla		ROCECB, BHILAI	6.8					SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water		ROCECB, BHILAI	6.8					SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream		ROCECB, BHILAI	7.0					SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,		ROCECB, BHILAI	6.8					SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point		ROCECB, BHILAI	7.2					SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod		ROCECB, BHILAI	6.0					SATISFACTORY
9	3171	Hand Pump Water, Shankar Nagar, Nepali Mohalla, H.I.A., Bhilai, Distt-Durg (C.G.)		ROCECB, BHILAI	6.0					SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)									
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
		Monitoring Months (YEAR)	MONTH - NOVEMBER 2018						
		Water Quality Criteria	>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml			
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2				SATISFACTORY	
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2				SATISFACTORY	
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.8				SATISFACTORY	
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8				SATISFACTORY	
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0				SATISFACTORY	
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8				SATISFACTORY	
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2				SATISFACTORY	
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.0				SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)									
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
		Monitoring Months (YEAR)	MONTH - OCTOBER 2018						
		Water Quality Criteria	>4.0mg/l		<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4				SATISFACTORY	
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.9				SATISFACTORY	
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.6				SATISFACTORY	
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.4				SATISFACTORY	
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8				SATISFACTORY	
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.8				SATISFACTORY	
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8				SATISFACTORY	
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.3				SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)									
S.No.	Station code	Name of Monitoring Station		Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (YEAR)	YEAR)						
		Water Quality Criteria		MONTH -SEPTEMBER 2018					
				>4.0mg/l		<2500MPN/100ml		<5000MPN/100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point		ROCECB, BHILAI	6.8				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon		ROCECB, BHILAI	6.3				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla		ROCECB, BHILAI	6.7				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water		ROCECB, BHILAI	6.8				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream		ROCECB, BHILAI	7.8				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,		ROCECB, BHILAI	7.8				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point		ROCECB, BHILAI					NOT SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dali Rajhara Iron Ore mines Dali Rajhara, Dist-Balod		ROCECB, BHILAI	6.4				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)									
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	MONTH - AUGUST 2018		TC	Water Quality Status
						FC	TC		
		Monitoring Months (YEAR)			<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
		Water Quality Criteria			>4.0mg/l				
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8					SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8					SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.8					SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.2					SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.0					SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg Raipur Road bridge up stream,	ROCECB, BHILAI						NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8					SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.2					SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)									
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	MONTH - JULY 2018		TC	Water Quality Status
						Monitoring Months (YEAR)	Water Quality Criteria		
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7					SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8					SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.8					SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7					SATISFACTORY
5	1846	River Kharoon at Kumhari, Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2					SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2					SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7					SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.2					SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)										
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status		
		Monitoring Months (YEAR)	MONTH - JUNE 2018							
		Water Quality Criteria	<3.0mg/l							<2500MPN/100ml
			>4.0mg/l							<5000MPN/100ml
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	6.8					SATISFACTORY	
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	6.8					SATISFACTORY	
3	3166	River Sheonath at Jhijnjhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	5.6					SATISFACTORY	
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8					SATISFACTORY	
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.8					SATISFACTORY	
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7					SATISFACTORY	
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7					SATISFACTORY	
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.5					SATISFACTORY	
9	3171	Hand Pump Water, Shankar Nagar, Nepali Mohalla, H.I.A., Bhilai, Distt-Durg (C.G.)	ROCECB, BHILAI	6.5					SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (YEAR)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.1				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.3				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.7				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.4				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.5				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.2				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	MONTH - APRIL 2018				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (YEAR)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4				SATISFACTORY
3	3166	River Sheonath at Jhinhri Village, Distt. Durg,A/C of Samoda Nalla	ROCECB, BHILAI	6.2				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2				SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg Raipur Road bridge up stream,	ROCECB, BHILAI	6.2				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam,Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.0				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
								Monitoring Months (YEAR)	Water Quality Criteria
		Monitoring Months (YEAR)						MONTH - MARCH 2018	
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100 ml	<5000MPN/100 ml		
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2					SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2					SATISFACTORY
3	3166	River Sheonath at Jhinjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8					SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8					SATISFACTORY
5	1846	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8					SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	6.2					SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	6.8					SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.0					SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)								
Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
S.No.	Monitoring Months (YEAR)		MONTH - FEBRUARY 2018					
	Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
1	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.2				SATISFACTORY	
2	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.2				SATISFACTORY	
3	River Sheonath at Jhijnjri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	4.6				SATISFACTORY	
4	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.8				SATISFACTORY	
5	River Kharoon at Kumhari , Distt.-Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	6.8				SATISFACTORY	
6	River Kharoon at Kumhari, Distt.- Durg, Near Durg- Raipur Road bridge up stream,	ROCECB, BHILAI	6.8				SATISFACTORY	
7	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.2				SATISFACTORY	
8	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod	ROCECB, BHILAI	6.0				SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY BHILAI, DURG (STATE)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	MONTH - JANUARY 2018				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (YEAR)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4				SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4				SATISFACTORY
3	3166	River Sheonath at Jhijhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	6.8				SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	6.7				SATISFACTORY
5	1846	River Kharoon at Kumhari, Distt- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2				SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.2				SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.4				SATISFACTORY
8	3163	M/s. Hitkasa Teling dam, Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist- Balod	ROCECB, BHILAI	6.8				SATISFACTORY
9	3171	Shankar Nagar, Nepali Mohalla, H.I.A., Bhilai, Distt- Durg (C.G.)	ROCECB, BHILAI	6.5				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY (STATE)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (YEAR)			MONTH August 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1845	River Sheonath at Durg, Near Water Supply Intake well Point	ROCECB, BHILAI	7.4	1.8	270.0	>1600	NOT SATISFACTORY
2	3167	River Sheonath at Mohad Village, Distt- Rajnandgaon, D/s at Mohad Village Rajnandgaon	ROCECB, BHILAI	7.4	1.8	120.0	1600.0	SATISFACTORY
3	3166	River Sheonath at Jhenjhri Village, Distt. Durg, A/C of Samoda Nalla	ROCECB, BHILAI	7.4	2.4	300.0	>1600	NOT SATISFACTORY
4	3164	Nehru Nagar Talab Bhilai, Distt. Durg, Talab Water	ROCECB, BHILAI	7.2	2.4	190.0	1600.0	SATISFACTORY
5	1846	River Kharoon at Kumhari, Distt.- Durg, A/C of Khapri Nalla Down stream	ROCECB, BHILAI	7.2	2.2	140.0	>1600	NOT SATISFACTORY
6	1847	River Kharoon at Kumhari, Distt.- Durg, Near Durg - Raipur Road bridge up stream,	ROCECB, BHILAI	7.3	2	210.0	>1600	NOT SATISFACTORY
7	1107	River Sheonath at , Rajnandgaon, Near W/S Intake well point	ROCECB, BHILAI	7.5	1.8	70.0	220.0	SATISFACTORY
8	3163	Hitkasa Talling Dam, M/s. Dalli Rajhara Iron Ore mines Dalli Rajhara, Dist-Balod , Recirculation Water	ROCECB, BHILAI	6.4	12	60.0	140.0	NOT SATISFACTORY