

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2024 )			January -2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	2.1	10	62	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.5	2.1	18	72	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	3.0	18	110	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	2.8	18	108	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	4.8	80	170	NOT SATISFACTORY
6	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	12	90	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	8.0	2.8	6	40	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7	2.8	4	46	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023)			December-2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.1	93	490	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.7	1.8	170	630	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	220	1100	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.2	210	680	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.0	3.9	30	90	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.5	2.6	10	130	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			November- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.0	84	470	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.1	150	580	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.2	170	630	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.8	200	945	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.4	2.9	20	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.4	2.6	14	200	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			October- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.1	12	180	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.1	23	240	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.9	110	610	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.3	39	310	SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	N.A.	1.0	0	0	SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	N.A.	1.0	0	2	SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.6	2.8	20	70	SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.8	2.4	14	200	SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	2.0	2	42	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.8	2	36	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			September- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.4	2.0	20	170	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.4	63	330	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.2	3.2	78	490	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	45	230	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	3.0	20	70	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	8	42	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			August- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.2	4	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	2.8	12	38	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.0	3.4	8	22	NOT SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.5	2.4	3.0	18	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	3.1	80	170	NOT SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	6.0	32	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023)			July- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	2	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8	14	40	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	3.0	4	12	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	2.2	2	12	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.8	3.0	84	170	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.2	4	28	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.0	2.0	0	20	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	8.0	2.0	0	8	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			June-2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	20	85	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.4	12	94	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.4	3.6	110	330	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.8	84	260	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.4	3.0	130	490	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	4.0	30	96	NOT SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			May- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.3	12	26	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	2.7	15	30	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	3.8	24	88	NOT SATISFACTORY
	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.5	3.8	10	30	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	4.1	68	260	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	4.0	30	92	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			April- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.1	12	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.8	14	28	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	8.0	3.1	22	60	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.5	3.1	14	34	NOT SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.4	Nil	-	Absent	NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	0.4	1.0	-	Absent	NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	5.8	3.0	58	460	NOT SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.5	3.5	28	104	NOT SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	2.0	2	27	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7	2.2	2	18	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			March- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	2.2	16	38	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.0	3.1	24	64	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.5	3.0	20	70	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	3.0	17	44	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	7.0	4.7	84	246	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	4.0	30	100	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			February - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.0	2.4	18	84	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.0	2.6	12	58	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	4.0	60	170	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	32	74	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	7.0	4.4	30	104	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	12.0	20	90	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2023 )			January -2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.0	2.2	22	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.5	2.4	12	56	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	4.0	62	172	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	3.1	30	80	NOT SATISFACTORY
5	1848	Alpa River D/S of Bilaspur City at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	4.2	32	114	NOT SATISFACTORY
6	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	5.0	14.0	21	93	NOT SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.0	2.0	12	64	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.5	2.3	4	28	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022)			December-2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.2	24	98	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.5	12	60	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	5.5	4.2	62	170	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	3.2	30	82	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.2	4.0	28	102	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.0	4.0	12	74	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			November- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.2	28	108	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	12	65	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	3.0	34	99	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.0	4.1	82	172	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.5	3.2	18	72	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.4	2.3	17	78	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			October- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	3.0	48	108	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	12	65	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.0	8.0	92	190	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	4.0	34	102	NOT SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	1.8	0.0	0.0	0.0	NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	1.2	0.0	0.0	0.0	NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.4	2.0	18	70	SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	7.0	2.1	17	64	SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.1	1.8	0	20	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.5	2.3	4	18	SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			September- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	16.0	48	138	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	12.0	92	168	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.0	18.0	92	190	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.5	13.0	44	124	NOT SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	7.6	2.4	22	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	18.0	64	180	NOT SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			August- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	4.0	38	112	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	80	112	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	4.6	40	180	NOT SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	3.1	24.0	84	NOT SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	6.0	1.8	28	116	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.0	34.0	158	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022)			July- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	4.0	38	117	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.0	80	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	4.8	38	178	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.5	3.0	24	80	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	1.4	20	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	1.8	28	138	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.5	2.6	8	18	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	2.4	8	40	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			June-2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.0	3.8	12	20	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.8	15	27	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.5	4.0	30	78	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	4.8	3.2	12	30	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.5	5.0	50	160	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.8	4.8	28	124	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			May- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.2	2.8	14	22	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.0	14	26	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.0	28	74	SATISFACTORY
	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	8.0	2.8	12	28	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	4.5	5.0	52	164	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	8.0	2.1	20	104	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			Apri 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.1	14	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.5	14	24	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	9.2	3.0	14	30	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	8.0	2.1	26.0	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	8.2	4.3	46.0	148.0	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	10.0	2.5	18.0	104.0	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	10.0	2.0	0	20	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	8.2	2.2	0	20	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			March- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.0	2.8	16	30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	3.0	14	54	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.5	3.9	30	80	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	17	40	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.7	44	146	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	5.1	30	138	NOT SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			February - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.0	1.8	16	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	3.5	12	56	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.0	4.0	34	88	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	18	42	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.5	2.8	44	146	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	5.0	30	138	NOT SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2022 )			January -2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.4	1.8	17	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	2.1	12	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.2	2.0	24	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.4	2.0	20	50	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.2	2.4	24	130	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.0	22	110	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.5	2.0	0	22	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.1	1.5	0	16	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021)			December-2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	2.0	17	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.0	12	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.3	22	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.2	20	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.6	2.5	16	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.4	1.8	18	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			November- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.4	1.9	20	50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.2	7	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	24	70	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.1	24	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.4	2.4	21	90	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.5	1.8	16	70	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			October- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.0	23	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.3	34	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.3	38	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	60	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.5	2.5	21	90	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.4	1.9	16	70	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.6	1.2	0	16	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.1	1.6	0	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			September- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	42	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.5	9	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	2.4	60	170	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	70	220	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.6	16	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.0	14	90	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			August- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	2.3	40	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	30	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	2.6	70	220	SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.1	2.8	60.0	140	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.1	2.8	21	110	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	2.1	17.0	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021)			July- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.4	2.8	21	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	3.0	70	220	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.9	3.7	125	280	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.2	3.2	108	240	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	2.9	30	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	2.3	30	140	SATISFACTORY
7	New	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.8	1.4	0	32	SATISFACTORY
8	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.4	90	9.73	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			June-2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	1.4	18	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	1.6	40	90	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	2.0	24	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.2	1.9	60	140	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.6	2.5	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.4	20	110	SATISFACTORY



**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			May- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	1.3	16	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.4	1.4	40	90	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7	1.8	42	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	1.6	20	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	2.4	20	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	2.3	17	110	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			Apri 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	1.5	12	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.8	38.0	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.1	1.2	38	90	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	1.3	21.0	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.9	2.3	17.0	110.0	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	2.2	12.0	110.0	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.4	1.1	0	17	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.2	1.2	21	60	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			March- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	1.3	20	50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.1	2.3	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.9	1.3	30	90	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	2.4	40	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.8	2.5	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	2.4	10	110	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2021 )			February - 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.8	1.7	20	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.2	2.5	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.1	2.3	21	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.2	2.4	40	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.9	2.4	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	2.2	8	110	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 20121 )			January -2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.9	1.6	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.4	2.4	11	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.0	2.2	10	110	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.4	2.2	11	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	2.4	8	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.1	8	140	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.4	1.1	10	110	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.1	21	110	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020)			December-2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	1.7	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.6	9	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.4	21	140	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.8	8	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.2	2.4	9	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.1	2.2	9	170	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			November- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa ( C.G.)	CECB	7.6	1.8	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa ( C.G.)	CECB	7.4	2.2	11	90	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa ( C.G.)	CECB	7.4	1.9	7	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa ( C.G.)	CECB	7.5	2.3	10	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur ( C.G.)	CECB	7.0	2.6	11	170	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur ( C.G.)	CECB	7.2	2.1	7	140	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			October- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.9	4	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.9	7	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.4	2.0	8	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.5	9	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.2	2.2	9	220	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.1	2.2	9	170	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	1.2	0	21	SATISFACTORY



8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.3	1.1	0	17	SATISFACTORY
---	-------	--	------	-----	-----	---	----	--------------

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			September- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	2.2	11	170	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.3	9	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.4	2.4	14	220	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.0	4	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.1	2.4	11	280	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.1	4	170	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			August- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	2.2	14	220	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.9	2.6	11	170	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.2	2.3	17	220	SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	2.6	7.0	280	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	2.8	12	220	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.2	7.0	140	SATISFACTORY

**WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)**

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020)			July- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	4.4	1.3	7	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.1	1.4	7	40	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.2	1.3	2	60	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	1.4	9	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	1.9	7	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	1.9	4	30	SATISFACTORY
7	New	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.1	1.3	0	23	SATISFACTORY
8	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.2	1.2	0	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			June-2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.6	1.2	4	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.4	1.3	4	30	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	1.3	7	60	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.4	1.3	8	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.1	1.7	8	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	1.8	6	40	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			May- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	1.3	9	30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	1.2	7	22	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.3	1.3	10	33	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.8	1.3	12	34	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	1.8	9	30	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	1.9	9	27	SATISFACTORY

# WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			Apri 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	1.4	0	0	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.6	27.0	8.3	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.0	1.2	0	0	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.3	1.3	10.0	0	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	1.9	17.0	4.0	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.0	24.0	8.2	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2020 )		March- 2020				
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.6	1.3	20	50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.1	1.7	40	90	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.5	1.4	30	90	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.2	1.1	40	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.4	2.2	40	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.7	2.1	30	90	SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2020 )			February - 2020				
	Water Quality Criteria			>4.0mg/ l	<3.0mg/ l	<2500MPN/100m l	<5000MPN/100m l	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.8	1.1	20	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.0	1.8	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.6	1.5	21	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	1.2	40	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	2.1	60	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.2	30	80	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 20120 )		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.9	1.2	16	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.2	1.9	38	90	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.8	1.4	20	60	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	1.3	34	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.4	2.8	60	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.4	2.3	40	90	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.1	1.3	30	90	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.3	1.2	60	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019)			December-2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	1.5	42	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.6	60	170	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.7	110	300	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.6	60	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.3	2.8	100	220	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.3	2.7	50	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019 )			November- 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.7	105	220	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	70	220	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	125	280	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.4	2.8	108	240	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.1	2.9	100	240	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.2	2.6	60	170	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019 )			October- 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100m l	<5000MPN/100m l	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	1.8	100	280	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	100	300	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	128	380	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.9	110	350	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.0	3.0	140	300	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.1	2.8	100	240	SATISFACTORY
7	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.2	Nil		1.8	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019 )			September- 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.3	3.1	109	350	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	3.0	98	350	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.7	3.5	106	300	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	3.8	125	350	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.8	3.5	180	350	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.2	3.4	128	280	NOT SATISFACTORY

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	August- 2019				TC	Water Quality Status
				DO	BOD	FC	TC		
				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
		Monitoring Months ( 2019 )							
		Water Quality Criteria							
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	107	300		SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.6	3.4	96	300		NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	3.6	112	300		NOT SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.8	3.7	125	350		NOT SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.9	4.4	160	500		NOT SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	5.8	3.6	122	250		NOT SATISFACTORY

S.No	Station code	Name of Monitoring Station	Monitoring Agency	July- 2019				Water Quality Status
				DO	BOD	FC	TC	
				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Monitoring Months ( 2019 )						
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.3	3.0	105	280	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	3.3	94	280	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.9	3.6	123	350	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	3.4	110	300	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.8	4.6	170	500	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	3.7	118	240	NOT SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2018 )			June-2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.8	1.8	20.0	60.0	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.6	2.6	41.0	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.6	24.0	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.8	60	140	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	2.4	9.6	580	1600	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.4	2.8	60	140	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019 )			May- 2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
1	1100	Mahanadi River at Kharod,	CECB	7.9	1.6	18	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	2.8	41.0	130	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.7	60	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.4	24	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.4	580	1600	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.3	2.8	50	120	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2019 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.7	1.8	16	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	38	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.0	2.5	42	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.5	2.0	21	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	3.8	7.2	282	900	NOT SATISFACTORY
6	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.1	Nil		<2	NOT SATISFACTORY
7	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	0.2	0.1		<2	NOT SATISFACTORY
8	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.6	44	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2019 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
1	1100	Mahanadi River at Kharod,	CECB	7.9	1.6	12	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	2.6	43	130	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.4	2.6	38	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2019 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.1	1.5	8	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.5	2.4	34	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	2.7	24	70	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2019 )			January -2019				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.8	1.6	3.7	21	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.7	2.0	23	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	8.3	1.8	17	50	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	8.6	1.6	21	33	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2018 )			December-2018				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.5	1.6		30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.9	1.6		60	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.2	1.9		70	SATISFACTORY

WATER QUALITY STATUS OF NWMMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.3	1.8		50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.8		90	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.0	2.1		90	SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )	October-2018					
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100m l	<5000MPN/100m l	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.1	1.9		80	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.9		140	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.8	2.2		130	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.9	2.0		110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.9	1.7		110	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist. - Bilaspur (C.G.)	CECB	7.2	2.0		90	SATISFACTORY
7	1622	Bore well water Sample Near Tifra Industrial Area, Dist.-Bilaspur (C.G.)	CECB	0.1	0.1		<2	NOT SATISFACTORY
8	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk), Dist.- Bilaspur (C.G.)	CECB	0.3	0.1		<2	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	2.1		140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.0		160	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.4		170	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.4	2.8		220	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8		280	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.3	2.9		350	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No .	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2018 )			July-2018				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100m l	<5000MPN/100m l	
1	1100	Mahanadi River at Kharod,	CECB	7.5	3.0		350	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.1	3.0		500	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.4	3.0		500	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.3	2.9		350	SATISFACTORY
5	New	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.) Dam Water	CECB	7.1	2.8		220	SATISFACTORY
6	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.) Dam Water	CECB	7.1	2.4		220	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )		June-2018				
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100m l	<5000MPN/100m l	
1	1100	Mahanadi River at Kharod,	CECB	8.0	1.1		17	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.3		34	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.2	1.2		25	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)									
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
		Monitoring Months ( 2018 )		May-2018					
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
1	1100	Mahanadi River at Kharod,	CECB	8.2	1.1		22	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	1.4		30	SATISFACTORY	
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.4	1.5		80	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY  BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months ( 2018 )			April-2018				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.3	1.2		26	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.6	1.3		33	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.3	1.6		80	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.9	1.3		40	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	2.6		170	SATISFACTORY
6	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	-	0.1		<2	NOT SATISFACTORY
7	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	-	0.2		<2.	NOT SATISFACTORY
8	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	1.9		60	SATISFACTORY
9	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.7	1.1		23	SATISFACTORY
10	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.5	1.2		33	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.5	1.2		22	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.8	1.2		40	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.3	1.8		70	SATISFACTORY



WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)									
S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
		Monitoring Months ( 2018 )						February -2018	
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m		
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.9	1.0		17	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	1.0		30	SATISFACTORY	
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	1.6		50	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR / JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months ( 2018 )						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN /100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.8	1.1		21	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.9	1.1		34	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.8	1.7		60	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	8.1	1.4		34	SATISFACTORY