

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2025)			January -2025				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	6.8	2.1			SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.8	2.3			SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.7	2.1			SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	6.8	2.1			SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	2.0			SATISFACTORY
6	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	6.4	1.9			SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	6.6	2.1			SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.5	2.1			SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			December-2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.0			SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5			SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.0	1.9			SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.2			SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.0	1.8			SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.5	1.6			SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			November- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	1.9			SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	1.9			SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.8	1.9			SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.0			SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.0	1.6			SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.3	1.8			SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			October- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.1			SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.3			SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.2			SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.1			SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	BDL	BDL			NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	BDL	BDL			NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.8	1.8			SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.2	2.0			SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	6.9	2.2			SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.7	2.0			SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			September- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	93	390	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.4	170	410	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	2.7	350	790	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.4	280	540	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.9	2.4	200	540	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.6	2.6	170	350	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			August- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.0	2.5	93	390	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.9	2.4	170	410	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	2.7	350	790	SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.7	2.4	280	540	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	6.9	2.4	200	540	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.6	2.6	170.0	350	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			July- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.0	2.4	79	330	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	2.3	90	260	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.4	2.7	170	480	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.8	2.5	130	410	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.8	2.4	270	460	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.7	94	270	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	6.9	2.4	26	79	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.0	2.3	11	49	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			June-2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	6.5	2.2	18	64	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8	136	52	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	4.2	80	220	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.5	3.6	62	164	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	4.2	48	168	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	3.6	32	128	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			May- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.0	2.3	18	80	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8	70	150	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.0	4.2	78	320	NOT SATISFACTORY
	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.4	3.4	66	190	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	6.0	110	236	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.6	12	118	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			April- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.3	81	380	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.3	2.8	120	350	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.2	4.1	100	620	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.4	3.2	200	490	NOT SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	BDL	BLD	BDL	9.96	NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	BDL	BLD	BDL	10.44	NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	5.9	4.8	310	900	NOT SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.5	2.8	18	220	SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7	2.2	11	60	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.9	2.1	10	62	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			March- 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.0	2.4	6	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.5	2.4	8	60	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	3.8	18	180	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	6.5	3.2	6	60	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.0	18.0	68	160	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	3.0	6	40	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			February - 2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.2	2.1	10	42	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.0	2.2	8	52	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.5	3.0	8	172	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	6.5	3.0	10	88	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.5	8.4	82	190	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.9	8	52	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			January -2024				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	2.1	10	62	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.5	2.1	18	72	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	3.0	18	110	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	2.8	18	108	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	4.8	80	170	NOT SATISFACTORY
6	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	12	90	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	8.0	2.8	6	40	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7	2.8	4	46	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			December-2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.1	93	490	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.7	1.8	170	630	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	220	1100	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.2	210	680	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.0	3.9	30	90	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.5	2.6	10	130	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			November- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.0	84	470	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.9	2.1	150	580	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.2	170	630	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.8	200	945	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.4	2.9	20	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.4	2.6	14	200	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			October- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.1	12	180	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.1	23	240	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.9	110	610	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.3	39	310	SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	N.A.	1.0	0	0	SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	N.A.	1.0	0	2	SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.6	2.8	20	70	SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.8	2.4	14	200	SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	2.0	2	42	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.8	2	36	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			September- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.4	2.0	20	170	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.4	63	330	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.2	3.2	78	490	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	45	230	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	3.0	20	70	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	8	42	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			August- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.2	4	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	2.8	12	38	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.0	3.4	8	22	NOT SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.5	2.4	3.0	18	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	6.5	3.1	80	170	NOT SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	2.8	6.0	32	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			July- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	2	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8	14	40	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	3.0	4	12	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	2.2	2	12	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.8	3.0	84	170	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.2	4	28	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.0	2.0	0	20	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	8.0	2.0	0	8	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			June-2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	20	85	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.4	12	94	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.4	3.6	110	330	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.8	84	260	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.4	3.0	130	490	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	4.0	30	96	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			May- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.3	12	26	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	2.7	15	30	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	3.8	24	88	NOT SATISFACTORY
	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.5	3.8	10	30	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	4.1	68	260	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	4.0	30	92	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			April- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.1	12	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.8	14	28	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	8.0	3.1	22	60	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.5	3.1	14	34	NOT SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.4	Nil	-	Absent	NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	0.4	1.0	-	Absent	NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	5.8	3.0	58	460	NOT SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	6.5	3.5	28	104	NOT SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	2.0	2	27	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7	2.2	2	18	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			March- 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	2.2	16	38	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.0	3.1	24	64	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.5	3.0	20	70	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	3.0	17	44	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	4.7	84	246	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	4.0	30	100	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			February - 2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.0	2.4	18	84	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.0	2.6	12	58	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	4.0	60	170	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	32	74	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	4.4	30	104	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	12.0	20	90	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			January -2023				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.0	2.2	22	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	6.5	2.4	12	56	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.0	4.0	62	172	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	3.1	30	80	NOT SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	4.2	32	114	NOT SATISFACTORY
6	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	5.0	14.0	21	93	NOT SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.0	2.0	12	64	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.5	2.3	4	28	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			December-2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.2	24	98	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.5	12	60	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	5.5	4.2	62	170	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	3.2	30	82	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.2	4.0	28	102	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.0	4.0	12	74	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			November- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.2	28	108	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	12	65	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	3.0	34	99	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.0	4.1	82	172	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.5	3.2	18	72	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.4	2.3	17	78	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			October- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	6.5	3.0	48	108	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	12	65	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.0	8.0	92	190	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	4.0	34	102	NOT SATISFACTORY
5	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	1.8	0.0	0.0	0.0	NOT SATISFACTORY
6	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	1.2	0.0	0.0	0.0	NOT SATISFACTORY
7	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.4	2.0	18	70	SATISFACTORY
8	New	Sheonath River near Dagori Village Dist. Bilaspur (C.G.)	CECB	7.0	2.1	17	64	SATISFACTORY
9	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.1	1.8	0	20	SATISFACTORY
10	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	6.5	2.3	4	18	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			September- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.0	16.0	48	138	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	12.0	92	168	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.0	18.0	92	190	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.5	13.0	44	124	NOT SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.6	2.4	22	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	18.0	64	180	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			August- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	4.0	38	112	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	80	112	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	4.6	40	180	NOT SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	3.1	24.0	84	NOT SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	6.0	1.8	28	116	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.0	34.0	158	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			July- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	4.0	38	117	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.0	80	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	4.8	38	178	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.5	3.0	24	80	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	1.4	20	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	1.8	28	138	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.5	2.6	8	18	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	2.4	8	40	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			June-2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.0	3.8	12	20	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.8	15	27	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.5	4.0	30	78	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	4.8	3.2	12	30	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.5	5.0	50	160	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.8	4.8	28	124	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			May- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.2	2.8	14	22	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.0	14	26	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.0	28	74	SATISFACTORY
	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	8.0	2.8	12	28	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	4.5	5.0	52	164	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	8.0	2.1	20	104	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			Apri 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	2.1	14	20	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	2.5	14	24	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	9.2	3.0	14	30	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	8.0	2.1	26.0	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	8.2	4.3	46.0	148.0	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	10.0	2.5	18.0	104.0	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	10.0	2.0	0	20	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	8.2	2.2	0	20	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			March- 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.0	2.8	16	30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	3.0	14	54	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.5	3.9	30	80	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	17	40	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.7	44	146	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	5.1	30	138	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			February - 2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.0	1.8	16	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	3.5	12	56	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.0	4.0	34	88	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	3.0	18	42	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.5	2.8	44	146	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	5.0	30	138	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			January -2022				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.4	1.8	17	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	2.1	12	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.2	2.0	24	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.4	2.0	20	50	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.2	2.4	24	130	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.0	22	110	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.5	2.0	0	22	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.1	1.5	0	16	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			December-2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	2.0	17	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.0	12	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.3	22	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.2	20	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.6	2.5	16	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.4	1.8	18	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			November- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.4	1.9	20	50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.2	7	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	24	70	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.1	24	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.4	2.4	21	90	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.5	1.8	16	70	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			October- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.0	23	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.3	34	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.3	38	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	60	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.5	2.5	21	90	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.4	1.9	16	70	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.6	1.2	0	16	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.1	1.6	0	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			September- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.2	42	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.1	2.5	9	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	2.4	60	170	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.0	2.5	70	220	SATISFACTORY
5	1848	Alpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.6	16	70	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.0	14	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			August- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	2.3	40	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	30	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	2.6	70	220	SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.1	2.8	60.0	140	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur.	CECB	7.1	2.8	21	110	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	2.1	17.0	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			July- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.4	2.8	21	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	3.0	70	220	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.9	3.7	125	280	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.2	3.2	108	240	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	2.9	30	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	2.3	30	140	SATISFACTORY
7	New	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.8	1.4	0	32	SATISFACTORY
8	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.4	90	9.73	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			June-2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	1.4	18	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.2	1.6	40	90	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	2.0	24	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.2	1.9	60	140	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.6	2.5	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.4	20	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			May- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	1.3	16	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.4	1.4	40	90	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7	1.8	42	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	1.6	20	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	2.4	20	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	2.3	17	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			Apri 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.2	1.5	12	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.8	38.0	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.1	1.2	38	90	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.5	1.3	21.0	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.9	2.3	17.0	110.0	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	2.2	12.0	110.0	SATISFACTORY
7	Proposed	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.4	1.1	0	17	SATISFACTORY
8	Proposed	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.2	1.2	21	60	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			March- 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.5	1.3	20	50	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.1	2.3	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.9	1.3	30	90	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	2.4	40	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.8	2.5	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	2.4	10	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			February - 2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.8	1.7	20	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.2	2.5	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.1	2.3	21	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.2	2.4	40	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.9	2.4	20	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.0	2.2	8	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (20121)			January -2021				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.9	1.6	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.4	2.4	11	70	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	7.0	2.2	10	110	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.4	2.2	11	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.0	2.4	8	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.1	8	140	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.4	1.1	10	110	SATISFACTORY
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.4	1.1	21	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			December-2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	1.7	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.6	9	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.4	21	140	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.8	8	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.2	2.4	9	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.1	2.2	9	170	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			November- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	1.8	7	140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.4	2.2	11	90	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.4	1.9	7	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.3	10	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.0	2.6	11	170	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.2	2.1	7	140	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			October- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.9	4	90	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.9	7	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.4	2.0	8	110	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.5	9	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	7.2	2.2	9	220	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.1	2.2	9	170	SATISFACTORY
7	New 2	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.2	1.2	0	21	SATISFACTORY

8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.3	1.1	0	17	SATISFACTORY
---	-------	---	------	-----	-----	---	----	--------------

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			September- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	2.2	11	170	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.3	9	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.4	2.4	14	220	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.2	2.0	4	170	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.1	2.4	11	280	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	2.1	4	170	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			August- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	2.2	14	220	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.9	2.6	11	170	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.2	2.3	17	220	SATISFACTORY
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.0	2.6	7.0	280	SATISFACTORY
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	2.8	12	220	SATISFACTORY
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.2	7.0	140	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			July- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	4.4	1.3	7	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.1	1.4	7	40	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.2	1.3	2	60	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	1.4	9	90	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	1.9	7	140	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.1	1.9	4	30	SATISFACTORY
7	New	Khutaghat Dam Village- Melnadih, Ratanpur, District-Bilaspur (C.G.)	CECB	7.1	1.3	0	23	SATISFACTORY
8	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.2	1.2	0	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			June-2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.6	1.2	4	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.4	1.3	4	30	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	1.3	7	60	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.4	1.3	8	50	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.1	1.7	8	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	7.2	1.8	6	40	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			May- 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.5	1.3	9	30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	1.2	7	22	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.3	1.3	10	33	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.8	1.3	12	34	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.7	1.8	9	30	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.9	1.9	9	27	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			Apri 2020				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	7.3	1.4	0	0	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.6	27.0	8.3	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.0	1.2	0	0	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.3	1.3	10.0	0	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	1.9	17.0	4.0	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.8	2.0	24.0	8.2	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2020)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.8	1.1	20	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.0	1.8	40	110	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.6	1.5	21	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.0	1.2	40	110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.5	2.1	60	110	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.2	30	80	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
								DO	BOD
		Monitoring Months (20120)	January -2020						
		Water Quality Criteria	>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m			
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	7.9	1.2	16	34	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.2	1.9	38	90	SATISFACTORY	
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	6.8	1.4	20	60	SATISFACTORY	
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	1.3	34	90	SATISFACTORY	
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.4	2.8	60	140	SATISFACTORY	
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.4	2.3	40	90	SATISFACTORY	
7	New 2	Khutaghat Dam Village- Meinadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.1	1.3	30	90	SATISFACTORY	
8	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.3	1.2	60	110	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	December-2019				TC	Water Quality Status
				DO	BOD	FC	FC		
		Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m		
		Water Quality Criteria							
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	1.5	42	140	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.6	60	170	SATISFACTORY	
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.7	2.7	110	300	SATISFACTORY	
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.8	2.6	60	170	SATISFACTORY	
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.3	2.8	100	220	SATISFACTORY	
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.3	2.7	50	110	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)										
Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	November- 2019			Water Quality Status
S.No	Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m				
Water Quality Criteria										
1	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.7	105	220				SATISFACTORY
2	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	70	220				SATISFACTORY
3	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	2.7	125	280				SATISFACTORY
4	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.4	2.8	108	240				SATISFACTORY
5	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.1	2.9	100	240				SATISFACTORY
6	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.2	2.6	60	170				SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
								DO	BOD
		Monitoring Months (2019)							
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m		
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.6	1.8	100	280	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	100	300	SATISFACTORY	
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.8	128	380	SATISFACTORY	
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	6.5	2.9	110	350	SATISFACTORY	
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.0	3.0	140	300	NOT SATISFACTORY	
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	6.1	2.8	100	240	SATISFACTORY	
7	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.2	Nil		1.8	NOT SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	September- 2019				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100ml	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.3	3.1	109	350	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	6.8	3.0	98	350	NOT SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	6.7	3.5	106	300	NOT SATISFACTORY
4	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	6.6	3.8	125	350	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	5.8	3.5	180	350	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.2	3.4	128	280	NOT SATISFACTORY

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	August- 2019					Water Quality Status
				DO	BOD	FC	TC		
Monitoring Months (2019)				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
Water Quality Criteria									
1	1100	Mahanadi River at Kharod,	CECB	7.2	2.2	107	300	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa.	CECB	6.6	3.4	96	300	NOT SATISFACTORY	
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.0	3.6	112	300	NOT SATISFACTORY	
5	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.8	3.7	125	350	NOT SATISFACTORY	
6	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.9	4.4	160	500	NOT SATISFACTORY	
7	New	Sheonath River near Dagori Village Bilaspur.	CECB	5.8	3.6	122	250	NOT SATISFACTORY	

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.3	3.0	105	280	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	3.3	94	280	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	6.9	3.6	123	350	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.1	3.4	110	300	NOT SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.8	4.6	170	500	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.0	3.7	118	240	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.8	1.8	20.0	60.0	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.6	2.6	41.0	140	SATISFACTORY
3	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.6	24.0	70	SATISFACTORY
4	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.8	60	140	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	2.4	9.6	580	1600	NOT SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.4	2.8	60	140	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Monitoring Months (2019)		May- 2019				
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.9	1.6	18	60	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	6.8	2.8	41.0	130	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	6.8	2.7	60	140	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.8	2.4	24	70	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	7.3	2.4	580	1600	SATISFACTORY
6	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.3	2.8	50	120	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	Monitoring Months (2019)				TC	Water Quality Status
				DO	BOD	FC	FC		
				>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m		
				Water Quality Criteria					
1	1100	Mahanadi River at Kharod,	CECB	7.7	1.8	16	40	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.5	38	110	SATISFACTORY	
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.0	2.5	42	110	SATISFACTORY	
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.5	2.0	21	50	SATISFACTORY	
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	3.8	7.2	282	900	NOT SATISFACTORY	
6	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	0.1	Nil		<2	NOT SATISFACTORY	
7	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	0.2	0.1		<2	NOT SATISFACTORY	
8	New	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	2.6	44	110	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Monitoring Months (2019)						
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.9	1.6	12	34	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	2.6	43	130	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.4	2.6	38	90	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.1	1.5	8	40	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.5	2.4	34	110	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.1	2.7	24	70	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				January -2019				
		Monitoring Months (2019)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria		I	I	I	I	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.8	1.6	3.7	21	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.7	2.0	23	70	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	8.3	1.8	17	50	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	8.6	1.6	21	33	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.5	1.6		30	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.9	1.6		60	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.2	1.9		70	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status	
				>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m		
		Monitoring Months (2018)		November-2018					
		Water Quality Criteria							
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.3	1.8		50	SATISFACTORY	
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.7	1.8		90	SATISFACTORY	
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	8.0	2.1		90	SATISFACTORY	

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	8.1	1.9		80	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.5	1.9		140	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.8	2.2		130	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge, Dist - Janjgir-Champa (C.G.)	CECB	7.9	2.0		110	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur (C.G.)	CECB	6.9	1.7		110	SATISFACTORY
6	New	Sheonath River near Dagori Village Dist.- Bilaspur (C.G.)	CECB	7.2	2.0		90	SATISFACTORY
7	1622	Bore well water Sample Near Tifra Industrial Area, Dist.-Bilaspur (C.G.)	CECB	0.1	0.1		<2	NOT SATISFACTORY
8	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk), Dist.- Bilaspur (C.G.)	CECB	0.3	0.1		<2	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	September-2018				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (2018)						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist - Janjgir-Champa (C.G.)	CECB	7.8	2.1		140	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist - Janjgir-Champa (C.G.)	CECB	7.3	2.0		160	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist - Janjgir-Champa (C.G.)	CECB	7.5	2.4		170	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				August-2018				
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.4	2.8		220	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.0	2.8		280	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.3	2.9		350	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	July-2018				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	7.5	3.0		350	NOT SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.1	3.0		500	NOT SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.4	3.0		500	NOT SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.3	2.9		350	SATISFACTORY
5	New	Khutaghat Dam Village- Melnadih, Ratanpur, District- Bilaspur (C.G.) Dam Water	CECB	7.1	2.8		220	SATISFACTORY
6	New	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.) Dam Water	CECB	7.1	2.4		220	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	8.0	1.1		17	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.3	1.3		34	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.2	1.2		25	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	May-2018			TC	Water Quality Status
				DO	BOD	FC		
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	8.2	1.1		22	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.5	1.4		30	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.4	1.5		80	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	April-2018			TC	Water Quality Status
				DO	BOD	FC		
		Monitoring Months (2018)						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod,	CECB	8.3	1.2		26	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.6	1.3		33	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River near Balpur Village.	CECB	7.3	1.6		80	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge	CECB	7.9	1.3		40	SATISFACTORY
5	1848	Arpa River D/S of Bilaspur city at Check Dam outlet near Deori Khurd, Bilaspur	CECB	6.0	2.6		170	SATISFACTORY
6	1622	Bore well water Sample Near Tifra I.A. Bilaspur.	CECB	-	0.1		<2	NOT SATISFACTORY
7	1623	Bore well water sample from BEC Fertilizer outside of the factory premises (Near Banak Chowk)	CECB	-	0.2		<2.	NOT SATISFACTORY
8	New 1	Sheonath River near Dagori Village Bilaspur.	CECB	6.5	1.9		60	SATISFACTORY
9	New 2	Khutghat Dam Village- Meinadih, Ratanpur, District- Bilaspur (C.G.)	CECB	7.7	1.1		23	SATISFACTORY
10	New 3	Khudiya Dam Village- Khudiya, Lormi, District- Mungeli (C.G.)	CECB	7.5	1.2		33	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				March-2018				
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod,	CECB	8.5	1.2		22	SATISFACTORY
2	1106	Hasdeo River U/S of Champa.	CECB	7.8	1.2		40	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village.	CECB	7.3	1.8		70	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR & JANJGIR-CHAMPA (C.G.)

S.No	Station code	Name of Monitoring Station	Monitoring Agency	February -2018			TC	Water Quality Status
				DO	BOD	FC		
		Monitoring Months (2018)		>4.0mg/l	<3.0mg/l	<2500MPN/100m	<5000MPN/100m	
		Water Quality Criteria						
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.9	1.0		17	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	8.0	1.0		30	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.5	1.6		50	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, NAME OF THE CITY BILASPUR / JANJGIR-CHAMPA (C.G.)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	January 2018				Water Quality Status
				DO	BOD	FC	TC	
		Monitoring Months (2018)						
		Water Quality Criteria		>4.0mg/l	<3.0mg/l	<2500MPN /100ml	<5000MPN/100ml	
1	1100	Mahanadi River at Kharod, Dist.- Janjgir Champa	CECB	8.8	1.1		21	SATISFACTORY
2	1106	Hasdeo River U/S of Champa. Dist.- Janjgir Champa	CECB	7.9	1.1		34	SATISFACTORY
3	1467	Mahanadi River A/c of Mand River Near Balpur Village. Dist.- Janjgir Champa	CECB	7.8	1.7		60	SATISFACTORY
4	1282	Mahanadi River at Sheorinarayan D/S Near Road Bridge. Dist.- Janjgir Champa	CECB	8.1	1.4		34	SATISFACTORY