

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2025)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.6	0.4	9	40.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.8	60	110.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.4	22	110.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	2.2	12	70	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	2	9	SATISFACTORY

I/Chemist

Jr. Scientist

Scientist

Regional Officer

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2025)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.8	0.8	2	40.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.4	60.0	260.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.4	2.4	22.0	110.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.4	9	80	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.3	2	10	SATISFACTORY

I/Chemist

Jr. Scientist

Scientist

Regional Officer

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.3	0.9	9	60.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	2.8	34.0	300.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.8	60.0	110.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	2.2	60	210	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.8	9	22	SATISFACTORY

I/Chemist

Jr. Scientist

Scientist

Regional Officer

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	8.0	1	22	60.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.8	30.0	280.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.8	60.0	260.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.3	1.8	60	160	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.8	2	22	SATISFACTORY

I/Chemist

Jr.Scientist

Scientist

R.O.

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	8.0	0.9	22	110.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	2.8	26.0	240.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	2.8	30.0	240.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	2.4	80	140	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.3	2	22	SATISFACTORY

I/Chemist

Jr.Scientist

Scientist

R.O.

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.2	1.8	40	120.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.6	80.0	240.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	2.8	80.0	240.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	2.2	80	140	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.2	4	50	SATISFACTORY

I/Chemist

Jr.Scientist

Scientist

R.O.

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	1.8	40	120.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	2.6	80.0	240.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.0	2.8	90.0	280.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	2.2	80	140	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.2	4	50	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.6	1.2	20	60.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.0	70.0	160.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	2.8	84.0	190.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	2	70	120	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	6	30	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			Jun				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.0	0.6	16	60.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.2	50.0	210.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.6	60.0	250.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.8	1.4	38	154	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.4	0.2	4	28	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.8	0.8	18	46.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	2.4	48.0	180.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.8	56.0	210.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	1.2	32	142	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.2	0.4	4	20	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	8.0	0.6	16	42.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	2.2	44.0	160.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.6	50.0	190.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.8	28	146	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	2	8	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.2	0.4	14	46.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	2.4	40.0	170.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.8	700.0	1100.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	1	22	58	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.2	2	4	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			Febuary				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	8.2	0.6	7	22.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	2.2	33.0	90.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.6	40.0	170.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.8	7	21	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.2	0.4	2	4	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2024)			JANUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.8	0.8	17	31.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	2.0	37.0	150.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.2	33.0	280.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	1.4	17	46	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.6	2	2	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	1.2	9	46.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	1.6	37.0	110.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.0	40.0	170.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.6	14	26	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	2	2	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	1	21	56.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.2	33.0	90.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	1.6	40.0	150.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	1.4	17	32	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.6	2	12	SATISFACTORY

Incharge Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			OCTOBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	1	8	34.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.4	13.0	30.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.0	9.0	26.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.2	6	30	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.6	2	4	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	4.8	0.2	2	2	SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	4.2	0.2	2	2.2	SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	4.4	0.4	2	2	SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.6	1.2	6	24	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.2	1	7	26	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	1.0	8	34	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.6	33	110	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.4	40	150	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	1.4	22	49	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.6	2	12	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.8	13	49	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.8	21	90	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.2	37	170	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.2	25	58	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	4	22	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	1.0	6	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.6	26	110	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.0	34	150	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	1.0	11	46	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.6	2	4	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.2	0.8	11	32	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.8	21	58	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.2	25	70	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.2	14	32	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	2	4	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.4	0.6	3.7	24	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.6	21	46	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.0	22	49	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.8	1.0	9	30	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.0	0.6	2	12	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			APRIL				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.6	0.4	22	49.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.4	25.0	58.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.8	1.8	26.0	84.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.8	11	25	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.2	0.4	2	4	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	4.6	0.4	2	24	SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	4.4	0.6	4	22	SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	4.6	0.2	2	12	SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.8	1	14	46	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.4	1.4	26	84	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.4	0.6	14	26	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.8	1.2	22	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	8.0	1.4	26	58	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.8	0.8	13	24	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.2	0.2	2	12	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.2	0.4	11	32	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	8.0	1.0	13	46	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.8	1.4	14	49	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	1.0	14	26	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.0	0.4	2	2	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2023)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.4	0.6	17	31	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.8	1.2	21	70	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.6	1.6	25	84	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.8	11	21	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.2	0.2	4	12	SATISFACTORY

I/Chemist

Jr.Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.2	0.6	13	34	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.4	14	49	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.4	2.0	25	58	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	1.0	2	12	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8.0	0.4	2	4	SATISFACTORY

I/Chemist

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.4	0.4	11	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.6	14	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.2	11	30	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	1.0	6	22	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	2	4	SATISFACTORY

I/Chemist

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			OCTOBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	1	8	34.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	1.4	13.0	30.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	2.0	9.0	26.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.2	6	30	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.6	2	4	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	4.8	0.2	2	2	SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	4.2	0.2	2	2.2	SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	4.4	0.4	2	2	SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.6	1.2	6	24	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.2	1	7	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.8	11	34	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	1.8	4.5	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.2	6.8	39	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	1.6	4.5	23	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.6	14	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	2.0	6.1	33	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	2.4	8.1	48	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	2.0	4	22	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			JULY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.8	11	28	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	2.2	5.1	32	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	2.6	7.1	38	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	2.0	2	9.2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.6	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			JUNE				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.9	0.6	13	27	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.5	1.2	14	26	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	1.6	17	34	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.5	1.2	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.9	0.4	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			MAY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.8	13	27	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	1.0	17	30	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	1.2	14	34	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	1.1	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.6	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			APRIL				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.4	14	40.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	0.6	17.0	30.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.4	0.8	13.0	34.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.8	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	2	2	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	5.4	0.2	2	12	SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	5.2	0.4	2	8	SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	5.6	0.2	2	2	SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.4	0.8	14	27	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.2	1	17	27	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			MARCH				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.4	7	14	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.8	13	21	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	1.0	17	27	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.6	2	4	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	14	27	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	0.6	11	21	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	1.0	13	26	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.6	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2022)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.2	13	27	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.4	17	30	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.6	14	34	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.4	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	2	2	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			DECEMBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	11	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	0.2	14	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	0.4	9	27	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.2	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	2	2	SATISFACTORY

Jr. Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			NOVEMBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.2	11	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.4	13	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	0.6	9	26	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.4	7	22	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	2	2	SATISFACTORY

Jr. Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	8	30.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	0.6	2.0	21.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	0.6	4.0	22.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.2	1.8	4	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	1.8	1.8	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	4.6	0.4	1.8	1.8	SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	4.8	0.2	1.8	1.8	SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	5.4	0.2	1.8	1.8	SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.2	0.4	7	22	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.0	0.4	6	26	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			SEPTEMBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	4.5	23	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	0.4	6.8	22	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	0.6	6.1	34	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.2	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	4	17	SATISFACTORY

Jr. Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			AUGUST				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.4	4	23	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.6	6.1	33	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	0.8	8.1	39	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.6	2	2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	2	2	SATISFACTORY

Jr. Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			JULY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	9.2	23	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	0.4	14	48	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	0.6	25	63	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.4	1.8	22	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	1.8	1.8	SATISFACTORY

Jr. Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			JUNE				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.4	5.6	23	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.4	0.6	8	28	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	0.6	11	43	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.2	1.8	12	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2	1.8	1.8	SATISFACTORY

Lab Asst.

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	2	30	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.6	0.4	4.2	20	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	0.6	12	41	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	10	31	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.4	1.8	11	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			APRIL				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	6	25.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.4	8.1	31.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.8	13.0	47.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.6	1.8	14	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	15	SATISFACTORY
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB	-	-	1.8	1.4	NOT SATISFACTORY
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB	-	-	1.5	2.4	NOT SATISFACTORY
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB	-	-	1.2	1.2	NOT SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.6	0.2	12	21	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.2	0.6	22	51	SATISFACTORY

Jr.Scientist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	4	56	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.4	6.2	30	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	0.6	12	41	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	1.8	16	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	NIL	6	25	NOT SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	8.1	31	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	0.8	13	46	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.2	1.8	14	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	NIL	1.8	1.8	NOT SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2021)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.2	6	25	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.4	14	46	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.8	22	79	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.2	1.8	17	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.4	6.1	27	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	13	43	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	0.8	22	70	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.8	0.4	1.8	15	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.2	6.1	26	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	0.6	12	41	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	0.8	21	63	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.2	1.8	17	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.2	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			OCTOBER				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.4	11	34.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.4	14.0	49.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	0.8	26.0	63.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.4	1.8	17	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY
6	3172	Borewell/ Handpump in Rogbahari Village, Korba	CECB	0	0	1.8	1.8	NOT SATISFACTORY
7	3173	Borewell/ Handpump in Parsabhatta Village, Korba	CECB	0.0	0	1.8	1.8	NOT SATISFACTORY
8	3174	Borewell/ Handpump in Dhanras NTPC, Korba	CECB	0.0	0	1.8	1.8	NOT SATISFACTORY
9		Ahiran River uptream near Village Barbaspur, Korba	CECB	6.8	0.6	13	38	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	6.6	0.8	21	58	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.0	0.6	11	33	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.6	14	46	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.8	21	58	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	1.8	15	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.6	4	17	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	6.8	26	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.8	11	36	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.6	1.8	8.3	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.4	7.8	23	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	0.8	11	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	0.6	17	49	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.4	1.8	9.2	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.2	4	12	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	0.6	6.1	15	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	0.8	6.8	17	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.6	1.8	8.1	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.0	0.0	2	10	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.4	4	11	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	0.6	6.1	12	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.4	1.8	6	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0	1.8	1.8	SATISFACTORY

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	TFC	TFC	Water Quality Status				
				Monitoring Months (2020)					APRIL			
				Water Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.0	0.1	0	0.0	SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House, Korba	CECB	7.4	0.4	0.0	0.0	SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.9	0.9	0.0	0.0	SATISFACTORY				
4	3169	well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	8.0	0.6	0	0	SATISFACTORY				
5	3170	well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	8	0.2	0	0	SATISFACTORY				
6	3172	Borewell/ Handpump in Rogbahari Village, Korba	CECB					NOT SATISFACTORY				
7	3173	Borewell/ Handpump in Parsabhata Village, Korba	CECB					NOT SATISFACTORY				
8	3174	Borewell/ Handpump in Dhanras NTPC, Korba	CECB					NOT SATISFACTORY				
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.8	0.4	0	0	SATISFACTORY				
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	8.0	0.4	0	0	SATISFACTORY				

Chem
chemist

Regional officer
R

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)


S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				March				
				Monitoring Months (2020)	>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.2	0	0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House , Korba	CECB	8.0	0.6	0	0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.2	0	0	SATISFACTORY
4	3169	well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.6	0	0	SATISFACTORY
5	3170	well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	0	0	SATISFACTORY

Chemist


 Regional Officer
 C.G. Environment Conservation Board
 Korba (C.G.)

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.2	3.6	21	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	9	27	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	1.0	12	39	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	3.6	17	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.4	1.8	1.8	SATISFACTORY


Lab Asst.


Chemist


Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.2	4	26	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.8	11	33	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.4	13	49	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.4	3.7	24	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	2	2	SATISFACTORY

Lab Asst.


Chemist


Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				December				
				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
		Monitoring Months (2019)						
		Water Quality Criteria						
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.2	11	32	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	0.8	14	46	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	1.2	17	70	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	9.1	25	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY

BPML
Lab Asst.

Chemist
Chemist

Scientist
Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
Monitoring Months (2019)				November				
Water Quality criteria				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.4	9.2	26	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	10	34	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.0	13	58	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.4	6.8	14	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY

BPM/Le
Lab Asst


Chemist


Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status				
				Monitoring Months (2019)					OCTOBER			
				Water Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.6	17.0	31.0	SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House , Korba	CECB	6.8	0.8	21	46	SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	1.2	22.0	49.0	SATISFACTORY				
4	3169	Hasdeo River in Drnking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.8	0.6	4	33	SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2	1.8	1.8	SATISFACTORY				
6	3172	Borewll/ Handpump in Rogbahari Village, Korba	CECB			2.0	2.0	NOT SATISFACTORY				
7	3173	Borewll/ Handpump in Parsabhatta Village, Korba	CECB			2.0	2.0	NOT SATISFACTORY				
8	3174	Borewll/ Handpump in Dhanras NTPC, Korba	CECB			2.0	2.0	NOT SATISFACTORY				
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	6.8	1	25	58	SATISFACTORY				
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	6.4	1.4	26	84	SATISFACTORY				

B. Prasad
Lab Asst

Chemist

Page 1 of 1

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.6	110	540	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House , Korba	CECB	6.8	1.0	170	920	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.0	1.6	280	1600	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.4	0.8	79	240	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.0	0.2	Absent	4.5	SATISFACTORY

Bhambha
Lab Asst

Chandrasekhar
chemist

Agarwal
scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
Monitoring Months (2019)			June					
Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml		
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	6.8	1.0	14	90	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.6	1.2	33	280	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	1.8	4	22	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.6	1.0	21	110	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.2	0.4	Absent	Absent	NOT SATISFACTORY


Chemist


Scientist


Regional Officer

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				July				
	Monitoring Months (2019)				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	
Water Quality Criteria								
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.0	0.8	37	150	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House, Korba	CECB	6.8	1.4	700	1500	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	2.0	1.8	25	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.4	0.8	40	170	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village	CECB	6.8	0.2	1.8	7.8	SATISFACTORY

Bhalla
Lab Asst

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.4	4	26	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.8	7	17	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.2	<2.0	10	NOT SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6	<2.0	<2.0	NOT SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.4	<2.0	<2.0	NOT SATISFACTORY

Bhram
Lab Asst

Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				MAY				
				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	6	22	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.8	9	26	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.0	1.0	2	8	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.6	<2.0	<2.0	NOT SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4	<2.0	<2.0	NOT SATISFACTORY

Bhuma
Lab Asst

Chemist
chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			APRIL				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	8.0	0.2	7.0	26.0	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6	11.0	25.0	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1	2.0	6.0	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.8	<2	<2	NOT SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.4	<2	<2	NOT SATISFACTORY
6	3172	Borewell/ Handpump in Rogbahari Village, Korba	CECB	-	-	<2	<2	NOT SATISFACTORY
7	3173	Borewell/ Handpump in Parsabhatta Village, Korba	CECB	-	-	<2	<2	NOT SATISFACTORY
8	3174	Borewell/ Handpump in Dhanras NTPC, Korba	CECB	-	-	<2	<2	NOT SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.2	0.6	17	34	SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.0	0.8	21	46	SATISFACTORY

Bhaskar
Lab Assistant

Ganga
Chemist

Page 1 of 1

Q. N. S.
Scientist

प्रास्ताविक:-

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station Code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.8	0.2	12	24	SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(Eact) Guest House , Korba	CECB	7.2	0.8	13	33	SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	1.2	4	9.2	SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.6	6.1	10	SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2	<1.8	<1.8	NOT SATISFACTORY

Regional Officer
C.G. Environment Conservation Board
Korba (C.G.)

BPM
Lab Asst

Chemist

Scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status		
				Monitoring Months (2019)					February	
				Water Quality Criteria			>4.0mg/l		<3.0mg/l	<2500MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.2			SATISFACTORY		
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	0.6			SATISFACTORY		
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.0			SATISFACTORY		
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.4			SATISFACTORY		
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2			SATISFACTORY		

Chemist

Scientist

Regional Officer
C.G. Environment Conservation Board
Korba (C.G.)

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				January				
Monitoring Months (2019)				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
Water Quality Criteria								
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.6			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.8			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	1.4			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment piant at Kohadia Village.	CECB	7.2	0.8			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.2			SATISFACTORY

Bhima
Lab Asst

Chemist

QW
scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	EC	TC	Water Quality Status				
				Monitoring Months (2018)					November			
				Water Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.6	0.4			SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	1.8			SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	2.4			SATISFACTORY				
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6			SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.2	0.4			SATISFACTORY				

Bhaskar
Lab Asst

Amr
chemist

Apurva
scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status				
				Monitoring Months (2018)					November			
				Water Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.4			SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	1.4			SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	2.0			SATISFACTORY				
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.8			SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2			SATISFACTORY				

B. Prasad
Lab Asst

Anne
Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status				
				Monitoring Months (2018)					October			
				Water Quality Criteria			>4.0mg/l		<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.6			SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengumallah near CSEB(East) Guest House , Korba	CECB	6.8	1.0			SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	1.6			SATISFACTORY				
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	1.0			SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2			SATISFACTORY				
6	3172	Borewell/ Handpump in Rogbahari Village, Korba	CECB	-	0.6			NOT SATISFACTORY				
7	3173	Borewell/ Handpump in Parsabhata Village, Korba	CECB	-	0.4			NOT SATISFACTORY				
8	3174	Borewell/ Handpump in Dhanras NTPC, Korba	CECB		0.4			NOT SATISFACTORY				
9		Ahira River pstream near Village Barbaspur, Korba	CECB					NOT SATISFACTORY				
10		Ahira River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	7.2	0.8			SATISFACTORY				
				6.8	1.0			SATISFACTORY				

Bhram
Lab Asst

Chemist

QWA
scientist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				September				
Monitoring Months (2018)				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
Water Quality Criteria								
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	6.8	1.6			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House, Korba	CECB	6.6	1.6			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	2.2			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.8	1.4			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.4			SATISFACTORY

B. Prasad
Lab Asst


Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status				
				Monitoring Months (2018)					August			
				Water Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	6.8	1.4			SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.6	1.8			SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.2	2.4			SATISFACTORY				
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.8	1.2			SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.2	0.6			SATISFACTORY				

Bhaskar
Lab Asst

[Signature]
Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	ROD	TC	TC	Water Quality Status		
				Monitoring Months (2018)					July	
				Water Quality Criteria					>4.0mg/l	<3.0mg/l
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	1.0			SATISFACTORY		
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	6.8	1.4			SATISFACTORY		
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.4	2.0			SATISFACTORY		
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	6.8	1.0			SATISFACTORY		
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.0	0.4			SATISFACTORY		

B.P.M.

Lab Asst

Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	June				Water Quality Status
				DO	BOD	FC	TC	
Monitoring Months (2018)				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	Water Quality Status
Water Quality Criteria								
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.6	0.4			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House, Korba	CECB	7.0	1.0			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.4			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.8			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2			SATISFACTORY

B. M. Me

Lab Asst

Chamist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
				MAY				
				Monitoring Months (2018)	>4.0mg/l	<3.0mg/l	<2500MPN/100ml	
Water Quality Criteria								
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.6			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	1.4			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	7.2	1.6			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.6			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4			SATISFACTORY

B.P.M.V.La

Lab Asst

[Signature]
Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			APRIL				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydrel Power Station, Machadoli, Korba	CECB	7.6	0.8			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House, Korba	CECB	7.2	1.2			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	1.6			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.6	0.8			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.8	0.2			SATISFACTORY
6	3172	Borewell/ Handpump in Rogbahari Village, Korba	CECB	1.4	0.4			NOT SATISFACTORY
7	3173	Borewell/ Handpump in Parsabhata Village, Korba	CECB	1.2	0.4			NOT SATISFACTORY
8	3174	Borewell/ Handpump in Dhanras NTPC, Korba	CECB	1.8	0.2			NOT SATISFACTORY
9		Ahiran River pstream near Village Barbaspur, Korba	CECB	7.2	0.8			SATISFACTORY
10		Ahiran River Before Confluence of Hasdeo river, Village Charpara, Korba	CECB	6.4	1.2			SATISFACTORY

B.P. Me
Lab Asst


Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
Monitoring Months (2018)				March				
Water Quality Criteria				>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<800MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.6			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	1.0			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.4			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.4	0.6			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.6	0.4			SATISFACTORY


LAB Assistant


Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			Febuary				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.4	0.4			SATISFACTORY
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.2	0.8			SATISFACTORY
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.8	1.2			SATISFACTORY
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.2	0.8			SATISFACTORY
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2			SATISFACTORY

Lab Asst


Chemist

WATER QUALITY STATUS OF NWMP STATION, Name of the CITY KORBA (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status				
				Monitoring Months (2018)					January			
				Water-Quality Criteria					>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml
1	1105	Hasdeo River in Up Stream of Hasdeo Bango Hydel Power Station, Machadoli, Korba	CECB	7.2	0.6			SATISFACTORY				
2	3165	Hasdeo River in 100 mtr. Down stream after confluence of Dengurnallah near CSEB(East) Guest House , Korba	CECB	7.0	1.0			SATISFACTORY				
3	3168	Down streame of Hasdeo River Near Urga Village, Korba	CECB	6.6	1.4			SATISFACTORY				
4	3169	Hasdeo River in Drinking Water intake well of municipal corporation Korba before treatment plant at Kohadia Village.	CECB	7.0	0.6			SATISFACTORY				
5	3170	Hasdeo River in Drinking Water intake well of municipal corporation Korba after treatment plant at Kohadia Village.	CECB	7.4	0.2			SATISFACTORY				

Bhishma
Lab Asst


Chemist