

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (August 2024)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	2.3	0	356	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.4	2.4	0	456	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.2	2.8	0	488	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (July 2024)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.3	2.7	0	460	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.8	0	468	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	2.9	0	471	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (June 2024)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.9	0	310	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	2.1	0	320	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	2.8	0	378	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococci Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2024)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	2.0	0	302	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	2.1	0	327	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.5	0	368	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (April 2024)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.4	0	196	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	2.5	0	211	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.1	0	312	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (March 2024)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.5	0	81	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	1.9	0	120	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	2.1	0	210	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (February 2024)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.6	0	70	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.8	0	93	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	2.0	0	150	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococci Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (January 2023)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.3	0	64	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	1.9	0	75	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.1	0	120	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (December 2023)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	1.2	0	120	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.6	0	150	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	1.9	0	181	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (November 2023)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.1	0	150	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	1.4	0	212	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	1.8	0	240	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococci Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (October 2023)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	1.2	0	160	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.0	1.5	0	190	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.9	2.0	0	321	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (September 2023)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	1.4	0	240	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	1.6	0	460	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	2.1	0	460	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (August 2023)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.3	2.6	0	146	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.4	2.7	0	160	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.4	2.8	0	168	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (July 2023)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.4	2.5	0	98	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	2.9	0	82	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.3	3.8	0	123	NOT SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococci Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (June 2023)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	1.4	0	21	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	1.6	0	39	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.0	0	64	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2023)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	2.3	0	23	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	2.1	0	43	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.6	0	75	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (April 2023)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	2.1	0	41	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.5	0	70	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.4	2.8	0	120	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (March 2023)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.7	1.6	0	39	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.0	1.8	0	64	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.0	2.3	0	150	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (February 2023)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.4	0	31	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	1.9	0	43	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.4	0	120	SATISFACTORY

Note :- Parameter Fecal Coliform & Fecal Streptococcl Analysis facility not available.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (January 2023)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.5	22	80	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.8	13	70	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.1	50	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (December 2022)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	1.6	26	90	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	1.9	17	80	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.3	80	130	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (November 2022)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.3	1.7	22	80	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	1.8	26	70	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.2	50	110	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (October 2022)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	1.0	33	90	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.2	30	80	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	2.3	80	130	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (September 2022)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	1.8	21	43	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.4	1.9	12	24	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.3	2.4	14	31	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (August 2022)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.6	2.4	17	40	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.7	2.5	11	21	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.6	3.0	14	27	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (July 2022)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	1.8	11	32	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	1.6	9	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	2.8	7	20	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (June 2022)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	0.6	17	40	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.6	0.9	17	34	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	2.1	14	27	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2022)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	0.8	21	33	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	8.2	1.6	14	21	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	9.6	2.1	14	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (April 2022)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	0.5	17	27	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	0.7	7	21	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	1.7	11	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (March 2021)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.1	21	33	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	0.9	13	22	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	1.8	14	26	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (February 2021)			FEBRUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	0.7	13	23	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.0	1.0	17	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	1.4	14	22	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (January 2022)			JANUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	0.9	7	17	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	1.1	11	34	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.5	1.3	13	40	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (December 2021)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1	7	30	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.2	6	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	1.4	9	34	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (November 2021)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.1	9	33	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.5	1.3	7	27	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.1	7	21	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (October 2021)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.2	11	26	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.1	7	22	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.2	4	17	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (September 2021)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	1.6	6	17	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	1.7	7	22	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	2.1	4	14	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (August 2021)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	1.5	6	25	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	1.8	8.1	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	2.2	17	47	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (July 2021)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	1.4	4	21	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	1.6	6.1	24	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	2.1	14	41	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (June 2021)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.1	7.8	23	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.8	9.1	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	3.2	17	49	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2021)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.2	6	21	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	1.8	6.1	22	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	3.4	14	41	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (April 2021)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.7	1.8	--	--	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.6	1.9	--	--	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.3	2.2	--	--	SATISFACTORY

Remarks :- Parameter Total Coliform, Fecal Coliform are not sent for analysed to M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.) due to Lockdown

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (March 2021)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.4	1.9	6	17	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.6	1.8	9.1	21	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	2.4	13	46	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (February 2021)			Februay				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/100ml	<5000MPN/100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.6	2.3	4.5	25	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	2.2	6.8	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.9	2.9	15	48	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (January 2021)			JANUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	2.1	4.5	25	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	2.0	6.8	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.9	15	48	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (December 2020)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.3	2.4	4	22	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.1	6	25	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.8	14	46	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (November 2020)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	2.3	6.1	21	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	2.2	9.2	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.8	2.9	14	48	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (October 2020)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	3.1	4	17	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.0	3.3	9.3	27	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.9	3.7	13	43	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (September 2020)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	3.7	4	15	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	3.8	8.3	25	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	4.2	12	39	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (August 2020)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.4	3.9	2	9.3	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	3.5	3.7	17	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.4	4.5	6.8	31	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (July 2020)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	3.8	4	14	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	3.2	6.8	22	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	4.6	11	43	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2020)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.5	1.5	3.7	12	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.5	2.0	4.5	20	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.2	2.8	9.2	38	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)								
S.No.	Station code	Name of MonitoringStation	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (May 2020)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	2.1	4	14	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	1.9	6.8	22	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.4	2.6	11	43	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.7	1.6	8.3	26.0	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.5	6.0	21.0	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.3	2.2	9.2	33.0	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.5	1.5	*	*	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.5	2.0	*	*	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.2	2.8	*	*	NOT SATISFACTORY

Note -*This month Fecal Coliform and Total Coliform analysis not done.

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.7	9	48	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.9	6.8	27	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	5.7	2.2	14	79	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2020)			JANUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.7	1.2	9.2	46	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	1.2	6.1	26	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	3.2	12	84	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.6	11	58	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	1.9	6.8	31	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	3.0	14	110	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.8	13	63	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7	1.9	9.2	32	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.1	2.2	17	120	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	2.2	14	60	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	2.1	12	30	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.9	2.3	22	240	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	2.7	17	80	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.8	14	34	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.3	2.9	22	280	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.3	3.4	21	90	NOT SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.1	3.3	17	46	NOT SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.4	3.9	26	300	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	2.3	17	80	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.3	2.2	21	50	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.2	3.3	33	350	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	1.7	9	66	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.8	1.9	20	34	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.6	3.2	26	352	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.9	9	70	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.6	1.7	22	39	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.4	3.4	23	345	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	1.8	10	63	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.9	21	33	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	3.6	25	348	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.9		64	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	2		75	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.4	3.7		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			February				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.7	1.9	11	79	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.5	1.8	26	40	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.2	3.8	31	5400	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2019)			JANUARY				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.0	2.8		110	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	2.1		210	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.5	2.1		230	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			December				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.1		120	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	1.4		210	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.3		240	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			November				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.2		150	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.9	1.6		210	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.4		460	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			October				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	1.8		210	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	2.2		240	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.6		460	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			September				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	2.1		240	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	2.3		240	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.7		460	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			August				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.1	2.6		460	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.8		460	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	2.8		460	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			July				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	7.2	2.9		460	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	7.2	2.8		460	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	7.0	3.6		460	NOT SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			June				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	0.4		21	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	0.6		39	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.0		64	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			May				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	0.3		23	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	0.5		43	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	1.9		75	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			April				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	0.5		43	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	0.7		75	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.1		150	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			March				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	0.5		39	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.7	0.6		64	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.0		150	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			Februry				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.8	0.4		39	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	0.6		43	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.6	2.2		120	SATISFACTORY

WATER QUALITY STATUS OF NWMP STATION, ROCECB RAIGARH (Chhattisgarh)

S.No.	Station code	Name of Monitoring Station	Monitoring Agency	DO	BOD	FC	TC	Water Quality Status
	Monitoring Months (2018)			January				
	Water Quality Criteria			>4.0mg/l	<3.0mg/l	<2500MPN/ 100ml	<5000MPN/ 100ml	
1	1101	Mahanadi River, Raigarh	CECB Raigarh	6.9	0.5		43	SATISFACTORY
2	1849	Kelo River, Up Stream	CECB Raigarh	6.8	0.8		64	SATISFACTORY
3	1850	Kelo River, Down Stream	CECB Raigarh	6.7	2.1		120	SATISFACTORY