

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

पर्यावास भवन, नार्थ ब्लॉक, सेक्टर-19,

नवा रायपुर, अटल नगर (छ.ग.) 492002

ई-मेल- hocecb@gmail.com

क्रमांक 7732/मुख्या./वैज्ञा./छ.ग.प.सं.मं./2022

अटल नगर, रायपुर, दिनांक 3/1/2022.

प्रति,

सदस्य सचिव,
केन्द्रीय प्रदूषण नियंत्रण बोर्ड,
'परिवेश भवन', पूर्वी अर्जुन नगर,
दिल्ली-110032

विषय :- Effective Implementation of Guidelines issued by CPCB for idol-immersion-reg.

संदर्भ :- केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली का पत्र क्रमांक 14011/1/2020-WQM- (I) 377
दिनांक 23/07/2021.

---:00:---

उपरोक्त विषयातर्गत छ.ग. पर्यावरण संरक्षण मंडल द्वारा संदर्भित पत्र के परिप्रेक्ष्य में मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन के परिपालन हेतु कलेक्टर, आयुक्त (नगर पालिका निगम), संचालक (नगरीय प्रशासन एवं विकास), मुख्य नगर पालिका अधिकारी (नगर पालिका परिषद/नगर पंचायत) एवं क्षेत्रीय कार्यालय अंतर्गत रायपुर/बिलासपुर/दुर्ग-भिलाई/कोरबा/जगदलपुर/रायगढ़/अंबिकापुर को सूचित किया गया एवं केन्द्रीय प्रदूषण नियंत्रण बोर्ड के गाईड लाईन के अनुसार कार्यवाही सुनिश्चित किये जाने हेतु निर्देशित किया गया था। कार्यवाही हेतु मुख्य बिन्दु निम्नानुसार है :-

1. नदी और तालाब में विसर्जन के लिए विसर्जन पाँड/बन्ड/अस्थाई पाँड का निर्माण किया जाकर मूर्ति एवं पूजा सामग्री जैसे फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुयें इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जाये तथा इसका अपवहन उचित तरीके से किया जाना है। जिससे नदी या तालाब में प्रदूषण की स्थिति नियंत्रित हो सकें। सभी प्रमुख शहरों में पृथक से आवश्यक सुविधा के साथ विसर्जन पाँड, पहुँच मार्ग सहित बनाने हेतु पूर्व से ही निर्देश दिये गये हैं, जिन्हे मान. नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार पूर्ण किया जाना है।
2. विसर्जन उपरांत वेस्ट मटेरियल, पूजा सामग्री, फूल, कपड़े, प्लास्टिक पेपर, आदि को एकत्र कर पुनः उपयोग कम्पोस्टिंग आदि में किया जा सकता है।
3. अपशिष्ट पदार्थ विसर्जन स्थल पर जलाना प्रतिबंधित है।
4. मूर्ति विसर्जन स्थल पर पर्याप्त घेराबंदी व सुरक्षा की व्यवस्था हो। पूर्व से ही चिन्हांकित विसर्जन स्थल पर नीचे सिंथेटिक लाईनर की व्यवस्था की जाये तथा विसर्जन के उपरांत उक्त लाईनर, विसर्जन स्थल से हटाया जाये, जिससे कि मूर्ति विसर्जन के पश्चात् उसका अवशेष बाहर निकाला जा सके। बास, लकड़ियां पुनः उपयोग की जावें एवं मिट्टी को भू-भराव इत्यादि में किया जावें।
5. मूर्ति निर्माताओं को मूर्ति निर्माण हेतु लाईसेंस प्रदान करते समय मान्य एवं अमान्य तत्वों की सूची प्रदान की जाये।

6. यह सुनिश्चित किया जाये कि मूर्तियाँ केवल प्राकृतिक, जैव अपघटनीय, ईको फ्रेंडली, कच्चे माल से ही बनाई जाए। मूर्ति निर्माण में प्लास्टर ऑफ पेरिस, प्लास्टिक, थर्मोकोल और बेकट क्ले का उपयोग न किया जाये। मूर्ति के सजावट हेतु सुखे फूल संघटकों आदि का और प्राकृतिक रेजिन का इस्तेमाल किया जाये एवं मूर्ति की ऊँचाई कम से कम रखी जाये।

उपरोक्त बिन्दुओं का पालन करते हुए क्षेत्रीय कार्यालयों द्वारा की गई कार्यवाही की जानकारी एवं मूर्ति विसर्जन के पूर्व, मूर्ति विसर्जन के दौरान व मूर्ति विसर्जन के पश्चात एकत्रित जल-नमूनों का विश्लेषण, फोटोग्राफ्स, परिणाम, स्थायी समाचार पत्र में प्रकाशित विज्ञप्ति/समाचार एवं निरीक्षण प्रतिवेदन संलग्न कर कृपया प्रेषित है।

संलग्न :- उपरोक्तानुसार।

सदस्य सचिव

छत्तीसगढ़ पर्यावरण संरक्षण मंडल,

नवा रायपुर, अटल नगर (छ.ग.)

0/c

क.	क्षेत्रीय कार्यालय का नाम	संलग्नक
1.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, कबीर नगर, व्यावसायिक परिसर, छ.ग. गृह निर्माण मंडल कॉलोनी, रायपुर (छ.ग.)	संलग्नक-1 (गणेशोत्सव एवं दुर्गोत्सव)
2.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, व्यापार विहार पं. दीनदयाल उपाध्याय पार्क के पास, बिलासपुर (छ.ग.)	संलग्नक-2 (गणेशोत्सव एवं दुर्गोत्सव)
3.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, 5/32 बंगला भिलाई, जिला-दुर्ग (छ.ग.)	संलग्नक-3 (गणेशोत्सव एवं दुर्गोत्सव)
4.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, तहसील ऑफिस के पास रामपुर, कोरबा, एच.आई.जी.-21 एवं 22 कोरबा (छ.ग.)	संलग्नक-4 (गणेशोत्सव एवं दुर्गोत्सव)
5.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, एच.आई.जी.5 एवं 6 अघनपुर हाऊसिंग बोर्ड कॉलोनी, चित्रकोट रोड, जगदलपुर (छ.ग.)	संलग्नक-5 (गणेशोत्सव एवं दुर्गोत्सव)
6.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, टी.वी. टॉवर रोड, रायगढ़ (छ.ग.)	संलग्नक-6 (गणेशोत्सव एवं दुर्गोत्सव)
7.	क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, बैंक कॉलोनी बी.टी.आई के पीछे, वार्ड क्रमांक 6, नवापारा, अंबिकापुर (छ.ग.)	संलग्नक-7 (गणेशोत्सव एवं दुर्गोत्सव)



क्षेत्रीय कार्यालय
छ.ग. पर्यावरण संरक्षण मण्डल
कबीर नगर व्यावसायिक परिसर, छत्तीसगढ़ गृह निर्माण मण्डल कॉलोनी,
कबीर नगर, रायपुर (छ.ग.)

क्रमांक २४१५/वैज्ञा/क्षेका/छ.प.सं.मं./2021 रायपुर दिनांक ०७/१२/2021

प्रति,

सदस्य सचिव,

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,

मंडल मुख्यालय, नवां रायपुर, अटल नगर, जिला-रायपुर (छ.ग.)

विषय :- मूर्ति विसर्जन के दौरान खारून नदी जल नमूनों के संबंध में।

महोदय,

उपरोक्त विषयातंगत लेख है कि खारून नदी के नमूने मूर्ति विसर्जन के पहले एवं मूर्ति विसर्जन के दौरान जल नमूने एकत्रित किये गये थे। जल नमूनों का विवरण निम्नांकित अनुसार है :-

1. खारून नदी महादेवघाट (श्री गणेश मूर्ति विसर्जन के पहले) दिनांक 13.09.2021.
2. खारून नदी महादेवघाट (श्री गणेश मूर्ति विसर्जन के दौरान) दिनांक 20.09.2021.
3. खारून नदी महादेवघाट (श्री गणेश मूर्ति विसर्जन के बाद) दिनांक 25.09.2021.
4. खारून नदी महादेवघाट (माँ दुर्गा मूर्ति विसर्जन के पहले) दिनांक 06.10.2021.
5. खारून नदी महादेवघाट (माँ दुर्गा मूर्ति विसर्जन के दौरान) दिनांक 15.10.2021.

संलग्न :- उपरोक्तानुसार।

क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय, रायपुर (छ.ग.)



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)

Natural Water Analysis Report

Sample Collected From	:	Kharoon River at Mahadevghat Near bridge.
Description of Sample	:	River water Before Idol Emersion
Date & Time of Sample Collection	:	13.09.2021 (03.30 PM)
Date of Sample Received	:	13.09.2021
Date of Sample Analysis	:	14.09.2021
Sample Collected By	:	S.K.Tiwari (Lab. Asst. Grade -II), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Tiwari (Lab. Asst. Grade -II), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package

S.No.	Characteristics	Unit	Result
1	Temperature	°C	27.0
2	Apperance	--	Turbid
3	Odour	--	Odourless
4	pH	pH Unit	7.46
5	Conductivity	μ Mhos/cm	384.0
6	Total Solids	Mg/Liter	296.0
7	Total Dissolved Solids	"	238.0
8	Suspended Solids	"	58.0
9	Fixed Dissolved Solids	"	98.0
10	Dissolved Oxygen	"	7.3
11	B.O.D.	"	2.8
12	C.O.D.	"	19.4
13	Total Alkalinity	"	134.0
14	Total Hardness (as CaCO ₃)	"	126.0
15	Calcium Hardness(as CaCO ₃)	"	78.0
16	Magnesium Hardness (asCaCO ₃)	"	48.0
17	Chloride (as Cl)	"	48.2
18	Calcium	"	31.2
19	Magnesium	"	11.70


Lab Asst.


Chemist


Jr. Scientist


Scientist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)

Natural Water Analysis Report

Sample Collected From	:	Kharoon River at Mahadevghat Raipur.
Description of Sample	:	During Idol Immersion 1. Up Stream of Kharoon river approx 100 meters distance from Ganesh Idol Immersion (04.00 PM). 2. Down Stream of Kharoon river approx 100 meters distance from Ganesh Idol Immersion (04.20 PM).
Date & Time of Sample Collection	:	20.09.2021
Date of Sample Received	:	20.09.2021
Date of Sample Analysis	:	20.09.2021
Sample Collected By	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package

S.No.	Characteristics	Unit	Result-1	Result-2
1	Temperature	°C	26.0	26.0
2	Apperance	--	Turbid	Turbid
3	Odour	--	Odourless	Odourless
4	pH	pH Unit	7.42	7.48
5	Conductivity	μ Mhos/cm	376.0	384.0
6	Total Solids	Mg/Liter	292.0	304.0
7	Total Dissolved Solids	"	236.0	242.0
8	Suspended Solids	"	56.0	62.0
10	Dissolved Oxygen	"	7.2	7.4
11	B.O.D.	"	2.4	2.8
12	C.O.D.	"	19.2	19.8
13	Total Alkalinity	"	132.0	140.0
14	Total Hardness (as CaCO ₃)	"	124.0	132.0
15	Calcium Hardness(as CaCO ₃)	"	86.0	88.0
16	Magnesium Hardness (asCaCO ₃)	"	38.0	44.0
17	Chloride (as Cl)	"	42	46.0


Lab Asst.


Chemist


Jr. Scientist


Scientist




REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)


Natural Water Analysis Report

Sample Collected From	:	Kharoon River Mahadevghat after idol immersion.
Description of Sample	:	River Water After Idol Immersion
Date & Time of Sample Collection	:	25.09.2021 (03.30 PM)
Date of Sample Received	:	25.09.2021
Date of Sample Analysis	:	26.09.2021
Sample Collected By	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package

S.No.	Characteristics	Unit	Result
1	Temperature	°C	27.0
2	Apperance	--	Turbid
3	Odour	--	Odourless
4	pH	pH Unit	7.62
5	Conductivity	μ Mhos/cm	388.0
6	Total Solids	Mg/Liter	294.0
7	Total Dissolved Solids	"	230.0
8	Suspended Solids	"	60.0
9	Fixed Dissolved Solids	"	102.0
10	Dissolved Oxygen	"	7.3
11	B.O.D.	"	2.6
12	C.O.D.	"	19.8
13	Total Alkalinity	"	136.0
14	Total Hardness (as CaCO ₃)	"	124.0
15	Calcium Hardness(as CaCO ₃)	"	80.0
16	Magnesium Hardness (asCaCO ₃)	"	44.0
17	Chloride (as Cl)	"	42.0
18	Calcium	"	32.0
19	Magnesium	"	10.73


Lab Asst.


Chemist


Jr. Scientist


Scientist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)

Natural Water Analysis Report

Sample Collected From	:	Kharoon River at Mahadevghat Near Bridge.
Description of Sample	:	River water Before Idol Emersion
Date & Time of Sample Collection	:	06.10.2021 (03.30 PM)
Date of Sample Received	:	06.10.2021
Date of Sample Analysis	:	07.10.2021
Sample Collected By	:	S.K.Tiwari (Lab. Asst. Grade -II), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Tiwari (Lab. Asst. Grade -II), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package

S.No.	Characteristics	Unit	Result
1	Temperature	°C	27.0
2	Apperance	--	Turbid
3	Odour	--	Odourless
4	pH	pH Unit	7.58
5	Conductivity	μ Mhos/cm	380.0
6	Total Solids	Mg/Liter	292.0
7	Total Dissolved Solids	"	236.0
8	Suspended Solids	"	56.0
9	Fixed Dissolved Solids	"	98.0
10	Dissolved Oxygen	"	7.2
11	B.O.D.	"	2.6
12	C.O.D.	"	18.8
13	Total Alkalinity	"	132.0
14	Total Hardness (as CaCO ₃)	"	126.0
15	Calcium Hardness(as CaCO ₃)	"	69.0
16	Magnesium Hardness (asCaCO ₃)	"	57.0
17	Chloride (as Cl)	"	48.8
18	Calcium	"	27.6
19	Magnesium	"	13.90


Lab Asst.


Chemist


Jr. Scientist



Scientist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)
Natural Water Analysis Report

Sample Collected From	:	Kharoon River at Mahadevghat Raipur.
Description of Sample	:	During Idol Immersion 1. Up Stream of Kharoon river approx 100 meters distance from Durga Idol Immersion (04.00 PM). 2. Down Stream of Kharoon river approx 100 meters distance from Durga Idol Immersion (04.20 PM).
Date & Time of Sample Collection	:	15.10.2021
Date of Sample Received	:	15.10.2021
Date of Sample Analysis	:	15.10.2021
Sample Collected By	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package

S.No.	Characteristics	Unit	Result-1	Result-2
1	Temperature	°C	26.0	26.0
2	Apperance	--	Slight Turbid	Slight Turbid
3	Odour	--	Odourless	Odourless
4	pH	pH Unit	7.44	7.46
5	Conductivity	μ Mhos/cm	370.0	376.0
6	Total Solids	Mg/Liter	290.0	302.0
7	Total Dissolved Solids	"	234.0	240.0
8	Suspended Solids	"	56.0	62.0
10	Dissolved Oxygen	"	7.3	7.5
11	B.O.D.	"	2.3	2.5
12	C.O.D.	"	18.8	19.2
13	Total Alkalinity	"	136.0	142.0
14	Total Hardness (as CaCO ₃)	"	124.0	132.0
15	Calcium Hardness(as CaCO ₃)	"	86.0	88.0
16	Magnesium Hardness (asCaCO ₃)	"	38.0	44.0
17	Chloride (as Cl)	"	42.0	46.0


Lab Asst.


Chemist


Jr. Scientist


Scientist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
HOUSING BOARD COMPLEX, KABIR NAGAR, RAIPUR (C.G.)

Natural Water Analysis Report

Sample Collected From	:	Kharoon River Mahadevghat after idol immersion.
Description of Sample	:	River Water After Idol Immersion
Date & Time of Sample Collection	:	25.10.2021 (02.00 PM)
Date of Sample Received	:	25.10.2021
Date of Sample Analysis	:	25.10.2021
Sample Collected By	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Sample Analysed by	:	S.K.Khanna (Lab. Asst. Grade -I), R.R.Tripathi (Lab. Attd.)
Reference	:	As Per Package


S.No.	Characteristics	Unit	Result
1	Temperature	°C	27.0
2	Apperance	--	Clear
3	Odour	--	Odourless
4	pH	pH Unit	7.48
5	Conductivity	μ Mhos/cm	374.0
6	Total Solids	Mg/Liter	288.0
7	Total Dissolved Solids	"	230.0
8	Suspended Solids	"	58.0
9	Dissolved Oxygen	"	7.2
10	B.O.D.	"	2.7
11	C.O.D.	"	18.8
12	Total Alkalinity	"	132.0
13	Total Hardness (as CaCO ₃)	"	120.0
14	Calcium Hardness(as CaCO ₃)	"	78.0
15	Magnesium Hardness (asCaCO ₃)	"	42.0
16	Chloride (as Cl)	"	36.0
17	Calcium	"	31.2
18	Magnesium	"	10.24



Lab Asst.



Chemist



Jr. Scientist


Scientist
















कार्यालय कलेक्टर महासमुन्द, जिला-महासमुन्द (छत्तीसगढ़)

—:: ज्ञापन ::—

क्रमांक / 703 / F-099 / एस.सी.-01 / 2021-22
प्रति,

महासमुन्द, दिनांक 11 / 11 / 2021

मुख्य कार्यपालन अधिकारी,
जिला-पंचायत महासमुन्द (छ.ग.)।

विषय:- Directions under section 5 of the Enviroment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.।
संदर्भ:- सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, नवा रायपुर अटल नगर रायपुर (छ.ग.) से प्राप्त पत्र क्रमांक / 4795 / मुख्या. / वैज्ञा. / छ.ग.प.सं.मं. / 2021 नवा रायपुर, अटल नगर, दिनांक 01.10.2021।

—00—

उपरोक्त विषयांतर्गत संदर्भित पत्र पत्र की छायाप्रति सहपत्रों सहित संलग्न कर प्रेषित है, कृपया अवलोकन करने का कष्ट करेंगे। जिसके द्वारा राष्ट्रीय स्वच्छ गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्यौहारों जैसे गणेश चतुर्थी, विश्व कर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विसर्जन के पश्चात् विभिन्न जलस्त्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्रानुसार दिये गये बिन्दु का परिपालन सुनिश्चित कराते हुए 07 दिवस के भीतर एक्शन टेकन रिपोर्ट प्रेषित करने लेख किया गया है।

कृपया पत्र में दिये गये बिन्दु का अक्षरशः अनुपालन सुनिश्चित कराते हुए 07 दिवस के भीतर वांछित जानकारी उपलब्ध कराने का कष्ट करेंगे।

संलग्न :- उपरोक्तानुसार।

21/11/21
संयुक्त-कलेक्टर

जिला-महासमुन्द (छ.ग.)

महासमुन्द, दिनांक 11 / 11 / 2021

पृ. क्रमांक / 704 / F-099 / एस.सी.-01 / 2021-22
प्रतिलिपि :-

1. सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, नवा रायपुर अटल नगर रायपुर (छ.ग.)।
2. मुख्य नगरपालिका अधिकारी, नगरपालिका पार्षद / नगर पंचायत, महासमुन्द / तुमगांव / बागबाहरा / पिथौरा / बसना / सरायपाली जिला महासमुन्द की ओर सहपत्रों सहित सूचनार्थ एवं उपरोक्तानुसार आवश्यक कार्यवाही हेतु अग्रेषित कर लेख है कि पत्र में दिये गये बिन्दु का अक्षरशः अनुपालन सुनिश्चित करते हुए 07 दिवस के भीतर वांछित जानकारी उपलब्ध कराना सुनिश्चित करें।

संलग्न :- (उपरोक्तानुसार क्र.-02 हेतु)

21/11/21
संयुक्त-कलेक्टर

जिला-महासमुन्द (छ.ग.)

50 (II)

J.S.
29/11/2021
7 NOV 2021

कार्यालय कलेक्टर, (व.लि.1/पर्यावरण शाखा) जिला धमतरी (छ.ग.)

Ph.No.-07722,237592-232592 E mail ID- dhamtari.cg@nic.in , adhikshakrevenue.dmt@gmail.com

// ज्ञापन //

क्रमांक 8956/व.लि.1/आ.पर्या./मूर्ति.विस./NGT/2021
प्रति,

धमतरी, दिनांक 14/10/2021

- 1- पुलिस अधीक्षक,
जिला धमतरी
- 2- अनुविभागीय दण्डाधिकारी,
धमतरी/कुरुद/नगरी
- 3- आयुक्त,
नगर पालिक निगम धमतरी
- 4- मुख्य नगर पालिका अधिकारी,
नगर पंचायत, आमदी/भखारा/कुरुद/मगरलोड/नगरी



विषय :- Directions under section 5 of the Environment Protection Act 1986 regarding the immersion of idols and water bodies on festive occasions.

संदर्भ :- सदस्य सचिव पर्यावरण संरक्षण मंडल नवा रायपुर अटल नगर का पत्र क्रमांक 4795/मुख्या./वैज्ञा./छ.ग.प.सं.मं./2021 नवा रायपुर दिनांक 01.10.2021

—000—

विषयांतर्गत संदर्भित पत्र का छायाप्रति संलग्न कर आवश्यक कार्यवाही हेतु भेजी जा रही है। लेख है कि राष्ट्रीय स्वच्छ गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्यौहारों जैसे गणेशोत्सव, दुर्गात्सव, एवं मोहरम पर्व में प्रतिमाये व ताजियां आदि के निर्माण एवं मूर्तियों के विसर्जन से जल स्रोतों की जल गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्रानुसार दिये गये बिन्दु का परिपालन सुनिश्चित करें। तथा 03 दिवस के भीतर एक्शन टेकन रिपोर्ट इस कार्यालय को उपलब्ध कराने का कष्ट करें।

सहपत्र :- उपरोक्तानुसार।

संयुक्त कलेक्टर

वास्ते/कलेक्टर धमतरी

पृष्ठां.क्रमांक 8957/व.लि.1/आ.पर्या./मूर्ति.विस./NGT/2021 धमतरी, दिनांक 14/10/2021
प्रतिलिपि :-

- 1/ सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल नवा रायपुर अटल नगर का पत्र क्रमांक 4795/ मुख्या./वैज्ञा./छ.ग.प.सं.मं./2021 नवा रायपुर दिनांक 01.10.2021 के परिप्रेक्ष्य में सादर सूचनार्थ।

S/SO (IT)

29/10/2021

संयुक्त कलेक्टर

वास्ते/कलेक्टर धमतरी

22 OCT 2021



संलग्न - 2



क्षेत्रीय कार्यालय,
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
व्यापार विहार पं. दीनदयाल उपाध्याय पार्क के पास, बिलासपुर (छ.ग.)

e-mail: cecb.robilaspur@gmail.com Ph. No. 07752-261172

क्रमांक 1536 /क्षेका/छ.ग.प.सं.मं./2021

बिलासपुर, दिनांक : 12/11/2021

प्रति,

✓ सदस्य सचिव,
मुख्यालय, छ.ग. पर्यावरण संरक्षण मंडल,
पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19,
अटल नगर, नवा रायपुर (छ.ग.)

विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में की गई कार्यवाही की जानकारी प्रेषित करने बाबत।

- संदर्भ:-
1. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3499 दिनांक 18/08/2021
 2. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3501 दिनांक 18/08/2021
 3. इस कार्यालय का पत्र क्रमांक 919 दिनांक 27/08/2021

उपरोक्त विषयांतर्गत संदर्भित पत्र द्वारा प्राप्त मार्गदर्शिका के परिपालन में इस कार्यालय द्वारा दुर्गोत्सव पर्व के दौरान मूर्ति विसर्जन हेतु चिन्हांकित स्थलों से मूर्ति विसर्जन के पूर्व, मूर्ति विसर्जन के दौरान एवं मूर्ति विसर्जन के पश्चात् एकत्रित जल नमूना का विश्लेषण किया गया एवं भारी धातुओं का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल सॉल्यूशन, कबीर नगर रायपुर (छ.ग.) से कराया गया। प्राप्त विश्लेषण परिणाम संलग्न कर कृपया प्रेषित है।

संलग्न:-उपरोक्तानुसार।

(Handwritten signature)

(Handwritten signature)
24 NOV 2021

(Handwritten signature)
क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय,
छत्तीसगढ़ पर्यावरण संरक्षण मंडल
बिलासपुर

**दुर्गोत्सव पर्व के दौरान क्षेत्रीय कार्यालय छत्तीसगढ़ पर्यावरण संरक्षण मंडल,
बिलासपुर द्वारा की गई कार्यवाही का विवरण**

मंडल मुख्यालय, नवा रायपुर का पत्र क्र. 3499 18.08.2021 एवं 3501 दिनांक 18.08.2021 के परिपालन में दुर्गोत्सव पर्व के दौरान केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली द्वारा तैयार संशोधित मार्गदर्शिका के परिपालन में इस इस कार्यालय के पत्र क्रमांक 919 दिनांक 27/08/2021 द्वारा सभी नगरीय निकायों को मूर्तियों के विसर्जन से जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में आवश्यक कार्यवाही किये जाने हेतु पत्र प्रेषित किया गया। पत्र की प्रति संलग्न है। वैश्विक महामारी कोविड-19 के चलते नोवल कोरोना वायरस के संक्रमण के नियंत्रण एवं रोकथाम हेतु दुर्गोत्सव को दृष्टिगत रखते हुये प्रशासन द्वारा जारी दिशा-निर्देशों पालन करते हुये नगरीय प्रशासन द्वारा दुर्गा पूजा एवं विसर्जन कार्य संपादित कराया गया।

दुर्गोत्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड, द्वारा जारी गाईड लाईन के अनुसार मूर्ति विसर्जन के पूर्व दिनांक 12/10/2021 मूर्ति विसर्जन के दौरान दिनांक 16/10/2021 तथा मूर्ति विसर्जन के पश्चात् दिनांक 18/10/2021 को अरपा नदी का निम्न चार स्थलों से जल नमूना एकत्र किया गया।

S. No.	Location
1.	Arpa River U/S of Idol Emmersion Spot Near Shiv Mandir Village Sendari Bilaspur.
2.	Arpa River Idol Emmersion Spot Near Pachri Ghat (Kilaward) Bilaspur
3.	Arpa River Idol Emmersion Spot Near Chhath Ghat, Bilaspur
4.	Arpa River Approx 1 K.M. D/S from Idol Emmersion Spot Near Check Dam Deorikhurd Bilaspur

दुर्गोत्सव पर्व के दौरान मूर्ति विसर्जन हेतु चिन्हांकित स्थलों से मूर्ति विसर्जन के पूर्व, मूर्ति विसर्जन के दौरान एवं मूर्ति विसर्जन के पश्चात् एकत्रित जल नमूनों का विश्लेषण कार्य किया गया तथा भारी धातुओं का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल सॉल्युशन, कबीर नगर रायपुर (छ.ग.) से कराया गया। प्राप्त विश्लेषण परिमाण संलग्न है।

मूर्ति विसर्जन स्थल पचरीघाट (किलावार्ड) एवं छठघाट तोरवा बिलासपुर का निरीक्षण किया गया। निरीक्षण समय पचरीघाट (किलावार्ड) वार्ड में नगर पालिक निगम द्वारा निर्मित अस्थाई पोंड तथा छठघाट में मूर्ति विसर्जन हेतु चिन्हांकित स्थल की सफाई कार्य पूर्ण होना पाया गया। मूर्ति विसर्जन स्थलों के समीप नगर पालिक निगम बिलासपुर द्वारा मूर्तियों की साज-सज्जा में प्रयुक्त सामग्री के संग्रहण हेतु पृथक से कन्टेनर की व्यवस्था देखी गयी उपरोक्तानुसार विश्लेषण परिमाण एवं फोटोग्राफ संलग्न कर प्रतिवेदन कृपया प्रेषित है।

संलग्न :- उपरोक्तानुसार


रसायनज्ञ

छ.ग. पर्यावरण संरक्षण मंडल,
बिलासपुर

List of Idol Immersion Water Sample

Sr. No.	Description Of Sample	Date Of Sample Collection
01.	Pre- Immersion Durga Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	12.10.2021
03.	During Durga Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	16.10.2021
03.	After Durga Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	18.10.2021

June



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT PRE DURGA UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	Pre-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx 1 Km. downstream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	12.10.2021	
DATE OF RECEIVED	:	12.10.2021	
DATE OF ANALYSIS	:	12.10.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra, Lab Asst. Gr-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	°C	27.4	27.6	27.5	27.2
2.	Appearance	-	Clear	S. Turbid	S. Turbid	Clear
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.5	8.3	8.4	8.2
5.	Turbidity	NTU	66.0	72.0	76.0	68.0
6.	Sp. Conductivity	μS/cm	360.0	382.0	392.0	376.0
7.	Total Solids	Mg/L	360.0	384.0	392.0	374.0
8.	T. Dissolved Solids	--,,--	276.0	286.0	290.0	280.0
9.	Suspended Solids	--,,--	84.0	98.0	102.0	94.0
10.	Chloride (as Cl)	--,,--	38.0	44.0	46.0	44.0
11.	Total Alkalinity	--,,--	108.0	168.0	172.0	164.0
12.	Total Hardness	--,,--	84.0	166.0	168.0	156.0
13.	Calcium Hardness	--,,--	52.0	100.0	102.0	98.0
14.	Magnesium Hardness	--,,--	32.0	62.0	66.0	58
15.	Dissolved oxygen (DO)	--,,--	7.6	7.3	7.2	7.5
16.	B.O.D (3day 27°C)	--,,--	2.0	2.6	2.7	2.5
17.	C.O.D.	--,,--	28.0	34.0	36.0	32.0

Report Prepared by

Chemist

Scientist/A.E.

Ch. Chemist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT DURING DURGA UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	During-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx 1 Km. down stream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	16.10.2021	
DATE OF RECEIVED	:	16.10.2021	
DATE OF ANALYSIS	:	16.10.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra, Lab Asst. Gr-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	⁰ C	26.3	26.4	26.2	26.2
2.	Appearance	-	Clear	S.Turbid	S.Turbid	S.Turbid
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.6	8.1	8.2	8.1
5.	Turbidity	NTU	68.0	78.0	86.0	72.0
6.	Sp. Conductivity	μS/cm	358.0	390.0	404.0	382.0
7.	Total Solids	Mg/L	366.0	394.0	406.0	380.0
8.	T. Dissolved Solids	--,,--	278.0	290.0	294.0	282.0
9.	Suspended Solids	--,,--	88.0	104.0	112.0	98.0
10.	Chloride (as Cl)	--,,--	36.0	52.0	54.0	48.0
11.	Total Alkalinity	--,,--	108.0	178.0	186.0	168.0
12.	Total Hardness	--,,--	86.0	174.0	184.0	166.0
13.	Calcium Hardness	--,,--	52.0	108.0	112.0	102.0
14.	Magnesium Hardness	--,,--	34.0	66.0	72.0	62.0
15.	Dissolved oxygen (DO)	--,,--	7.6	7.0	6.8	7.3
16.	B.O.D (3day 27 ⁰ C)	--,,--	2.1	2.9	3.1	2.7
17.	C.O.D.	--,,--	26.0	40.0	42.0	36.0

Report Prepared by

Chemist

Scientist/A.E.

Ch. Chemist



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT AFTER DURGA UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	After-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx 1 Km. down stream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	18.10.2021	
DATE OF RECEIVED	:	18.10.2021	
DATE OF ANALYSIS	:	18.10.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra & Harishankar Soni, Lab Asst. Gr-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	⁰ C	26.5	26.7	26.6	26.5
2.	Appearance	-	Clear	S.Turbid	S.Turbid	Clear
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.6	8.2	8.2	8.1
5.	Turbidity	NTU	66.0	74.0	80.0	70.0
6.	Sp. Conductivity	μS/cm	356.0	386.0	398.0	382.0
7.	Total Solids	Mg/L	362.0	388.0	396.0	374.0
8.	T. Dissolved Solids	--,,--	276.0	288.0	290.0	278.0
9.	Suspended Solids	--,,--	84.0	100.0	106.0	96.0
10.	Chloride (as Cl)	--,,--	36.0	46.0	48.0	44.0
11.	Total Alkalinity	--,,--	106.0	172.0	176.0	166.0
12.	Total Hardness	--,,--	84.0	168.0	172.0	160.0
13.	Calcium Hardness	--,,--	54.0	102.0	104.0	100.0
14.	Magnesium Hardness	--,,--	30.0	60.0	68.0	60.0
15.	Dissolved oxygen (DO)	--,,--	7.5	7.1	7.0	7.4
16.	B.O.D (3day 27 ⁰ C)	--,,--	2.1	2.8	2.9	2.6
17.	C.O.D.	--,,--	26.0	36.0	40.0	32.0

Report Prepared by

Chemist

Scientist/A.E.


Ch. Chemist



HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.	UES/TR/21-22/585	
		LAB REF NO.	UES/21-22/W/640-643	
		DATE OF SAMPLING	12/10/2021	
		DATE OF RECEIPT	18/10/2021	
		DATE OF REPORT	22/10/2021	
		DATE OF ANALYSIS	START: 18/10/2021	END: 22/10/2021
SAMPLE DETAILS				
CUSTOMER REF. NO. & DATE	1292/ क्षेत्रा/छ.ग.प.सं.मं. /2021, Dated: 18/10/2021			
CUSTOMER SAMPLE ID	1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD			
SAMPLE TYPE	SURFACE WATER	SAMPLE CONDITION AT RECEIPT	OK	
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) * 04	SAMPLE COLLECTED BY	CECB STAFF	
OTHER DETAILS	SEALED	QUANTITY RECEIVED	APPROX. 3 LTR. EACH	



REPORT NO. 585

TEST REPORT

PRE-IMMERSION DURGA POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	N.D.	N.D.	N.D.
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	N.D.	N.D.	N.D.	N.D.
3	Zinc (as Zn)	mg/l	IS:3025:(Part-49)	N.D.	0.017	N.D.	N.D.
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.

Pluch
22/10/21
Reviewed By

See



HDD-272 Phase III - Near JP Chowk
Ring Road No.-2, Kabin Nagar, Raipur (C.G.) - 492099
Ph : 0771-4027777 Email : ultimatenviron@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

REPORT NO. 585

TEST REPORT

PRE-IMMERSION DURGA POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	USEPA SW-846 Method- 7000B	N.D.	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

 REVIEWED BY	 For ULTIMATE ENVIROLYTICAL SOLUTIONS	 AUTHORIZED SIGNATORY
------------------------	---	---------------------------------

-----End of the test report-----

CC / AE (R/M/T) / ALO
Accounts/Est./Chemist (V/J)
ROCEB
BILASPUR

08 NOV 2021


Ultimate
 ENVIRONMENTAL SOLUTIONS

 HDD-27/2, Phase III, Near JP Chowk
 Ring Road No.-2, Kapsi Nagar, Raipur (C.G.) - 492099.
 Ph : 0771-4027777 / Email : ultimatenviron@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986


TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.	UES/TR/21-22/586	
		LAB REF NO.	UES/21-22/W/644-647	
		DATE OF SAMPLING	16/10/2021	
		DATE OF RECEIPT	18/10/2021	
		DATE OF REPORT	22/10/2021	
		DATE OF ANALYSIS	START: 18/10/2021	END: 22/10/2021
SAMPLE DETAILS				
CUSTOMER REF. NO. & DATE	1292/ क्षेत्रा/छ. ग. प. सं. मं. / 2021, Dated: 18/10/2021			
CUSTOMER SAMPLE ID	1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD			
SAMPLE TYPE	SURFACE WATER	SAMPLE CONDITION AT RECEIPT	OK	
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) * 04	SAMPLE COLLECTED BY	CECB STAFF	
OTHER DETAILS	SEALED	QUANTITY RECEIVED	APPROX. 3 LTR. EACH	



REPORT NO. 586

TEST REPORT**DURING DURGA POOJA IDOL IMMERSION**

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	N.D.	N.D.	N.D.
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	N.D.	N.D.	N.D.	N.D.
3	Zinc (as Zn)	mg/l	IS:3025:(Part-49)	0.020	0.023	0.027	0.022
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.

 Reviewed By



HDD-272, Phase III - Near JP Chowk
 Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
 Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

REPORT NO. 586

TEST REPORT

DURING DURGA POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	USEPA SW-846 Method- 7000B	N.D.	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected


REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
---	---	---

-----End of the test report-----

CC / AE (R/M/T) / ALO
 Accounts/Est./Chemist (W/J)

ROCECB
BILASPUR

08 NOV 2021

TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.	UES/TR/21-22/587	
		LAB REF NO.	UES/21-22/W/648-651	
		DATE OF SAMPLING	18/10/2021	
		DATE OF RECEIPT	18/10/2021	
		DATE OF REPORT	22/10/2021	
		DATE OF ANALYSIS	START: 18/10/2021	END: 22/10/2021
SAMPLE DETAILS				
CUSTOMER REF. NO. & DATE	1292/ कोका/छ.ग.प.सं.सं. / 2021, Dated: 18/10/2021			
CUSTOMER SAMPLE ID	1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD			
SAMPLE TYPE	SURFACE WATER	SAMPLE CONDITION AT RECEIPT	OK	
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) * 04	SAMPLE COLLECTED BY	CECB STAFF	
OTHER DETAILS	SEALED	QUANTITY RECEIVED	APPROX. 3 LTR. EACH	



REPORT NO. 587

TEST REPORT							
AFTER DURGA POOJA IDOL IMMERSION							
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	0.21	0.26	0.16
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	N.D.	N.D.	N.D.	N.D.
3	Zinc (as Zn)	mg/l	IS:3025:(Part-49)	N.D.	0.007	0.08	0.04
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.

Reviewed By
22/10/21

Joe

Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

REPORT NO. 587

TEST REPORT

AFTER DURGA POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	USEPA SW-846 Method- 7000B	N.D.	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

[Signature]
22/10/21

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS


[Signature]
22/10/21
AUTHORIZED SIGNATORY

-----End of the test report-----



CC / AE (R/M/T) / ALO
Accounts/Est./Chemist (V/J)

ROBECB
BILASPUR

08 NOV 2021



Handwritten signature or mark.



Joe



Joe



**क्षेत्रीय कार्यालय,
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
व्यापार विहार पं. दीनदयाल उपाध्याय पार्क के पास, बिलासपुर (छ.ग.)**
e-mail: cecb.robilasapur@gmail.com, Ph. No. 07752-261172

क्रमांक 919
प्रति,

/क्षेका/छ.ग.प.सं.मं./2021

बिलासपुर, दिनांक: 21/08/2021

.....
.....
.....

जिला- (छ.ग.)

विषय- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बाबत।

संदर्भ- 1. केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली का पत्र क्र. F.No.A-14011/1/2020-WQM-1/377 दिनांक 23/07/2021.

1. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3499 दिनांक 18/08/2021.

2. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3501 दिनांक 18/08/2021.

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक 02 का अवलोकन करने का कष्ट करें। जैसा कि आपको विदित है कि मूर्ति विसर्जन से जल स्रोतों की गुणवत्ता प्रभावित होती है, जिसके फलस्वरूप न केवल जलीय जीव-जंतुओं की जान को खतरा उत्पन्न होता है, अपितु जल प्रदूषण की स्थिति भी उत्पन्न होती है। आगामी गणेशात्सव एवं दुर्गात्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन की प्रति पूर्व में प्रेषित की गई है। पुनः आपके सूचनार्थ गाईड लाईन के मुख्य बिन्दु निम्नानुसार हैं :-

1. नदी और तालाब में विसर्जन के लिए अस्थायी पॉड/बन्ड का निर्माण किया जाकर मूर्ति एवं पूजा सामाग्री जैसे फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुयें इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जाये तथा इसका अपवहन उचित तरीके से किया जाये। जिससे नदी या तालाब में प्रदूषण की स्थिति नियंत्रित हो सके। सभी प्रमुख शहरों में पृथक से आवश्यक सुविधा के साथ विसर्जन पॉड, पहुंच मार्ग, सहित बनाने हेतु पूर्व से ही निर्देश दिये गये हैं, जिन्हे माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार पूर्ण किया जाना है।
2. विसर्जन उपरांत वेस्ट मटेरियल, पूजा सामाग्री, फूल, कपड़े, प्लास्टिक पेपर आदि को सुरक्षित एकत्र कर पुनःउपयोग एवं कम्पोस्टिंग आदि में किया जा सकता है।
3. वेस्ट मटेरियल विसर्जन स्थल पर जलाना प्रतिबंधित है।
4. मूर्ति विसर्जन स्थल पर पर्याप्त घेराबंदी व सुरक्षा की व्यवस्था हो। पूर्व से ही चिन्हांकित विसर्जन स्थल पर नीचे सिंथेटिक लाईनर की व्यवस्था की जाये तथा विसर्जन के उपरांत उक्त लाईनर, विसर्जन स्थल से हटाया जाये, जिससे कि मूर्ति विसर्जन के पश्चात् उसका अवशेष बाहर निकाला जा सके। बास, लकड़ियां पुनःउपयोग की जावें एवं मिट्टी को भू-भराव इत्यादि में किया जावें।

कमश: 2...


.....

5. मूर्ति निर्माताओं को मूर्ति निर्माण हेतु लाईसेंस प्रदान करते समय मान्य एवं अमान्य तत्वों की सूची प्रदान की जाये।
6. यह सुनिश्चित किया जाये कि मूर्तियाँ केवल प्राकृतिक, जैव अपघटनीय, ईको फ्रेंडली, कच्चे माल से ही बनाई जायें। मूर्ति निर्माण में प्लास्टर ऑफ पेरिस, थर्माकोल एवं बेक्ड क्ले के उपयोग न किया जाये। मूर्ति के सजावट हेतु सुखे फूल संघटको आदि का और प्राकृतिक रेजिन का इस्तेमाल किय जाये एवं मूर्तियों की ऊंचाई कम से कम रखी जायें।

संदर्भित पत्र क्रमांक 01 के माध्यम से केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा माननीय नेशनल ग्रीन ट्रिब्यूनल के ओ. ए. नं. 38 (डब्ल्यू जेड) के मामले में पारित आदेश दिनांक 05/07/2021 के परिपालन हेतु मूर्ति विसर्जन के लिए दिशा निर्देशों को संशोधित करते हुए यह सुझाव दिया है कि (i) कारीगरों में पी.ओ.पी. के स्थान पर प्राकृतिक मिट्टी के उपयोग के लिये जागरूकता प्रसार किया जाए। (ii) मूर्ति विसर्जन के लिए संशोधित दिशा निर्देशों से संबंधित नियामक प्राधिकरणों को इसके प्रभावी कार्यान्वयन को सुनिश्चित करने के लिए राज्य प्रदूषण नियंत्रण बोर्ड/ प्रदूषण नियंत्रण समिति अथवा किसी विशेषज्ञ संस्थान के माध्यम से प्रशिक्षण आयोजित किया जाये।

मूर्तियों का विसर्जन किये जाने के संबंध में माननीय नेशनल ग्रीन ट्रिब्यूनल, सेन्ट्रल जोनल बेंच, भोपाल द्वारा समय-समय पर आदेश जारी कर गाईड लाईन के अनुसार ही मूर्ति विसर्जन किये जाने एवं इस हेतु सभी आवश्यक व्यवस्था समय के पूर्व कर लेने हेतु निर्देश दिये गये हैं। अतः सभी स्थानीय निकायों को उपरोक्त गाईड लाईन का कड़ाई से पालन सुनिश्चित करें। ताकि माननीय नेशनल ग्रीन ट्रिब्यूनल, सेन्ट्रल जोनल बेंच, भोपाल के आदेश के अवमानना की स्थिति निर्मित न हो।

मूर्तियों का विसर्जन केवल विसर्जन कुंडों में ही किया जाये। उपरोक्त के संबंध में की गयी कार्यवाही की जानकारी से मंडल मुख्यालय एवं इस कार्यालय को अवगत करायें।



क्षेत्रीय अधिकारी


क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

 बिलासपुर, दिनांक 27/08/2021

पृ. क्रमांक 920 /क्षेका/छ.ग.प.सं.मं./2021
प्रतिलिपि:-

1. सदस्य सचिव, मुख्यालय, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, नवा रायपुर, अटल नगर की ओर संदर्भित पत्र के तारतम्य में कृपया सूचनार्थ प्रेषित।
2. कलेक्टर महोदय, कार्यालय कलेक्टर, जिला-बिलासपुर/जांजगीर-चांपा/मुंगेली/गौरेला-पेण्ड्रा-मरवाही (छ.ग.) की ओर कृपया सूचनार्थ एवं सर्वसंबंधितों को निर्देशार्थ कृपया प्रेषित।



क्षेत्रीय अधिकारी

क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,

 बिलासपुर (छ.ग.)

जिला-बिलासपुर

1. आयुक्त नगर पालिक निगम बिलासपुर, जिला-बिलासपुर (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् तखतपुर, जिला-बिलासपुर (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् रतनपुर, जिला-बिलासपुर (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पंचायत बिल्हा, जिला-बिलासपुर (छ.ग.)
5. मुख्य नगर पालिका अधिकारी, नगर पंचायत कोटा, जिला-बिलासपुर (छ.ग.)
6. मुख्य नगर पालिका अधिकारी, नगर पंचायत बोदरी, जिला-बिलासपुर (छ.ग.)
7. मुख्य नगर पालिका अधिकारी, नगर पंचायत मल्हार, जिला-बिलासपुर (छ.ग.)

जिला-गौरैला-पेण्ड्रा-मरवाही

1. मुख्य नगर पालिका अधिकारी, नगर पंचायत पेण्ड्रा, जिला-गौरैला-पेण्ड्रा-मरवाही (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पंचायत गौरैला, जिला-गौरैला-पेण्ड्रा-मरवाही (छ.ग.)

जिला-मुंगेली

1. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् मुंगेली, जिला-मुंगेली (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पंचायत लोरमी, जिला-मुंगेली (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पंचायत पथरिया, जिला-मुंगेली (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पंचायत सरगांव, जिला-मुंगेली (छ.ग.)

जिला-जांजगीर-चांपा

1. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् चांपा, जिला-जांजगीर-चांपा (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् नैला, जिला-जांजगीर-चांपा (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् अकलतरा, जिला-जांजगीर-चांपा (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् सक्ती, जिला-जांजगीर-चांपा (छ.ग.)
5. मुख्य नगर पालिका अधिकारी, नगर पंचायत अड़भार, जिला-जांजगीर-चांपा (छ.ग.)
6. मुख्य नगर पालिका अधिकारी, नगर पंचायत बलौदा, जिला-जांजगीर-चांपा (छ.ग.)
7. मुख्य नगर पालिका अधिकारी, नगर पंचायत नया बाराद्वार, जिला-जांजगीर-चांपा (छ.ग.)
8. मुख्य नगर पालिका अधिकारी, नगर पंचायत खरौद, जिला-जांजगीर-चांपा (छ.ग.)
9. मुख्य नगर पालिका अधिकारी, नगर पंचायत शिवरी-नारायण, जिला-जांजगीर-चांपा (छ.ग.)
10. मुख्य नगर पालिका अधिकारी, नगर पंचायत जैजैपुर, जिला-जांजगीर-चांपा (छ.ग.)
11. मुख्य नगर पालिका अधिकारी, नगर पंचायत डभरा, जिला-जांजगीर-चांपा (छ.ग.)
12. मुख्य नगर पालिका अधिकारी, नगर पंचायत चन्द्रपुर, जिला-जांजगीर-चांपा (छ.ग.)
13. मुख्य नगर पालिका अधिकारी, नगर पंचायत सारागांव, जिला-जांजगीर-चांपा (छ.ग.)
14. मुख्य नगर पालिका अधिकारी, नगर पंचायत नवागढ़, जिला-जांजगीर-चांपा (छ.ग.)
15. मुख्य नगर पालिका अधिकारी, नगर पंचायत राहौद, जिला-जांजगीर-चांपा (छ.ग.)

See



**क्षेत्रीय कार्यालय,
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
व्यापार विहार पं. दीनदयाल उपाध्याय पार्क के पास, बिलासपुर (छ.ग.)**

e-mail: cecb.robilaspur@gmail.com Ph. No. 07752-261172

क्रमांक 1342 /क्षेका/छ.ग.प.सं.मं./2021
प्रति,

बिलासपुर, दिनांक : 25/10/2021

✓ सदस्य सचिव,
मुख्यालय, छ.ग. पर्यावरण संरक्षण मंडल,
पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19,
अटल नगर, नवा रायपुर (छ.ग.)

विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में की गई कार्यवाही की जानकारी प्रेषित करने बाबत।

संदर्भ:-

1. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3499 दिनांक 18/08/2021
2. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3501 दिनांक 18/08/2021
3. इस कार्यालय का पत्र क्रमांक 919 दिनांक 27/08/2021

उपरोक्त विषयांतर्गत संदर्भित पत्र द्वारा प्राप्त मार्गदर्शिका के परिपालन में इस कार्यालय द्वारा गणेशोत्सव पर्व के दौरान मूर्ति विसर्जन हेतु चिन्हांकित स्थलों से मूर्ति विसर्जन के पूर्व, मूर्ति विसर्जन के दौरान एवं मूर्ति विसर्जन के पश्चात् एकत्रित जल नमूना का विश्लेषण किया गया एवं भारी धातुओं का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल सॉल्यूशन, कबीर नगर रायपुर (छ.ग.) से कराया गया। प्राप्त विश्लेषण परिणाम संलग्न कर कृपया प्रेषित है।

संलग्न:-उपरोक्तानुसार।

(Handwritten signature)

(Handwritten signature)

28 NOV 2021

(Handwritten signature)
क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय,
छत्तीसगढ़ पर्यावरण संरक्षण मंडल
बिलासपुर

**गणेशोत्सव पर्व के दौरान क्षेत्रीय कार्यालय छत्तीसगढ़ पर्यावरण संरक्षण मंडल, बिलासपुर
द्वारा की गई कार्यवाही का विवरण :-**

मंडल मुख्यालय, नवा रायपुर का पत्र क्र. 3499 18.08.2021 एवं 3501 दिनांक 18.08.2021 के परिपालन में गणेशोत्सव पर्व के दौरान केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली द्वारा तैयार संशोधित मार्गदर्शिका के परिपालन में इस इस कार्यालय के पत्र क्रमांक 919 दिनांक 27/08/2021 द्वारा सभी नगरीय निकायों को मूर्तियों के विसर्जन से जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में आवश्यक कार्यवाही किये जाने हेतु पत्र प्रेषित किया गया। पत्र की प्रति संलग्न है। वैश्विक महामारी कोविड-19 के चलते नोवल कोरोना वायरस के संक्रमण के नियंत्रण एवं रोकथाम हेतु गणेशोत्सव को दृष्टिगत रखते हुये प्रशासन द्वारा जारी दिशा-निर्देशों पालन करते हुये नगरीय प्रशासन द्वारा गणेश पूजा एवं विसर्जन कार्य संपादित कराया गया।

गणेशोत्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड, द्वारा जारी गाईड लाईन के अनुसार मूर्ति विसर्जन के पूर्व दिनांक 13/09/2021 मूर्ति विसर्जन के दौरान दिनांक 19/09/2021 तथा मूर्ति विसर्जन के पश्चात् दिनांक 21/09/2021 को अरपा नदी का निम्न चार स्थलों से जल नमूना एकत्र किया गया।

S. No.	Location
1.	Arpa River U/S of Idol Emmersion Spot Near Shiv Mandir Village Sendari Bilaspur.
2.	Arpa River Idol Emmersion Spot Near Pachri Ghat (Kilaward) Bilaspur
3.	Arpa River Idol Emmersion Spot Near Chhath Ghat, Bilaspur
4.	Arpa River Approx 1 K.M. D/S from Idol Emmersion Spot Near Check Dam Deorikhurd Bilaspur

गणेशोत्सव पर्व के दौरान मूर्ति विसर्जन हेतु चिन्हांकित स्थलों से मूर्ति विसर्जन के पूर्व, मूर्ति विसर्जन के दौरान एवं मूर्ति विसर्जन के पश्चात् एकत्रित जल नमूनों का विश्लेषण कार्य किया गया तथा भारी धातुओं का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल सॉल्यूशन, कबीर नगर रायपुर (छ.ग.) से कराया गया। प्राप्त विश्लेषण परिमाण संलग्न है।

मूर्ति विसर्जन स्थल पचरीघाट (किलावार्ड) एवं छठघाट तोरवा बिलासपुर का निरीक्षण किया गया। निरीक्षण समय पचरीघाट (किलावार्ड) वार्ड में नगर पालिक निगम द्वारा निर्मित अस्थाई पोंड तथा छठघाट में मूर्ति विसर्जन हेतु चिन्हांकित स्थल की सफाई कार्य पूर्ण होना पाया गया। मूर्ति विसर्जन स्थलों के समीप नगर पालिक निगम बिलासपुर द्वारा मूर्तियों की साज-सज्जा में प्रयुक्त सामग्री के संग्रहण हेतु पृथक से कन्टेनर की व्यवस्था देखी गयी एवं नगर पालिक निगम के अधिकारी से भेट कर आगामी दुर्गोत्सव पर्व के दौरान मूर्ति विसर्जन हेतु मूर्ति विसर्जन स्थलों पर केन्द्रीय प्रदूषण नियंत्रण बोर्ड, द्वारा जारी गाईड लाईन के अनुसार अस्थाई पोंड का निर्माण करने व्यवस्था सुनिश्चित करने हेतु कहा गया। उपरोक्तानुसार विश्लेषण परिमाण एवं फोटोग्राफ संलग्न कर प्रतिवेदन कृपया प्रेषित है।

संलग्न :- उपरोक्तानुसार


 रसायनज्ञ
 छ.ग. पर्यावरण संरक्षण मंडल,
 बिलासपुर

List of Idol Immersion Water Sample

Sr. No.	Description Of Sample	Date Of Sample Collection
01.	Before Ganesh Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	13.09.2021
03.	During Ganesh Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	19.09.2021
03.	After Ganesh Pooja Idol Immersion:- 1- Up Stream of Arpa River near Shiv Mandir Village-Sanderi Bilaspur 2- Arpa River Water from the immersion spot near Pachari Ghat 3- Arpa River Water from the immersion spot near ChhathGhat 4- Approx 1 Km. downstream from immersion spot (Nsear Check dam) Deorikhurd	21.09.2021





REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT PRE GANESH UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	Pre-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx. 1 Km. downstream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	13.09.2021	
DATE OF RECEIVED	:	13.09.2021	
DATE OF ANALYSIS	:	13.09.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra, Lab Asst. grade-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	°C	27.6	27.2	27.1	27.3
2.	Appearance	-	S.Turbid	Turbid	Turbid	Turbid
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.7	8.4	8.5	8.3
5.	Turbidity	NTU	64.0	74.0	80.0	70.0
6.	Sp. Conductivity	µS/cm	364.0	382.0	390.0	376.0
7.	Total Solids	Mg/L	372.0	386.0	394.0	380.0
8.	T. Dissolved Solids	--,,--	288.0	284.0	292.0	282.0
9.	Suspended Solids	--,,--	84.0	102.0	102.0	98.0
10.	Chloride (as Cl)	--,,--	36.0	46.0	48.0	46.0
11.	Total Alkalinity	--,,--	112.0	164.0	170.0	160.0
12.	Total Hardness	--,,--	78.0	172.0	174.0	168.0
13.	Calcium Hardness	--,,--	46.0	104.0	106.0	102.0
14.	Magnesium Hardness	--,,--	32.0	68.0	68.0	66
15.	Dissolved oxygen (DO)	--,,--	7.4	7.3	7.2	7.3
16.	B.O.D (3day 27°C)	--,,--	2.1	2.7	2.9	2.6
17.	C.O.D.	--,,--	26.0	36.0	40.0	36.0

See
Report Prepared by

See
Chemist

See
Scientist/A.E.

See
Ch. Chemist

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer: TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.	UES/TR/21-22/0435	
		LAB REF NO.	UES/21-22/W/0487-0490	
		DATE OF SAMPLING	13/09/2021	
		DATE OF RECEIPT	21/09/2021	
		DATE OF REPORT	25/09/2021	
		DATE OF ANALYSIS	START: 21/09/2021	END: 25/09/2021
SAMPLE DETAILS				
CUSTOMER REF. NO. & DATE	1098/ लेका/छ. ग. प. सं. म. /2021, Dated 21/09/2021			
CUSTOMER SAMPLE ID	1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD			
SAMPLE TYPE	SURFACE WATER	SAMPLE CONDITION AT RECEIPT	OK	
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) * 04	SAMPLE COLLECTED BY	CECB STAFF	
OTHER DETAILS	SEALED	QUANTITY RECEIVED	APPROX. 3 LTR. EACH	

TEST REPORT

BEFORE GANESH POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT,
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	N.D.	N.D.	N.D.
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	N.D.	N.D.	0.027	0.023
3	Zinc (as Zn)	mg/l	IS:3025:(Part-49)	0.025	0.023	0.024	0.024
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 22 nd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 22 nd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.

Signature

TEST REPORT

BEFORE GANESH POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 22 nd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	IS 3025(part-59)	N.D.	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 22 nd Edition 3500-Sr-B	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only.

Phach
25/09/2021
REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

Phach
25/09/2021
AUTHORIZED SIGNATORY

-----End of the test report-----

CC / AE (R/M/T) / ALO
Accounts/Est./Chemist (V/J)

ROCECB
BILASPUR

05 OCT 2021





REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT DURING GANESH UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	During-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx. 1 Km. down stream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	19.09.2021	
DATE OF RECEIVED	:	19.09.2021	
DATE OF ANALYSIS	:	19.09.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra, Lab Asst. grade-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	⁰ C	27.8	27.6	27.4	27.6
2.	Appearance	-	S.Turbid	Turbid	Turbid	Turbid
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.8	8.5	8.3	8.2
5.	Turbidity	NTU	66.0	82.0	86.0	74.0
6.	Sp. Conductivity	μS/cm	368.0	388.0	398.0	378.0
7.	Total Solids	Mg/L	374.0	398.0	406.0	384.0
8.	T. Dissolved Solids	--,,--	288.0	290.0	296.0	282.0
9.	Suspended Solids	--,,--	86.0	108.0	110.0	102.0
10.	Chloride (as Cl)	--,,--	36.0	50.0	56.0	48.0
11.	Total Alkalinity	--,,--	116.0	170.0	184.0	166.0
12.	Total Hardness	--,,--	80.0	176.0	182.0	172.0
13.	Calcium Hardness	--,,--	46.0	108.0	112.0	106.0
14.	Magnesium Hardness	--,,--	34.0	74.0	70.0	70
15.	Dissolved oxygen (DO)	--,,--	7.3	7.1	6.9	7.2
16.	B.O.D (3day 27 ⁰ C)	--,,--	2.3	2.9	3.3	2.7
17.	C.O.D.	--,,--	30.0	46.0	52.0	42.0

Report Prepared by

Chemist

Scientist/A.E.

Ch. Chemist

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.		UES/TR/21-22/0436		
		LAB REF NO.		UES/21-22/W/0491-0494		
		DATE OF SAMPLING		19/09/2021		
		DATE OF RECEIPT		21/09/2021		
		DATE OF REPORT		25/09/2021		
		DATE OF ANALYSIS		START: 21/09/2021	END: 25/09/2021	
SAMPLE DETAILS						
CUSTOMER REF. NO. & DATE		1098/ देका/छ. ग. प. सं. म. /2021, Dated 21/09/2021				
CUSTOMER SAMPLE ID		1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE – SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD				
SAMPLE TYPE		SURFACE WATER		SAMPLE CONDITION AT RECEIPT		OK
PACKING OF SAMPLE		PLASTIC BOTTLE (3 LTR) * 04		SAMPLE COLLECTED BY		CECB STAFF
OTHER DETAILS		SEALED		QUANTITY RECEIVED		APPROX. 3 LTR. EACH

TEST REPORT

DURING GANESH POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE – SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	0.01	N.D.	N.D.
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	0.019	0.021	0.037	0.026
3	Zinc (as Zn)	mg/l	IS:3025:(Part-49)	0.027	0.041	0.023	0.025
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 22 nd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 22 nd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.

See

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

TEST REPORT

DURING GANESH POOJA IDOL IMMERSION


SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 22 nd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	IS 3025(part-59)	N.D.	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 22 nd Edition 3500-Sr-B	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
---	---	---

-----End of the test report-----

See



REGIONAL OFFICE
C.G. ENVIRONMENT CONSERVATION BOARD
BILASPUR (C.G.)

NATURAL WATER ANALYSIS REPORT AFTER GANESH UTSAV FESTIVAL

SAMPLE COLLECTED FROM	:	Arpa River, Bilaspur	After-Immersion
DESCRIPTION OF SAMPLE :			
1- Up Stream of Arpa River near Shiv Mandir Village-Sendari Bilaspur			
2- Arpa River Water from the immersion spot near PachariGhat			
3- Arpa River Water from the immersion spot near ChhathGhat			
4- Approx. 1 Km. down stream from immersion spot (near Check dam) Deorikhurd			
DATE OF COLLECTION	:	21.09.2021	
DATE OF RECEIVED	:	21.09.2021	
DATE OF ANALYSIS	:	21.09.2021	
SAMPLE COLLECTED BY	:	Sanjay Mishra, Lab Asst. grade-II	
ANALYSED BY	:	Jitendra Singh, Chemist	

S No.	Characteristics	Unit	Result 1	Result 2	Result 3	Result 4
1.	Temperature	⁰ C	28.1	28.3	28.2	28.2
2.	Appearance	-	S.Turbid	Turbid	Turbid	Turbid
3.	Odour	-	Odourless	Odourless	Odourless	Odourless
4.	pH	pH Unit	7.6	8.5	8.6	8.3
5.	Turbidity	NTU	66.0	76.0	84.0	72.0
6.	Sp. Conductivity	μS/cm	366.0	384.0	394.0	380.0
7.	Total Solids	Mg/L	370.0	390.0	396.0	382.0
8.	T. Dissolved Solids	--,,--	286.0	286.0	290.0	284.0
9.	Suspended Solids	--,,--	84.0	104.0	106.0	98.0
10.	Chloride (as Cl)	--,,--	38.0	50.0	52.0	46.0
11.	Total Alkalinity	--,,--	114.0	168.0	172.0	164.0
12.	Total Hardness	--,,--	80.0	176.0	180.0	170.0
13.	Calcium Hardness	--,,--	46.0	106.0	108.0	102.0
14.	Magnesium Hardness	--,,--	34.0	70.0	72.0	68
15.	Dissolved oxygen (DO)	--,,--	7.4	7.2	7.1	7.2
16.	B.O.D (3day 27 ⁰ C)	--,,--	2.3	2.8	3.0	2.7
17.	C.O.D.	--,,--	28.0	42.0	44.0	38.0

Report Prepared by

Chemist

Scientist/A.E.

Ch. Chemist

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, BILASPUR (C.G.)		REPORT NO.	UES/TR/21-22/0437	
		LAB REF NO.	UES/21-22/W/0495-0498	
		DATE OF SAMPLING	21/09/2021	
		DATE OF RECEIPT	21/09/2021	
		DATE OF REPORT	25/09/2021	
		DATE OF ANALYSIS	START: 21/09/2021	END: 25/09/2021
SAMPLE DETAILS				
CUSTOMER REF. NO. & DATE	1098/ क्षेत्रा/छ.ग.प.सं.सं. /2021, Dated 21/09/2021			
CUSTOMER SAMPLE ID	1. UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR 2. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT 3. ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT 4. APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT (NEAR CHECK DAM) DEORIKHURD			
SAMPLE TYPE	SURFACE WATER	SAMPLE CONDITION AT RECEIPT	OK	
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) * 04	SAMPLE COLLECTED BY	CECB STAFF	
OTHER DETAILS	SEALED	QUANTITY RECEIVED	APPROX. 3 LTR. EACH	

TEST REPORT

AFTER GANESH POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT
1	Chromium (as Cr)	mg/l	IS:3025:(Part-52)	N.D.	0.03	0.02	N.D.
2	Lead (as Pb)	mg/l	IS:3025:(Part-47)	0.033	0.028	0.038	0.030
3	Zinc (as Zn) *	mg/l	IS:3025:(Part-49)	0.048	0.189	0.057	0.041
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS:3025:(Part-41)	N.D.	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS:3025(Part-48)	N.D.	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 22 nd Edition 3500-Sb	N.D.	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 22 nd Edition 3500-Ba	N.D.	N.D.	N.D.	N.D.



Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

TEST REPORT

AFTER GANESH POOJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT			
				UP STREAM OF ARPA RIVER NEAR SHIV MANDIR, VILLAGE - SENDARI, BILASPUR	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR PACHARI GHAT	ARPA RIVER WATER FROM THE IMMERSION SPOT NEAR CHHATH GHAT	APPROX 1 KM. DOWNSTREAM FROM IMMERSION SPOT.
9	Cobalt (as Co)	mg/l	APHA 22 nd Edition 3500-Co	N.D.	N.D.	N.D.	N.D.
10	Manganese (as Mn)	mg/l	IS 3025(part-59)	N.D.	0.01	0.01	N.D.
11	Strontium (as Sr)	mg/l	APHA 22 nd Edition 3500-Sr-B	N.D.	N.D.	N.D.	N.D.

Note: N.D.: Not Detected

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

Phach
25/09/21
REVIEWED BY




For ULTIMATE ENVIROLYTICAL SOLUTIONS




Phach
25/09/21
AUTHORIZED SIGNATORY

-----End of the test report-----

Scu









क्षेत्रीय कार्यालय,

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,

व्यापार विहार पं. दीनदयाल उपाध्याय पार्क के पास, बिलासपुर (छ.ग.)

e-mail: cecb.robilaspur@gmail.com, Ph. No. 07752-261172

क्रमांक 919
प्रति,

/क्षेका/छ.ग.प.सं.मं./2021

बिलासपुर, दिनांक: 27/08/2021

.....
.....
.....
जिला- (छ.ग.)

विषय-

मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बाबत।

संदर्भ-

1. केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली का पत्र क्र. F.No.A-14011/1/2020-WQM-1/377 दिनांक 23/07/2021.
1. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3499 दिनांक 18/08/2021.
2. मंडल मुख्यालय, नया रायपुर का पत्र पृ. क्र. 3501 दिनांक 18/08/2021.

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक 02 का अवलोकन करने का कष्ट करें। जैसा कि आपको विदित है कि मूर्ति विसर्जन से जल स्रोतों की गुणवत्ता प्रभावित होती है, जिसके फलस्वरूप न केवल जलीय जीव-जंतुओं की जान को खतरा उत्पन्न होता है, अपितु जल प्रदूषण की स्थिति भी उत्पन्न होती है। आगामी गणेशात्सव एवं दुर्गात्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन की प्रति पूर्व में प्रेषित की गई है। पुनः आपके सूचनार्थ गाईड लाईन के मुख्य बिन्दु निम्नानुसार हैं :-

1. नदी और तालाब में विसर्जन के लिए अस्थायी पॉड/बन्ड का निर्माण किया जाकर मूर्ति एवं पूजा सामाग्री जैसे फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुयें इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जाये तथा इसका अपवहन उचित तरीके से किया जाये। जिससे नदी या तालाब में प्रदूषण की स्थिति नियंत्रित हो सके। सभी प्रमुख शहरों में पृथक से आवश्यक सुविधा के साथ विसर्जन पॉड, पहुंच मार्ग, सहित बनाने हेतु पूर्व से ही निर्देश दिये गये हैं, जिन्हे माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार पूर्ण किया जाना है।
2. विसर्जन उपरांत वेस्ट मटेरियल, पूजा सामाग्री, फूल, कपड़े, प्लास्टिक पेपर आदि को सुरक्षित एकत्र कर पुनः उपयोग एवं कम्पोस्टिंग आदि में किया जा सकता है।
3. वेस्ट मटेरियल विसर्जन स्थल पर जलाना प्रतिबंधित है।
4. मूर्ति विसर्जन स्थल पर पर्याप्त घेराबंदी व सुरक्षा की व्यवस्था हो। पूर्व से ही चिन्हांकित विसर्जन स्थल पर नीचे सिंथेटिक लाईनर की व्यवस्था की जाये तथा विसर्जन के उपरांत उक्त लाईनर, विसर्जन स्थल से हटाया जाये, जिससे कि मूर्ति विसर्जन के पश्चात् उसका अवशेष बाहर निकाला जा सके। बास, लकड़ियां पुनः उपयोग की जावें एवं मिट्टी को भू-भराव इत्यादि में किया जावें।


क्रमशः 2...

5. मूर्ति निर्माताओं को मूर्ति निर्माण हेतु लाईसेंस प्रदान करते समय मान्य एवं अमान्य तत्वों की सूची प्रदान की जाये।
6. यह सुनिश्चित किया जाये कि मूर्तियाँ केवल प्राकृतिक, जैव अपघटनीय, ईको फ्रेंडली, कच्चे माल से ही बनाई जायें। मूर्ति निर्माण में प्लास्टर ऑफ पेरिस, थर्माकोल एवं बेकड क्ले के उपयोग न किया जाये। मूर्ति के सजावट हेतु सुखे फूल संघटको आदि का और प्राकृतिक रेजिन का इस्तेमाल किय जाये एवं मूर्तियों की ऊंचाई कम से कम रखी जायें।

संदर्भित पत्र क्रमांक 01 के माध्यम से केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा माननीय नेशनल ग्रीन ट्रिब्यूनल के ओ. ए. नं. 38 (डब्ल्यू जेड) के मामले में पारित आदेश दिनांक 05/07/2021 के परिपालन हेतु मूर्ति विसर्जन के लिए दिशा निर्देशों को संशोधित करते हुए यह सुझाव दिया है कि (i) कारीगरों में पी.ओ.पी. के स्थान पर प्राकृतिक मिट्टी के उपयोग के लिये जागरूकता प्रसार किया जाए। (ii) मूर्ति विसर्जन के लिए संशोधित दिशा निर्देशों से संबंधित नियामक प्राधिकरणों को इसके प्रभावी कार्यान्वयन को सुनिश्चित करने के लिए राज्य प्रदूषण नियंत्रण बोर्ड/ प्रदूषण नियंत्रण समिति अथवा किसी विशेषज्ञ संस्थान के माध्यम से प्रशिक्षण आयोजित किया जाये।

मूर्तियों का विसर्जन किये जाने के संबंध में माननीय नेशनल ग्रीन ट्रिब्यूनल, सेंट्रल जोनल बेंच, भोपाल द्वारा समय-समय पर आदेश जारी कर गाईड लाईन के अनुसार ही मूर्ति विसर्जन किये जाने एवं इस हेतु सभी आवश्यक व्यवस्था समय के पूर्व कर लेने हेतु निर्देश दिये गये हैं। अतः सभी स्थानीय निकायों को उपरोक्त गाईड लाईन का कड़ाई से पालन सुनिश्चित करें। ताकि माननीय नेशनल ग्रीन ट्रिब्यूनल, सेंट्रल जोनल बेंच, भोपाल के आदेश के अवमानना की स्थिति निर्मित न हो।

मूर्तियों का विसर्जन केवल विसर्जन कुंडों में ही किया जाये। उपरोक्त के संबंध में की गयी कार्यवाही की जानकारी से मंडल मुख्यालय एवं इस कार्यालय को अवगत करायें।


क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल
बिलासपुर, दिनांक

पृ. क्रमांक /क्षेका/छ.ग.प.सं.मं./2021
प्रतिलिपि:-

1. सदस्य सचिव, मुख्यालय, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, नवा रायपुर, अटल नगर की ओर संदर्भित पत्र के तारतम्य में कृपया सूचनार्थ प्रेषित।
2. कलेक्टर महोदय, कार्यालय कलेक्टर, जिला-बिलासपुर/जांजगीर-चांपा/मुंगेली/गौरेला-पेण्ड्रा-मरवाही (छ.ग.) की ओर कृपया सूचनार्थ एवं सर्वसंबंधितों को निर्देशार्थ कृपया प्रेषित।

क्षेत्रीय अधिकारी
क्षेत्रीय कार्यालय
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
बिलासपुर (छ.ग.)

जिला-बिलासपुर

1. आयुक्त नगर पालिक निगम बिलासपुर, जिला-बिलासपुर (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् तखतपुर, जिला-बिलासपुर (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् रतनपुर, जिला-बिलासपुर (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पंचायत बिल्हा, जिला-बिलासपुर (छ.ग.)
5. मुख्य नगर पालिका अधिकारी, नगर पंचायत कोटा, जिला-बिलासपुर (छ.ग.)
6. मुख्य नगर पालिका अधिकारी, नगर पंचायत बोदरी, जिला-बिलासपुर (छ.ग.)
7. मुख्य नगर पालिका अधिकारी, नगर पंचायत मल्हार, जिला-बिलासपुर (छ.ग.)

जिला-गौरेला-पेण्ड्रा-मरवाही

1. मुख्य नगर पालिका अधिकारी, नगर पंचायत पेण्ड्रा, जिला-गौरेला-पेण्ड्रा-मरवाही (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पंचायत गौरेला, जिला-गौरेला-पेण्ड्रा-मरवाही (छ.ग.)

जिला-मुंगेली

1. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् मुंगेली, जिला-मुंगेली (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पंचायत लोरमी, जिला-मुंगेली (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पंचायत पथरिया, जिला-मुंगेली (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पंचायत सरगांव, जिला-मुंगेली (छ.ग.)

जिला-जांजगीर-चांपा

1. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् चांपा, जिला-जांजगीर-चांपा (छ.ग.)
2. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् नैला, जिला-जांजगीर-चांपा (छ.ग.)
3. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् अकलतरा, जिला-जांजगीर-चांपा (छ.ग.)
4. मुख्य नगर पालिका अधिकारी, नगर पालिका परिषद् सक्ती, जिला-जांजगीर-चांपा (छ.ग.)
5. मुख्य नगर पालिका अधिकारी, नगर पंचायत अड़भार, जिला-जांजगीर-चांपा (छ.ग.)
6. मुख्य नगर पालिका अधिकारी, नगर पंचायत बलौदा, जिला-जांजगीर-चांपा (छ.ग.)
7. मुख्य नगर पालिका अधिकारी, नगर पंचायत नया बाराद्वार, जिला-जांजगीर-चांपा (छ.ग.)
8. मुख्य नगर पालिका अधिकारी, नगर पंचायत खरौद, जिला-जांजगीर-चांपा (छ.ग.)
9. मुख्य नगर पालिका अधिकारी, नगर पंचायत शिवरी-नारायण, जिला-जांजगीर-चांपा (छ.ग.)
10. मुख्य नगर पालिका अधिकारी, नगर पंचायत जैजैपुर, जिला-जांजगीर-चांपा (छ.ग.)
11. मुख्य नगर पालिका अधिकारी, नगर पंचायत डभरा, जिला-जांजगीर-चांपा (छ.ग.)
12. मुख्य नगर पालिका अधिकारी, नगर पंचायत चन्द्रपुर, जिला-जांजगीर-चांपा (छ.ग.)
13. मुख्य नगर पालिका अधिकारी, नगर पंचायत सारागांव, जिला-जांजगीर-चांपा (छ.ग.)
14. मुख्य नगर पालिका अधिकारी, नगर पंचायत नवागढ़, जिला-जांजगीर-चांपा (छ.ग.)
15. मुख्य नगर पालिका अधिकारी, नगर पंचायत राहौद, जिला-जांजगीर-चांपा (छ.ग.)



कार्यालय नगर पालिक निगम, बिलासपुर (छ.ग.)

फोन नं. 07752-222642, फैक्स नं. 07752-413888

E-mail - commissionerbmcibilaspur@gmail.com, Website - www.bmcibilaspur.com



ज्ञापन

कमांक 52/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक 27/10/2021

प्रति,

✓ सदस्य सचिव,
छत्तीसगढ़ पर्यावरण संरक्षण मंडल,
नवा रायपुर अटल नगर, रायपुर (छ.ग.)



विषय :- Directions under section 5 of the Environment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.

संदर्भ :- आपका पत्र कमांक 4795/मुख्या./वैज्ञा./छ.ग.प.सं.मं./2021 नवा रायपुर अटल नगर, दिनांक 01/10/2021

--- 0 ---

विषयांतर्गत लेख्य है, कि गणेश पूजा एवं दुर्गा पूजा पर्व के पश्चात् विर्सजन स्थल पचरीघाट एवं छठघाट में संपूर्ण सफाई कार्य कराया गया है, स्वच्छता निरीक्षक एवं सुपरवाइजर से प्राप्त रिपोर्ट को संलग्न कर सूचनार्थ सादर संप्रेषित है।

संलग्न :-

1. पचरीघाट का प्रपत्र
2. छठघाट का प्रपत्र

अपर आयुक्त

नगर पालिक निगम
बिलासपुर (छ.ग.)

पृ. कमांक/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक/...../2021

प्रतिलिपि :-

1. आयुक्त, नगर पालिक निगम बिलासपुर की ओर सादर सूचनार्थ।
2. उपायुक्त कमांक-03, नगर पालिक निगम बिलासपुर की ओर सूचनार्थ।
3. क्षेत्रीय अधिकारी, क्षेत्रीय कार्यालय, छत्तीसगढ़ पर्यावरण संरक्षण मंडल बिलासपुर की ओर सूचनार्थ।

अपर आयुक्त
नगर पालिक निगम
बिलासपुर (छ.ग.)



कार्यालय नगर पालिक निगम, बिलासपुर (छ.ग.)

फोन नं. 07752-222842, फैक्स नं. 07752-413888

E-mail - commissionerbmc bilaspur@gmail.com, Website - www.bmc bilaspur.com



ज्ञापन

क्रमांक ७/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक २७/११/2021

प्रति,

आयुक्त महोदय,
नगर पालिक निगम
बिलासपुर (छ.ग.)

विषय :- दुर्गा पूजा के पश्चात् छठघाट की सफाई के संबंध में।

--- 0 ---

विषयांतर्गत लेख्य है, कि नगर निगम क्षेत्र के अंतर्गत छठघाट में दुर्गा पूजा के पश्चात् विर्सजन हेतु पूजा समग्री को पृथक कर रखे जाने हेतु कंटेनर की व्यवस्था की गई है तथा आदेशानुसार विशेष अभियान लगाकर छठघाट एवं आस-पास सफाई कामगार, एक्सीवेटर, ट्रेक्टर ड्राली के माध्यम से सफाई कार्य कराया गया एवं कचरे को उठवाया गया।

वार्ड पार्षद
वार्ड क्र.
बिलासपुर (छ.ग.)

मोतीलाल गंगवानी
पार्षद
वार्ड क्र. 41, विवेकानंद नगर
न.पा.नि.-बिलासपुर (छ.ग.)
मो. 9301011066

स्वास्थ्य अधिकारी
नगर पालिक निगम
बिलासपुर (छ.ग.)

वार्ड के 10 नागरिकों के नाम एवं हस्ताक्षर
क्रमांक नागरिकों का नाम हस्ताक्षर एवं मोबाईल नं.

स्वच्छता निरीक्षक
वार्ड क्रमांक
न.पा.नि.बिलासपुर (छ.ग.)

① विनोद चट्टेल - विनोद चट्टेल 9329001245

② उमेश चन्देल - 7944820146

③ राजा - 9303-488030

(4) दीप - 9301001409

(5) भाविका - 7223910427

(6) अनुसुभा - 8269764435

⑦ सिंगम कुंजर - 9827878187

⑧ मन्की पुजायति - 9907848432

⑨ गणेश - 7771955794

⑩ कमल - 9340966605



कार्यालय नगर पालिक निगम, बिलासपुर (छ.ग.)

फोन नं. 07752-222642, फैक्स नं. 07752-413888

E-mail - commissionerbmcibilaspur@gmail.com, Website - www.bmcibilaspur.com



ज्ञापन

क्रमांक/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक 22/09/2021

प्रति,

आयुक्त महोदय,
नगर पालिक निगम
बिलासपुर (छ.ग.)

विषय :- गणेश चतुर्थी पूजा के पश्चात् छठघाट की सफाई के संबंध में।

--- 0 ---

विषयांतर्गत लेख्य है, कि नगर निगम क्षेत्र के अंतर्गत छठघाट में गणेश चतुर्थी पूजा के पश्चात् विर्सजन हेतु पूजा समग्री को पृथक् कर रखे जाने हेतु कंटेनर की व्यवस्था की गई है तथा आदेशानुसार विशेष अभियान लगाकर छठघाट एवं आस-पास सफाई कामगार, एक्सीवेटर, ट्रेक्टर ट्राली के माध्यम से सफाई कार्य कराया गया एवं कचरे को उठवाया गया।

वार्ड पार्षद
वार्ड क्र.
बिलासपुर (छ.ग.)

स्वास्थ्य अधिकारी
नगर पालिक निगम
बिलासपुर (छ.ग.)

वार्ड के 10 नागरिकों के नाम एवं हस्ताक्षर
क्रमांक नागरिकों का नाम हस्ताक्षर एवं मोबाईल नं.

स्वच्छता निरीक्षक
वार्ड क्रमांक.
न.पा.नि.बिलासपुर (छ.ग.)

1. वी.पी.एस. वी.पी.एस.
7898774543

2. सुनील कुमार सुनील कुमार
9340959291

3. विजय कुमार - विजय कुमार - 7389687627

4. विनोद - विनोद - 9753281555

5. (Amber Senu) - Amber 9907215110

6 गोपी गोपी 7049217195

7 नवीन कुमार नवीन कुमार 9399589160

8 नाम सिंह नाम सिंह 9685485449



कार्यालय नगर पालिक निगम, बिलासपुर (छ.ग.)

फोन नं. 07752-222642, फैक्स नं. 07752-413888

E-mail - commissionerbmcibilaspur@gmail.com, Website - www.bmcibilaspur.com



ज्ञापन

क्रमांक ७७७/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक ३०/१०/2021

प्रति,

आयुक्त महोदय,
नगर पालिक निगम
बिलासपुर (छ.ग.)

विषय :- दुर्गा पूजा के पश्चात् पचरीघाट की सफाई के संबंध में।

--- 0 ---

विषयांतर्गत लेख्य है, कि नगर निगम क्षेत्र के अंतर्गत पचरीघाट में दुर्गा पूजा के पश्चात् विर्सजन हेतु पूजा समग्री को पृथक कर रखे जाने हेतु कंटेनर की व्यवस्था की गई है तथा आदेशानुसार विशेष अभियान लगाकर पचरीघाट एवं आस-पास सफाई कामगार एकसीक्टर, ट्रेक्टर ट्राली के माध्यम से सफाई कार्य कराया गया एवं कचरे को उठवाया गया।

उत्तम यादव
वार्ड पार्षद
वार्ड कं. ३५ नागोराव शेष नगर
बिलासपुर (छ.ग.)
बिलासपुर (छ.ग.)

स्वास्थ्य अधिकारी
नगर पालिक निगम
बिलासपुर (छ.ग.)

वार्ड के 10 नागरिकों के नाम एवं हस्ताक्षर

क्रमांक नागरिकों का नाम हस्ताक्षर एवं मोबाईल नं.

१. शक्ति पाले ४ ८०८५४०८००
२. कीर्ति वर्मा ७३४८ ७४८९९८७८०३
३. अरुण यादव ५१०९७५७६३६
४. सुकलाल यादव ८८१५५०२६५१
५. दिलीप देवांगन ७८४४८८७४२६
६. प्रदीप कुमार ७७७७८५१०६२
७. लक्ष्मीनारायण यादव ९६९१०९५०३५
८. दुष्यंत सिंह ७७०७१०९५०१
९. प्रभात कुमार ९९०७७२०५०
१०. मन्मथ यादव ८०८५२७५०७७

स्वच्छता निरीक्षक
वार्ड कं. ३५
न.पा.नि.बिलासपुर (छ.ग.)

वार्ड सुपरवाइजर
नगर पालिक निगम
बिलासपुर (छ.ग.)



कार्यालय नगर पालिक निगम, बिलासपुर (छ.ग.)

फोन नं. 07752-222842, फैक्स नं. 07752-413888

E-mail - commissionerbmcblaspur@gmail.com, Website - www.bmcblaspur.com



ज्ञापन

क्रमांक/न.पा.नि./स्वा.वि./2021-22

बिलासपुर, दिनांक 22/09/2021

प्रति,

आयुक्त महोदय,
नगर पालिक निगम
बिलासपुर (छ.ग.)

विषय :- गणेश चतुर्थी पूजा के पश्चात् पचरीघाट की सफाई के संबंध में।

--- 0 ---

विषयांतर्गत लेख्य है, कि नगर निगम क्षेत्र के अंतर्गत पचरीघाट में गणेश चतुर्थी पूजा के पश्चात् विर्सजन हेतु पूजा समायोत्री को पृथक कर रखे जाने हेतु कंटेनर की व्यवस्था की गई है तथा आदेशानुसार विशेष अभियान लगाकर पचरीघाट एवं आस-पास सफाई कामगार एक्सीवेटर, ट्रेक्टर ट्राली के माध्यम से सफाई कार्य कराया गया एवं कचरे को उठवाया गया।

नामती प्रियंका उत्तम यादव
वार्ड पार्षद
वार्ड क्र. 35, नारायण शेष नगर
बिलासपुर (छ.ग.)

स्वास्थ्य अधिकारी
नगर पालिक निगम
बिलासपुर (छ.ग.)

वार्ड के 10 नागरिकों के नाम एवं हस्ताक्षर
क्रमांक नागरिकों का नाम हस्ताक्षर एवं मोबाईल नं.

स्वच्छता निरीक्षक
वार्ड क्र. 35.....
न.पा.नि.बिलासपुर (छ.ग.)

वार्ड सुपरवाइजर
नगर पालिक निगम
बिलासपुर (छ.ग.)

- | | |
|--------------------------|---------------|
| 1) शिवश-पाण्डे | मो 8085840800 |
| 2) कीर्तिवर्धन शर्मा | 7489987805 |
| 3) अरुण यादव | 9109757636 |
| 4) सुकलाल यादव | 8815502641 |
| 5) दिलीप देवांगन | 98278871126 |
| 6) चंद्रप्रकाश | 7722841062 |
| 7) लक्ष्मीनारायण भवार्ति | 9691094035 |
| 8) दुष्यन्त सिंह | 99071109401 |
| 9) प्रभात कुमार | 9907720140 |

8085274077




क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.)

ई मेल आई.डी.- ro_bhilai@rediffmail.com फोन नं.-0788-2242964

क्रमांक 2618/क्षेकार्या/छपसमं/दुर्ग/2021
प्रति,

दिनांक 13/10/21

✓ सदस्य सचिव,
छ.ग.पर्यावरण संरक्षण मण्डल,
नवा रायपुर, अटल नगर
जिला-रायपुर (छ.ग.)।

विषय :- मूर्ति के विसर्जन के संबंध में कार्यवाही विवरण भेजने बाबत।

संदर्भ :- 1. बोर्ड मुख्यालय का पत्र क्रमांक 3499 एवं 3501 दिनांक 18.08.2021
2. इस कार्यालय का पत्र क्रमांक 2178 दिनांक 04.09.2021

-:0:-

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक-2 के माध्यम से मूर्ति विसर्जन के संबंध में इस कार्यालय द्वारा कलेक्टर महोदय, जिला दुर्ग/राजनांदगांव/बालोद/बेमेतरा/कबीरधाम एवं नगर पालिक निगम, दुर्ग, भिलाई, चरोदा भिलाई-3, रिसाली एवं राजनांदगांव तथा अन्य नगरीय निकायों को गाईड लाइन उपलब्ध कराकर गाईड लाइन अनुसार विसर्जन कुण्ड निर्मित करने हेतु अनुरोध पत्र भेजा गया था। इस कार्यालय द्वारा श्री गणेश जी मूर्ति विसर्जन के पूर्व "मूर्ति विसर्जन के दौरान" एवं विसर्जन उपरांत (1) मरोदा टैंक, रिसाली, दुर्ग (2) शिवनाथ नदी, दुर्ग-राजनांदगांव रोड ब्रिज, गुरुद्वारा के पास, पुलगांव, दुर्ग (3) शिवनाथ नदी वाटर सप्लाई इंटेकवेल पाईट के समीप निर्मित स्थाई विसर्जन कुण्ड, राजनांदगांव में निर्धारित बिन्दुओं पर जहां विसर्जन किया गया उक्त बिन्दुओं पर सैम्पलिंग किया गया। जिसका विश्लेषण रिपोर्ट संलग्न है (संलग्नक-1)। उक्त स्थानों पर स्थानीय प्रशासन द्वारा पुलिस व्यवस्था, पूजन सामग्री हेतु पृथक रूप से बिन रखा गया एवं विसर्जन उपरांत अवशेष को निकालने का प्रबंध (विसर्जन बिन्दु 1 एवं 2) किया था।

नगर निगम, दुर्ग द्वारा शिवनाथ नदी, गुरुद्वारा के समीप, पुलगांव के पास (संलग्नक-2) तथा मरोदा टैंक, रिसाली (संलग्नक-3) में मूर्ति विसर्जन के उपरांत मूर्ति के अवशेष/पूजन सामग्री को निकाला गया है। नगर पालिक निगम, राजनांदगांव मूर्ति विसर्जन हेतु स्थाई विसर्जन कुण्ड (संलग्नक-4) निर्मित किया गया है तथा नदी में मूर्तियों का विसर्जन नहीं किया गया। उल्लेखनीय है कि इस वर्ष कोविड-19 के कारण श्री गणेश जी की मूर्तियों विगत वर्षों की तुलना में बहुत कम संख्या में स्थापित की गई थी। बड़ी मूर्तियों की स्थापना/सामाजिक उत्सवों का आयोजन सीमित किया गया। नदी में जल का स्तर एवं बहाव तीव्र होने के कारण विसर्जन का विशेष दुष्प्रभाव अवलोकित नहीं किया गया।

इस कार्यालय के प्रयोगशाला में उपलब्ध सुविधा अनुसार उक्त जल नमूनों को विश्लेषण किया गया एवं अन्य पैरामीटर (भारी धातुओं) के विश्लेषण हेतु मेसर्स अल्टिमेट एनवायरॉन्मेंटल साल्यूशन कबीर नगर, रायपुर (इस कार्यालय का पत्र क्रमांक 2477 दिनांक 30.09.2021) को भुगतान आधार पर विश्लेषण हेतु भेजा गया है। संबंधित संस्था से विश्लेषण रिपोर्ट प्राप्त होने पर उक्त रिपोर्ट को बोर्ड मुख्यालय भेजा जावेगा। कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।

संलग्न :- उपरोक्तानुसार।

Handwritten signature and stamp of the Regional Officer, Bilai, Chhattisgarh.

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल, भिलाई

Analysis No. - 248



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg (Before Idol Emersion of Shri Ganeshji)
Description of Sample : Talab Water
Date of Collection : 16.09.2021
Date of Receipt : 16.09.2021
Date of Analysis : 16.09.2021
Sample Collected By : G.P.Patel (Lab Astt.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	27.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.71
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	350.0
8.	Dissolved Solids	mg/lit	270.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	2.8
11.	C O D	mg/lit	48.0
12.	Dissolved Oxygen	mg/lit	7.4

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Astt.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg,
(Before Idol Emersion of Shri Ganeshji)

Description of Sample : Pulgaon Emersion Point

Date of Collection : 16.09.2021

Date of Receipt : 16.09.2021

Date of Analysis : 16.09.2021

Sample Collected By : G.P.Patel (Lab Astt.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	27.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.4
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	360.0
8.	Dissolved Solids	mg/lit	290.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.4
11.	C O D	mg/lit	38.4
12.	Dissolved Oxygen	mg/lit	7.4

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Astt.G-2


 CHEMIST


 Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
(Before Idol Emersion of Shri Ganeshji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 16.09.2021

Date of Receipt : 16.09.2021

Date of Analysis : 16.09.2021

Sample Collected By : G.P.Patel (Lab Asstt.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result (1)	Result (2)
1.	Temperature	⁰ C	25.0	27.0
2.	Appearance	NTU	Clear	Turbid
3.	Odour	Threshold No.	Odourless	Odourless
4.	pH	-	7.52	7.41
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	140.0	350.0
8.	Dissolved Solids	mg/lit	100.0	290.0
9.	Suspended Solids	mg/lit	40.0	60.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.2	1.8
11.	C O D	mg/lit	9.6	38.0
12.	Dissolved Oxygen	mg/lit	8.2	7.4

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Asstt.G-2


 CHEMIST


 Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg **(During Idol Emersion of Shri Ganeshji)**
 Description of Sample : **Talab Water (10 Meter Away From Idol Emersion Point)**
 Date of Collection : 19.09.2021
 Date of Receipt : 19.09.2021
 Date of Analysis : 19.09.2021
 Sample Collected By : G.P.Patel (Lab Asstt.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	28.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.82
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	90.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	8.0
11.	C O D	mg/lit	58.08
12.	Dissolved Oxygen	mg/lit	6.2

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asstt.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg,
(During Idol Emersion of Shri Ganeshji)

Description of Sample : Pulgaon Emersion Point (50 Meter Away from Idol Emersion Point)

Date of Collection : 19.09.2021

Date of Receipt : 19.09.2021

Date of Analysis : 19.09.2021

Sample Collected By : G.P.Patel (Lab Astt.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	26.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.6
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	310.0
9.	Suspended Solids	mg/lit	80.0
10.	B O D (3days at 27°C)	mg/lit	2.1
11.	C O D	mg/lit	38.72
12.	Dissolved Oxygen	mg/lit	7.0

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Astt.G-2


 CHEMIST


 Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
(During Idol Emersion of Shri Ganesh ji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 19.09.2021

Date of Receipt : 19.09.2021

Date of Analysis : 19.09.2021

Sample Collected By : G.P.Patel (Lab Asstt.G-2)

S.No.	Characteristics	Unit	Result(1)	Result(2)
1.	Temperature	$^{\circ}\text{C}$	26.0	27.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	6.14	7.38
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	740.0	350.0
8.	Dissolved Solids	mg/lit	510.0	290.0
9.	Suspended Solids	mg/lit	230.0	60.0
10.	B O D (3days at 27°C)	mg/lit	18.0	1.8
11.	C O D	mg/lit	203.28	38.0
12.	Dissolved Oxygen	mg/lit	Nil	7.4

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asstt.G-2

CHEMIST

Asst. ENGINEER




REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg , (After Idol Emersion of Shri Ganeshji)
 Description of Sample : Talab Water
 Date of Collection : 26.09.2021
 Date of Receipt : 26.09.2021
 Date of Analysis : 26.09.2021
 Sample Collected By : S.P. Patel (Chemist) & G.P.Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	31.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.74
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	370.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	6.0
11.	C O D	mg/lit	49.0
12.	Dissolved Oxygen	mg/lit	6.8

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Asst.G-2


 CHEMIST


 Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg
 (After Idol Emersion of Shri Ganeshji)

Description of Sample : Pulgaon Emersion Point.

Date of Collection : 26.09.2021


Date of Receipt : 26.09.2021

Date of Analysis : 26.09.2021

Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Astt.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	28.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.61
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	380.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	80.0
10.	B O D (3days at 27°C)	mg/lit	1.9
11.	C O D	mg/lit	38.4
12.	Dissolved Oxygen	mg/lit	7.2

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Astt.G-2


 CHEMIST


 Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
(After Idol Emersion of Shri Ganesh ji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 26.09.2021

Date of Receipt : 26.09.2021

Date of Analysis : 26.09.2021

Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result	Result
1.	Temperature	⁰ C	29.0	27.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	5.3	7.42
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	1730.0	360.0
8.	Dissolved Solids	mg/lit	1510.0	290.0
9.	Suspended Solids	mg/lit	220.0	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	82.0	1.8
11.	C O D	mg/lit	784.0	39.2
12.	Dissolved Oxygen	mg/lit	Nil	7.5

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



कार्यालय, नगर पालिक निगम, दुर्ग (छ0ग0)

पता- नया बस स्टैंड के पीछे दुर्ग
फोन एवं फैक्स नम्बर - 0789-2322148
Email ID - durgmc2019@gmail.com



ज्ञापन

क्रमांक/669/लो0क0वि0/2021-22
प्रति,

दुर्ग, दिनांक 7/10/2021

क्षेत्रीय अधिकारी
छग पर्यावरण संरक्षण मंडल
क्षेत्रीय कार्यालय, निलाई

विषय - मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बाबत।
संदर्भ - आपका पत्र क्र.3178 दिनांक 04.09.2021

—00—

उपरोक्त विषयावलीत संदर्भित पत्रानुसार माह सितंबर 2021 में गणेश उत्सव पश्चात् मूर्ति विसर्जन हेतु निम्नानुसार स्थलों पर स्थायी/अस्थायी कुंड में प्रकाश व्यवस्था एवं पहुंच मार्ग का संवर्धन किया गया -

1. राजनादगाव मार्ग पर पुराने पुल के किनारे (गुरुद्वारा के सामने) शिवनाथ नदी में विनष्ट स्थल में मूर्ति विसर्जन पश्चात् बाधा एवं अपशिष्ट सामग्री को शिवनाथ नदी से बाहर निकाला जाकर साफ-सफाई कर दिया गया है। (फोटो संलग्न है)
2. कसारीडीह तालाब में मूर्ति विसर्जन हेतु निर्मित स्थायी कुंड में मूर्ति विसर्जन किया गया।
3. उरला तालाब में एक किनारे अनुमानित 10 मीटर x 03 मीटर क्षेत्रफल में बांस-बल्ली एवं शिथिल ग्रीन नेट द्वारा अस्थायी कुंड का निर्माण किया जाकर मूर्ति विसर्जन किया गया। (फोटो संलग्न है)

उपरोक्त स्थलों पर मूर्ति विसर्जन पश्चात् मूर्ति निर्माण हेतु उपयोग किये गये बाधा एवं अन्य अपशिष्ट सामग्री को बाहर निकाला जाकर समुचित निपटान किया गया है।

[Signature]
कार्यपालन अभियंता

नगर पालिक निगम दुर्ग

दुर्ग, दिनांक 7/10/2021

पृ क्रमांक/लो क वि/2021-22/
प्रतिलिपि-

1. मान0 महापौर महोदय, नगर पालिक निगम दुर्ग की ओर सादर सूचनाार्थ प्रेषित।
2. आयुक्त महोदय, नगर पालिक निगम दुर्ग की ओर सादर सूचनाार्थ प्रेषित।

[Signature]
कार्यपालन अभियंता
नगर पालिक निगम दुर्ग

[Signature]
11/10/21

3266
11/10/21

















नगर पालिक निगम, रिसाली

वी.एस. पी. स्कूल क्रमांक-35, रिसाली सेक्टर, जिला दुर्ग (छ.ग.) 490006

फोन नं. - 0788-4049469

Email- nagarnigamrisali@gmail.com

क्रमांक : 2306

दिनांक 4/10/21

प्रति,

✓ क्षेत्रीय अधिकारी,
छ.ग. पर्यावरण संरक्षण मंडल
5/32 बंगला भिलाई, जिला दुर्ग(छ.ग.)

विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बाबत।

संदर्भ:- पत्र क्र. 2178/क्षे. कार्या/छगपसमं/भिलाई/2021 दिनांक 04.09.2021

00

उपरोक्त विषयांतर्गत संदर्भित पत्र के माध्यम से क्षेत्रीय कार्यालय छ.ग. पर्यावरण संरक्षण मंडल द्वारा मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश प्राप्त हुआ है।

उपरोक्त पत्र के तारतम्य में लेख है कि नगर पालिक निगम रिसाली क्षेत्रांतर्गत क्रमशः हिन्द नगर तालाब एवं नेवई डेम में मूर्तियों के विसर्जन करने हेतु स्थल निर्धारित हुआ है। वर्तमान में मूर्तियों के विसर्जन पश्चात् स्थल पर फैले पूजन सामग्री एवं डिस्पोज सामग्री का यथोचित सफाई व्यवस्था निष्पादित किया गया है।

तदसंबंध में वांछित प्रतिवेदन सम्प्रेषित।

(आशीष देवान्न)


त.प्र.सं.


आयुक्त


नगर पालिक निगम,
रिसाली

चुम्बल-

7/10/21








Scanned by CamScanner



Scanned by CamScanner



Scanned by CamScanner







क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.)

ई मेल आई.डी.- ro_bhilai@rediffmail.com फोन नं.-0788-2242964



क्रमांक 2651 / क्षेत्रीय / छपसंमं / दुर्ग / 2021

दिनांक 20/10/21

प्रति,

✓ सदस्य सचिव,
छ.ग.पर्यावरण संरक्षण मण्डल,
नवा रायपुर, अटल नगर
जिला-रायपुर (छ.ग.)।

विषय :- मूर्ति के विसर्जन के संबंध में कार्यवाही विवरण भेजने बाबत।

संदर्भ :- 1. बोर्ड मुख्यालय का पत्र क्रमांक 3499 एवं 3501 दिनांक 18.08.2021
2. इस कार्यालय का पत्र क्रमांक 2178 दिनांक 04.09.2021
3. इस कार्यालय का पत्र क्रमांक 2618 दिनांक 13.10.2021

—:0:—

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक-3 के माध्यम से इस कार्यालय द्वारा श्री गणेश पर्व 2021 के मूर्ति विसर्जन के संबंध में कार्यवाही विवरण प्रेषित किया गया है। उक्त पर्व के दौरान चिन्हांकित बिन्दुओं से इस कार्यालय द्वारा एकत्र जल नमूनों में भारी धातुओं के विश्लेषण मेसर्स अल्टिमेट एनवायरॉलिटिकल साल्यूशन कबीर नगर, रायपुर से करवाया गया। उक्त संस्था से विश्लेषण परिणाम प्राप्त होने के उपरांत विश्लेषण प्रतिवेदन संलग्न कर आपकी ओर सादर प्रेषित है।
संलग्न :- उपरोक्तानुसार।

SSD (II)

Scientist (C) / 2.5
26/10/2021

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल, भिलाई

12 2 OCT 2021



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg (Before Idol Emersion of Shri Ganeshji)
 Description of Sample : Talab Water
 Date of Collection : 16.09.2021
 Date of Receipt : 16.09.2021
 Date of Analysis : 16.09.2021
 Sample Collected By : G.P.Patel (Lab Asst.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	^o C	27.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.71
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	350.0
8.	Dissolved Solids	mg/lit	270.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27 ^o C)	mg/lit	2.8
11.	C O D	mg/lit	48.0
12.	Dissolved Oxygen	mg/lit	7.4
13.	Chromium (as Cr)	mg/lit	0.010
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.011
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg,
(Before Idol Emersion of Shri Ganeshji)

Description of Sample : Pulgaon Emersion Point

Date of Collection : 16.09.2021

Date of Receipt : 16.09.2021

Date of Analysis : 16.09.2021

Sample Collected By : G.P.Patel (Lab Asstt.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	27.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.4
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	360.0
8.	Dissolved Solids	mg/lit	290.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.4
11.	C O D	mg/lit	38.4
12.	Dissolved Oxygen	mg/lit	7.4
13.	Chromium (as Cr)	mg/lit	0.003
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	N.D.
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asstt.G-2

CHEMIST

Asstt. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
(Before Idol Emersion of Shri Ganeshji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 16.09.2021

Date of Receipt : 16.09.2021

Date of Analysis : 16.09.2021

Sample Collected By : G.P.Patel (Lab Astt.G-2) & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result (1)	Result (2)
1.	Temperature	$^{\circ}\text{C}$	25.0	27.0
2.	Appearance	NTU	Clear	Turbid
3.	Odour	Threshold No.	Odourless	Odourless
4.	pH	-	7.52	7.41
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	140.0	350.0
8.	Dissolved Solids	mg/lit	100.0	290.0
9.	Suspended Solids	mg/lit	40.0	60.0
10.	B O D (3days at 27°C)	mg/lit	1.2	1.8
11.	C O D	mg/lit	9.6	38.0
12.	Dissolved Oxygen	mg/lit	8.2	7.4
13.	Chromium (as Cr)	mg/lit	0.002	-
14.	Lead (as Pb)	mg/lit	N.D.	-
15.	Zinc (as Zn)	mg/lit	0.023	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Astt.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg (During Idol Emersion of Shri Ganeshji)
 Description of Sample : Talab Water (10 Meter Away From Idol Emersion Point)
 Date of Collection : 19.09.2021
 Date of Receipt : 19.09.2021
 Date of Analysis : 19.09.2021
 Sample Collected By : G.P.Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	28.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.82
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	90.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	8.0
11.	C O D	mg/lit	58.08
12.	Dissolved Oxygen	mg/lit	6.2
13.	Chromium (as Cr)	mg/lit	0.013
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.008
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg,
 (During Idol Emersion of Shri Ganeshji)
 Description of Sample : Pulgaon Emersion Point (50 Meter Away from Idol Emersion Point)
 Date of Collection : 19.09.2021
 Date of Receipt : 19.09.2021
 Date of Analysis : 19.09.2021
 Sample Collected By : G.P.Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	26.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.6
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	310.0
9.	Suspended Solids	mg/lit	80.0
10.	B O D (3days at 27°C)	mg/lit	2.1
11.	C O D	mg/lit	38.72
12.	Dissolved Oxygen	mg/lit	7.0
13.	Chromium (as Cr)	mg/lit	0.011
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	N.D.
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
(During Idol Emersion of Shri Ganesh ji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 19.09.2021

Date of Receipt : 19.09.2021

Date of Analysis : 19.09.2021

Sample Collected By : G.P.Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result(1)	Result(2)
1.	Temperature	$^{\circ}\text{C}$	26.0	27.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	6.14	7.38
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	740.0	350.0
8.	Dissolved Solids	mg/lit	510.0	290.0
9.	Suspended Solids	mg/lit	230.0	60.0
10.	B O D (3days at 27°C)	mg/lit	18.0	1.8
11.	C O D	mg/lit	203.28	38.0
12.	Dissolved Oxygen	mg/lit	Nil	7.4
13.	Chromium (as Cr)	mg/lit	N.D.	-
14.	Lead (as Pb)	mg/lit	N.D.	-
15.	Zinc (as Zn)	mg/lit	N.D.	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg , (After Idol Emersion of Shri Ganeshji)
 Description of Sample : Talab Water
 Date of Collection : 26.09.2021
 Date of Receipt : 26.09.2021
 Date of Analysis : 26.09.2021
 Sample Collected By : S.P. Patel (Chemist) & G.P.Patel (Lab Astt.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	31.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.74
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	370.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	70.0
10.	B O D (3days at 27°C)	mg/lit	6.0
11.	C O D	mg/lit	49.0
12.	Dissolved Oxygen	mg/lit	6.8
13.	Chromium (as Cr)	mg/lit	0.047
14.	Lead (as Pb)	mg/lit	0.006
15.	Zinc (as Zn)	mg/lit	0.289
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Astt.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg
 (After Idol Emersion of Shri Ganeshji)
 Description of Sample : Pulgaon Emersion Point.
 Date of Collection : 26.09.2021
 Date of Receipt : 26.09.2021
 Date of Analysis : 26.09.2021
 Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	28.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.61
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	380.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	80.0
10.	B O D (3days at 27°C)	mg/lit	1.9
11.	C O D	mg/lit	38.4
12.	Dissolved Oxygen	mg/lit	7.2
13.	Chromium (as Cr)	mg/lit	0.017
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.478
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
 (After Idol Emersion of Shri Ganesh ji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 26.09.2021

Date of Receipt : 26.09.2021

Date of Analysis : 26.09.2021

Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Asst. G-2)

S.No.	Characteristics	Unit	Result	Result
1.	Temperature	⁰ C	29.0	27.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	5.3	7.42
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	1730.0	360.0
8.	Dissolved Solids	mg/lit	1510.0	290.0
9.	Suspended Solids	mg/lit	220.0	70.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	82.0	1.8
11.	C O D	mg/lit	784.0	39.2
12.	Dissolved Oxygen	mg/lit	Nil	7.5
13.	Chromium (as Cr)	mg/lit	0.039	-
14.	Lead (as Pb)	mg/lit	0.002	-
15.	Zinc (as Zn)	mg/lit	0.282	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst. G-2

CHEMIST

Asst. ENGINEER



क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.)

ई मेल आई.डी.- ro_bhilai@rediffmail.com फोन नं.-0788 - 2242964



क्रमांक 2980/क्षेकार्या/छपसंम/दुर्ग/2021

दिनांक 18/11/21

प्रति,

✓ सदस्य सचिव,
छ.ग.पर्यावरण संरक्षण मण्डल,
नवा रायपुर, अटल नगर
जिला-रायपुर (छ.ग.)।

विषय :- मूर्ति के विसर्जन के संबंध में कार्यवाही विवरण भेजने बाबत।

संदर्भ :- 1. बोर्ड मुख्यालय का पत्र क्रमांक 3499 एवं 3501 दिनांक 18.08.2021
2. इस कार्यालय का पत्र क्रमांक 2178 दिनांक 04.09.2021

-:0:-

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक-2 के माध्यम से मूर्ति विसर्जन के संबंध में इस कार्यालय द्वारा कलेक्टर महोदय, जिला- दुर्ग/राजनांदगांव/बालोद/बेमेतरा/कबीरधाम एवं नगर पालिक निगम, दुर्ग, भिलाई, चरोदा-भिलाई-3, रिसाली एवं राजनांदगांव तथा अन्य नगरीय निकायों को गार्डलाईन उपलब्ध कराकर गार्डलाईन अनुसार विसर्जन कुण्ड निर्मित करने हेतु अनुरोध पत्र भेजा गया था। इस कार्यालय द्वारा श्री दुर्गा जी मूर्ति विसर्जन के पूर्व "मूर्ति विसर्जन के दौरान" एवं विसर्जन उपरांत (1) मरोदा टैंक, रिसाली, दुर्ग (2) शिवनाथ नदी, दुर्ग-राजनांदगांव रोड ब्रिज, गुरुद्वारा के पास, पुलगांव, दुर्ग (3) शिवनाथ नदी वाटर सप्लाई इंटेकवेल पाईट के समीप निर्मित स्थायी विसर्जन कुण्ड, राजनांदगांव में निर्धारित बिन्दुओं पर जहां विसर्जन किया गया उक्त बिन्दुओं पर सेम्पलिंग किया गया। जिसका विश्लेषण रिपोर्ट संलग्न है (संलग्नक-1)। उक्त स्थानों पर स्थानीय प्रशासन द्वारा पुलिस व्यवस्था, पूजन सामाग्री हेतु पृथक रूप से बिना रखा गया एवं विसर्जन उपरांत अवशेष को निकालने का प्रबंध (विसर्जन बिन्दु 1 एवं 2) किया था।

नगर निगम, दुर्ग द्वारा शिवनाथ नदी, गुरुद्वारा के समीप, पुलगांव के पास तथा मरोदा टैंक, रिसाली में मूर्ति विसर्जन के उपरांत मूर्ति के अवशेष/पूजन सामाग्री को निकाला गया है। नगर पालिक निगम, राजनांदगांव मूर्ति विसर्जन हेतु स्थायी विसर्जन कुण्ड (संलग्नक-2) निर्मित किया गया है तथा नदी में मूर्तियों का विसर्जन नहीं किया गया। उल्लेखनीय है कि इस वर्ष कोविड-19 के कारण श्री दुर्गा जी मूर्तियों विगत वर्षों की तुलना में बहुत कम संख्या में स्थापित की गई थी। बड़ी मूर्तियों की स्थापना/सामाजिक उत्सवों का आयोजन सीमित किया गया। नदी में जल का स्तर एवं बहाव तीव्र होने के कारण विसर्जन का विशेष दुष्प्रभाव अवलोकित नहीं किया गया। प्रतिवेदन कृपया अग्र कार्यवाही हेतु सादर प्रेषित है।

संलग्न :- उपरोक्तानुसार।

5/30 (II)

J.S.

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल, भिलाई

Analysis No. - 275



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg (Before Idol Emersion of Maa Durga ji)
 Description of Sample : Talab Water
 Date of Collection : 13.10.2021
 Date of Receipt : 13.10.2021
 Date of Analysis : 13.10.2021
 Sample Collected By : V.B. Singh & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	24.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.42
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	330.0
8.	Dissolved Solids	mg/lit	290.0
9.	Suspended Solids	mg/lit	40.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.6
11.	C O D	mg/lit	28.56
12.	Dissolved Oxygen	mg/lit	7.8
13.	Chromium (as Cr)	mg/lit	N.D.
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	N.D.
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg.
(Before Idol Emersion of Maa Durga ji)

Description of Sample : Pulgaon Emersion Point

Date of Collection : 13.10.2021

Date of Receipt : 13.10.2021

Date of Analysis : 13.10.2021

Sample Collected By : V.B.Singh & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	25.0
2.	Appearance	NTU	Clear
3.	Odour	Threshold No.	Odourless
4.	pH	-	7.51
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	350.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	50.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.5
11.	C O D	mg/lit	28.56
12.	Dissolved Oxygen	mg/lit	7.6
13.	Chromium (as Cr)	mg/lit	N.D.
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	N.D.
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bungalow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
 (Before Idol Emersion of Maa Durga ji)
 Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point
 Date of Collection : 13.10.2021
 Date of Receipt : 13.10.2021
 Date of Analysis : 13.10.2021
 Sample Collected By : V.B.Singh & S.K.Vishwakarma (Lab Att.)

S.No.	Characteristics	Unit	Result (1)	Result (2)
1.	Temperature	$^{\circ}\text{C}$	27.0	27.0
2.	Appearance	NTU	Clear	Turbid
3.	Odour	Threshold No.	Odourless	Odourless
4.	pH	-	7.51	7.54
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	160.0	330.0
8.	Dissolved Solids	mg/lit	140.0	290.0
9.	Suspended Solids	mg/lit	20.0	40.0
10.	B O D (3days at 27°C)	mg/lit	1.2	1.8
11.	C O D	mg/lit	9.52	28.56
12.	Dissolved Oxygen	mg/lit	7.8	7.5
13.	Chromium (as Cr)	mg/lit	N.D.	-
14.	Lead (as Pb)	mg/lit	N.D.	-
15.	Zinc (as Zn)	mg/lit	0.019	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg **(During Idol Emersion of Maa Durga Ji)**
 Description of Sample : **Talab Water (10 Meter Away From Idol Emersion Point)**
 Date of Collection : 15.10.2021
 Date of Receipt : 15.10.2021
 Date of Analysis : 15.10.2021
 Sample Collected By : Shiv Patel (Chemist) & G.P. Patel (Lab Asst. G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	$^{\circ}\text{C}$	27.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.58
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	330.0
9.	Suspended Solids	mg/lit	60.0
10.	B O D (3days at 27°C)	mg/lit	1.8
11.	C O D	mg/lit	38.08
12.	Dissolved Oxygen	mg/lit	7.0
13.	Chromium (as Cr)	mg/lit	0.1
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.012
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst. G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg,
(During Idol Emersion of Maa Durga ji)

Description of Sample : Pulgaon Emersion Point (50 Meter Away from Idol Emersion Point)

Date of Collection : 15.10.2021

Date of Receipt : 15.10.2021

Date of Analysis : 15.10.2021

Sample Collected By : Shiv Patel (Chemist) & G.P. Patel (Lab Asst. G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	27.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.83
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	390.0
8.	Dissolved Solids	mg/lit	310.0
9.	Suspended Solids	mg/lit	80.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	2.2
11.	C O D	mg/lit	38.8
12.	Dissolved Oxygen	mg/lit	6.8
13.	Chromium (as Cr)	mg/lit	0.08
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.028
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst. G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
 (During Idol Emersion of Maa Durga ji)
 Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point
 Date of Collection : 15.10.2021
 Date of Receipt : 15.10.2021
 Date of Analysis : 15.10.2021
 Sample Collected By : Shiv Patel (Chemist) & G.P. Patel (Lab Asst. G-2)

S.No.	Characteristics	Unit	Result(1)	Result(2)
1.	Temperature	⁰ C	24.0	28.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	7.52	6.12
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	828.0	310.0
8.	Dissolved Solids	mg/lit	618.0	270.0
9.	Suspended Solids	mg/lit	210.0	40.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	22.0	1.6
11.	C O D	mg/lit	-	28.56
12.	Dissolved Oxygen	mg/lit	Nil	7.6
13.	Chromium (as Cr)	mg/lit	0.12	-
14.	Lead (as Pb)	mg/lit	N.D.	-
15.	Zinc (as Zn)	mg/lit	N.D.	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-

Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst. G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : Maroda Tank, Risali, Distt. Durg , (After Idol Emersion of Maa Durga ji)
 Description of Sample : Talab Water
 Date of Collection : 16.10.2021
 Date of Receipt : 16.10.2021
 Date of Analysis : 16.10.2021
 Sample Collected By : S.P. Patel (Chemist) & G.P.Patel (Lab Asstt.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	26.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.43
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	360.0
8.	Dissolved Solids	mg/lit	300.0
9.	Suspended Solids	mg/lit	60.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.6
11.	C O D	mg/lit	20.8
12.	Dissolved Oxygen	mg/lit	7.0
13.	Chromium (as Cr)	mg/lit	0.019
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.026
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.


 Lab Asstt.G-2


 CHEMIST


 Asstt. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Durg - Rajnandgaon Road Bridge, Durg
 (After Idol Emersion of Maa Durga Ji)
 Description of Sample : Pulgaon Emersion Point.
 Date of Collection : 18.10.2021
 Date of Receipt : 18.10.2021
 Date of Analysis : 18.10.2021
 Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Asst.G-2)

S.No.	Characteristics	Unit	Result
1.	Temperature	⁰ C	26.0
2.	Appearance	NTU	Turbid
3.	Odour	Threshold No.	Unpleasant
4.	pH	-	7.52
5.	Turbidity	NTU	-
6.	Specific Conductivity	μ Mhos	-
7.	Total Solid	mg/lit	360.0
8.	Dissolved Solids	mg/lit	290.0
9.	Suspended Solids	mg/lit	50.0
10.	B O D (3days at 27 ⁰ C)	mg/lit	1.8
11.	C O D	mg/lit	28.8
12.	Dissolved Oxygen	mg/lit	7.2
13.	Chromium (as Cr)	mg/lit	0.14
14.	Lead (as Pb)	mg/lit	N.D.
15.	Zinc (as Zn)	mg/lit	0.019
16.	Copper (as Cu)	mg/lit	N.D.
17.	Cadmium (as Cd)	mg/lit	N.D.
18.	Mercury (as Hg)	mg/lit	N.D.
19.	Antimony (as Sb)	mg/lit	N.D.
20.	Barium (as Ba)	mg/lit	N.D.
21.	Cobalt (as Co)	mg/lit	N.D.
22.	Manganese (Mn)	mg/lit	N.D.
23.	Strontium (as Sr)	mg/lit	N.D.

Remarks : - ☐ Parameters Exceeds the limits as per Board Standards.

Lab Asst.G-2

CHEMIST

Asst. ENGINEER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
 5/32 Bunglow, Bhilai, Distt. Durg (C.G.)

Sample Collected From : River Sheonath at Rajnandgaon,
 (After Idol Emersion of Maa Durga ji)

Description of Sample : 1. Murti Kund Water
 2. Water Supply Intake well Point

Date of Collection : 18.10.2021

Date of Receipt : 18.10.2021

Date of Analysis : 18.10.2021

Sample Collected By : S.P. Patel (Chemist) & G.P. Patel (Lab Astt. G-2)


S.No.	Characteristics	Unit	Result	Result
1.	Temperature	$^{\circ}\text{C}$	26.0	24.0
2.	Appearance	NTU	Turbid	Clear
3.	Odour	Threshold No.	Unpleasant	Odourless
4.	pH	-	5.23	7.42
5.	Turbidity	NTU	-	-
6.	Specific Conductivity	μ Mhos	-	-
7.	Total Solid	mg/lit	1760.0	340.0
8.	Dissolved Solids	mg/lit	1450.0	300.0
9.	Suspended Solids	mg/lit	310.0	40.0
10.	B O D (3days at 27°C)	mg/lit	72.0	7.6
11.	C O D	mg/lit	784.0	28.8
12.	Dissolved Oxygen	mg/lit	Nil	7.5
13.	Chromium (as Cr)	mg/lit	0.1	-
14.	Lead (as Pb)	mg/lit	N.D.	-
15.	Zinc (as Zn)	mg/lit	0.021	-
16.	Copper (as Cu)	mg/lit	N.D.	-
17.	Cadmium (as Cd)	mg/lit	N.D.	-
18.	Mercury (as Hg)	mg/lit	N.D.	-
19.	Antimony (as Sb)	mg/lit	N.D.	-
20.	Barium (as Ba)	mg/lit	N.D.	-
21.	Cobalt (as Co)	mg/lit	N.D.	-
22.	Manganese (Mn)	mg/lit	N.D.	-
23.	Strontium (as Sr)	mg/lit	N.D.	-


Remarks :- ☐ Parameters Exceeds the limits as per Board Standards.


Lab Astt. G-2

CHEMIST

Asst. ENGINEER







ਮਾਧਰ ਨਿਰਮਲ ਕੁੰਭ
(ਸ਼ਿਵਗੜ੍ਹ ਜੰਗੀ)



क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मंडल

5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.)

ई मेल आई.डी.- ro_bhilai@rediffmail.com फोन नं.-0788-2242964

क्रमांक 3069 / क्षेत्रीय / छपसंम / दुर्ग / 2021



दिनांक 26/11/21

प्रति,

✓ सदस्य सचिव,
छ.ग. पर्यावरण संरक्षण मण्डल,
नवा रायपुर, अटल नगर
जिला-रायपुर (छ.ग.)।

विषय :- मूर्ति के विसर्जन के संबंध में कार्यवाही विवरण भेजने बाबत।

संदर्भ :- 1. बोर्ड मुख्यालय का पत्र क्रमांक 3499 एवं 3501 दिनांक 18.08.2021

2. इस कार्यालय का पत्र क्रमांक 2980 दिनांक 18.11.2021

—:0:—

उपरोक्त विषयांतर्गत संदर्भित पत्र क्रमांक-2 के माध्यम से इस कार्यालय द्वारा माँ दुर्गाजी पर्व 2021 के मूर्ति विसर्जन के संबंध में कार्यवाही विवरण प्रेषित किया गया है। उक्त पर्व के दौरान चिन्हांकित बिन्दुओं पर मूर्ति विसर्जन के पश्चात् मूर्ति निर्माण हेतु उपयोग किये गये ढांचा एवं अन्य अपशिष्ट सामग्री को बाहर निकालने के संबंध में नगरीय निकाय द्वारा की गई कार्यवाही की छायाप्रति संलग्न कर आपकी ओर सादर प्रेषित है।

संलग्न :- उपरोक्तानुसार।

SS (II)

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल, भिलाई

29 NOV 2021

कार्यालय, नगर पालिक निगम, दुर्ग (छ0ग0)

पता - नया बस स्टैण्ड के पीछे, दुर्ग
फोन एवं फैक्स नम्बर - 0788-2322148
Email ID - durgmc2019@gmail.com



ज्ञापन

क्रमांक/768/लो0क0वि0/2021-22

प्रति,

दुर्ग, दिनांक 22/11/2021

क्षेत्रीय अधिकारी
छ.म.पर्यावरण संरक्षण मंडल
क्षेत्रीय कार्यालय, गिलाई

विषय

मूर्तियों के विराजण से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में आपके द्वारा जारी दिशा-निर्देश।

—00—

उपरोक्त विषयांतर्गत संदर्भित पत्रानुसार माह अक्टूबर 2021 में दुर्गा उत्सव पश्चात् मूर्ति विराजण हेतु निम्नानुसार स्थलों पर स्थायी/अस्थायी कुंड में प्रकाश व्यवस्था एवं पहुंच मार्ग का संघारण किया गया :-

- 1 राजनांदगांव मार्ग पर पुराने पुल के किनारे (गुरुद्वारा के सामने) शिवनाथ नदी में विन्हांकित स्थल में ग्रीन नेट द्वारा अस्थायी घेरा का निर्माण किया गया जिसमें मूर्ति विराजण की कार्यवाही की गई। जिसके पश्चात् ढांचा एवं अपशिष्ट सामग्री को शिवनाथ नदी से बाहर निकाला जाकर साफ साफाई किया गया है। (फोटो संलग्न हैं)
- 2 कसारीडीह तालाब में मूर्ति विराजण हेतु निर्मित स्थायी कुंड में मूर्ति विराजण किया गया।
- 3 उरला तालाब में एक किनारे अनुमानित 10 मीटर x 03 मीटर क्षेत्रफल में बारा बल्ली एवं सिंथेटिक ग्रीन नेट द्वारा अस्थायी कुंड का निर्माण किया जाकर मूर्ति विराजण किया गया।

उपरोक्त स्थलों पर मूर्ति विराजण पश्चात् मूर्ति निर्माण हेतु उपयोग किये गये ढांचा एवं अन्य अपशिष्ट सामग्री को बाहर निकाला जाकर समुचित निपटान किया गया है।

क्रमांक/लो.क.वि./2021-22/

प्रतिलिपि

कार्यपालन अभियंता
नगर पालिक निगम, दुर्ग
दुर्ग, दिनांक 22/11/2021


- 1 मान0 महोदय, नगर पालिक निगम, दुर्ग की ओर सादर सूचनार्थ प्रेषित।
- 2 आयुक्त महोदय, नगर पालिक निगम, दुर्ग की ओर सादर सूचनार्थ प्रेषित।


22/11/21

कार्यपालन अभियंता
नगर पालिक निगम, दुर्ग

























ASK THE EXPERTS 1800 422 005
INDIA'S NO. 1 CEMENT





कार्यालय कलेक्टर, जिला-बालोद (छ.ग.)

Phone No. - 07749-223970, Email - Balod.cg@gov.in

// ज्ञापन //

क्रमांक / 6297 / जि.पर्या.स. / 2021 /
प्रति,

बालोद, दिनांक 14/10/2021



अनुविभागीय अधिकारी (रा.)
बालोद / गुण्डरदेही / डौण्डीलोहारा / गुरुर
जिला-बालोद (छ.ग.)

विषय :- Directions under section 5 of the Environment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.

संदर्भ :- सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) का पत्र क्रमांक / 1795 / मुख्या. / वैज्ञा. / छ.ग.प.सं.मं. / 2021 / नवा रायपुर दिनांक 01.10.2021।

—00—

विषयान्तर्गत संदर्भित पत्र का अवलोकन करें। उक्त पत्र द्वारा राष्ट्रीय स्वच्छ गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्योहारों जैसे गणेश चतुर्थी, विश्वकर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विसर्जन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्र में दिये गये बिन्दु का परिपालन सुनिश्चित करते हुए एक्शन टेकन रिपोर्ट उपलब्ध कराने हेतु निर्देशित किया गया है।

अतएव उपरोक्त संबंध में यथोचित कार्यवाही करते हुए अद्यतन जानकारी सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) एवं इस कार्यालय को अवगत कराना सुनिश्चित करें।

संलग्न :- उपरोक्तानुसार।

पृ. क्रमांक / 6298 / जि.पर्या.स. / 2021 /
प्रतिलिपि :-

डिप्टी कलेक्टर,
वास्ते-कलेक्टर बालोद (छ.ग.)
बालोद, दिनांक 14/10/2021

1. सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) को सादर सूचनार्थ।
2. क्षेत्रीय अधिकारी, छ.ग.पर्यावरण संरक्षण मंडल 5/32 बंगला भिलाई, जिला-दुर्ग (छ.ग.) को सूचनार्थ।

डिप्टी कलेक्टर,
वास्ते-कलेक्टर बालोद (छ.ग.)

कार्यालय कलेक्टर, जिला-बालोद (छ.ग.)

Phone No. - 07749-223970, Email - Balod.cg@gov.in

// ज्ञापन //

क्रमांक / 6299 / जि.पर्या.स. / 2021 /
प्रति,

बालोद, दिनांक / 11 / 10 / 2021

मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद्-बालोद / दल्लीराजहरा,
नगर पंचायत-गुरुर / गुण्डरदेही / डौण्डी / डौण्डीलोहारा /
अर्जुन्दा / चिखलाकसा, जिला-बालोद



विषय :- **Directions under section 5 of the Environment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.**

संदर्भ :- सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) का पत्र क्रमांक / 1795 / मुख्या. / वैज्ञा. / छ.ग.प.सं.मं. / 2021 / नवा रायपुर दिनांक 01.10.2021।

—00—

विषयान्तर्गत संदर्भित पत्र का अवलोकन करें। उक्त पत्र द्वारा राष्ट्रीय स्वच्छ गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्योहारों जैसे गणेश चतुर्थी, विश्वकर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विसर्जन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्र में दिये गये बिन्दु का परिपालन सुनिश्चित करते हुए एक्शन टेकन रिपोर्ट उपलब्ध कराने हेतु निर्देशित किया गया है।

अतएव उपरोक्त संबंध में यथोचित कार्यवाही करते हुए अद्यतन जानकारी सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) एवं इस कार्यालय को अवगत कराना सुनिश्चित करें।

संलग्न :- उपरोक्तानुसार।

पृ.क्रमांक / 6300 / जि.पर्या.स. / 2021 /
प्रतिलिपि :-

डिप्टी कलेक्टर,
वास्ते-कलेक्टर बालोद (छ.ग.)
बालोद, दिनांक / 11 / 11 / 2021

1. सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मंडल, पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19 नवा रायपुर अटल नगर जिला-रायपुर (छ.ग.) को सादर सूचनार्थ।
2. क्षेत्रीय अधिकारी, छ.ग.पर्यावरण संरक्षण मंडल 5/32 बंगला भिलाई, जिला-दुर्ग (छ.ग.) को सूचनार्थ।

डिप्टी कलेक्टर,
वास्ते-कलेक्टर बालोद (छ.ग.)



क्षेत्रीय कार्यालय
छत्तीसगढ़ पर्यावरण संरक्षण मंडल
5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.)
ro_bhilai@rediffmail.com 0788 - 2242964



क्रमांक :
प्रति,

/क्षे.कार्या / छगपसंम / भिलाई / 2021

दिनांक :

आयुक्त,
नगर पालिक निगम,
दुर्ग / भिलाई / रिसाली / भिलाई-चरोदा / राजनांदगांव
जिला-दुर्ग / राजनांदगांव (छ.ग.)।
मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद- जामुल / कुम्हारी / अहिवारा / बालोद / दल्ली राजहरा / बेमेतरा / डोंगरगढ़ /
खैरागढ़ / कबीरधाम
नगर पंचायत - पाटन / धमधा / उत्तई / पण्डरिया / सहसपुर लोहरा / बोड़ला / पिपरिया /
पाण्डातराई / डौण्डीलोहरा / अर्जुन्दा / चिकलकसा / गुण्डरदेही / गुरुर / डौण्डी / अर्जुन्दा /
डोंगरगांव / छुरिया / अम्बागढ़-चौकी / छुईखदान / साजा / बेरला / मारो / थान खम्हरिया
/ नवागढ़ / देवकर / परपोडी
जिला-दुर्ग / कबीरधाम / बालोद / राजनांदगांव / बेमेतरा (छ.ग.)
मुख्य महाप्रबंधक,
नगर सेवा विभाग, (मेसर्स भिलाई इस्पात संयंत्र)
सी. टी. ए. बिल्डिंग, सिविक सेन्टर भिलाई जिला-दुर्ग

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बाबत।

- संदर्भ :- 1. केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली का पत्र क्रमांक F.No. WQM-1 /IIG-RSTU/2019-20/696 दिनांक 28.05.2020
2. केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली का पत्र क्रमांक F.No. A-14011/1/2020- WQM-1/377 दिनांक 23.07.2021
3. इस कार्यालय का पत्र क्रमांक 1125 दिनांक 02.08.2021
4. बोर्ड मुख्यालय का पत्र क्रमांक 3499 दिनांक 18.08.2021
5. बोर्ड मुख्यालय का पत्र क्रमांक 3501 दिनांक 18.08.2021
6. इस कार्यालय का पत्र क्रमांक 2178 दिनांक 04.09.2021

==0==

उपरोक्त विषयांतर्गत सदरित पत्रों के अनुक्रम में लेख है कि मूर्तियों का विसर्जन किये जाने के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा समय-समय पर आदेश जारी कर गाईड लाईन्स के अनुसार ही मूर्ति विसर्जन किये जाने एवं इस हेतु सभी आवश्यक समय के पूर्व कर लेने हेतु निर्देश दिये गये हैं। लेख है कि मूर्ति विसर्जन से जल स्रोतों की गुणवत्ता प्रभावित होती है, जिसके फलस्वरूप न केवल जलीय जीव-जंतुओं की जान को खतरा उत्पन्न होता है, अपितु जल प्रदूषण की स्थिति भी उत्पन्न होती है। आगामी दुर्गाव्रत पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा दिनांक 12.05.2020 को रिवाइज्ड गाईड लाईन्स जारी किया गया है। उक्त का अवलोकन करने का कष्ट करें। गाईड लाईन्स के कुछ महत्वपूर्ण बिन्दु निम्नानुसार हैं :-

1. नदी और तालाब में विसर्जन के लिये अस्थायी पोंड/बन्ड का निर्माण किया जाकर मूर्ति एवं पूजा सामग्री जैसे-फूल, कागज एवं प्लास्टिक से बनी सजावट की वस्तुयें इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जाये तथा इसका अपवहन उचित तरीके से किया जाये। जिससे नदी या तालाब में प्रदूषण की स्थिति नियंत्रित हो सके। सभी प्रमुख शहरों में पृथक से आवश्यक सुविधा के साथ विसर्जन पोंड, पहुँच मार्ग सहित बनाने हेतु पूर्व से ही निर्देश दिये गये हैं, जिन्हे माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार पूर्ण किया जाना है।

2. विसर्जन उपरांत वेस्ट मटेरियल, पूजा सामग्री, फूल, कपड़े, प्लास्टिक, पेपर आदि को सुरक्षित एकत्र कर पुनर्उपयोग एवं कम्पोस्टिंग आदि में किया जा सकता है।
3. वेस्ट मटेरियल विसर्जन स्थल पर जलाना प्रतिबंधित है।
4. स्थानीय निकाय द्वारा विसर्जन स्थल की व्यवस्था विसर्जन से कुछ समय पूर्व किया जाकर आम लोगों को स्थल के बारे में अवगत कराना, छोटे आकार के मूर्ति एवं मूर्ति का निर्माण हेतु संस्कृति अनुसार मिट्टी और प्राकृतिक रंगों का उपयोग किया जाये। मूर्ति निर्माण में सिन्थेटिक केमिकल, पेंट्स तथा डाई का उपयोग न किया जाये। मूर्ति निर्माताओं को मूर्ति निर्माण हेतु लाईसेंस प्रदान करते समय मान्य एवं अमान्य तत्वों की सूची प्रदान की जाये।
5. मूर्ति विसर्जन स्थल पर पर्याप्त घेराबंदी व सुरक्षा की व्यवस्था हो। पूर्व से ही चिन्हांकित विसर्जन स्थल पर नीचे सिन्थेटिक लाईनर की व्यवस्था की जाये तथा विसर्जन के उपरांत उक्त लाईनर, विसर्जन स्थल से हटाया जाये, जिससे कि मूर्ति विसर्जन के पश्चात् उसका अवशेष बाहर निकाला जा सके। बास, लकड़ियां पुनर्उपयोग की जावे एवं मिट्टी को भू-भराव इत्यादि में किया जावे।
6. यह सुनिश्चित किया जाये कि मूर्तियां केवल प्राकृतिक, जैव अपघटनीय, ईको फ्रेंडली, कच्चे माल से ही बनाई जाए। मूर्ति निर्माण में प्लास्टर ऑफ पेरिस, प्लास्टिक, थर्मोकोल और बेकट क्ले का उपयोग न किया जाये। मूर्ति के सजावट हेतु सुखे फूल संघटकों आदि का और प्राकृतिक रेजिन का इस्तेमाल किया जाये एवं मूर्ति की ऊँचाई 05 फीट से अधिक न हो, सुनिश्चित किया जावे।

संदर्भित पत्र क्रमांक 02 के माध्यम से केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा माननीय नेशनल ग्रीन ट्रिब्युनल के ओ.ए. नं. 38 (डब्ल्यू जेड) के मामले में पारित आदेश दिनांक 05.07.2021 के परिपालन हेतु मूर्ति विसर्जन के लिए दिशा निर्देशों को संशोधित करते हुए यह सुझाव दिया है कि :- (i) कारीगरों में पी.ओ.पी. के स्थान पर प्राकृतिक मिट्टी के उपयोग के लिये जागरूकता प्रसार किया जाए। (ii) मूर्ति विसर्जन के लिए दिशा निर्देशों से संबंधित नियामक प्राधिकरणों को इसके प्रभावी कार्यान्वयन को सुनिश्चित करने के लिए राज्य प्रदूषण नियंत्रण बोर्ड/प्रदूषण नियंत्रण समिति अथवा किसी विशेषज्ञ संस्थान के माध्यम से प्रशिक्षण आयोजित किया जाए।

उल्लेखनीय है कि मूर्तियों का विसर्जन किये जाने के संबंध में माननीय नेशनल ग्रीन ट्रिब्युनल, सेंट्रल जोनल बेंच, भोपाल द्वारा समय-समय पर आदेश जारी कर गाईडलाइन के अनुसार ही मूर्ति विसर्जन किये जाने एवं इस हेतु सभी आवश्यक व्यवस्था समय के पूर्व कर लेने हेतु निर्देश दिये गये हैं। आप सभी स्थानीय निकायों को उपरोक्त गाईड लाईन का कड़ाई से पालन सुनिश्चित करने हेतु निर्देशित करें ताकि माननीय नेशनल ग्रीन ट्रिब्युनल, सेंट्रल जोनल बेंच, भोपाल के आदेश की अवमानना की स्थिति निर्मित न हो।

तदनुसार मूर्तियों के विसर्जन हेतु अस्थायी कुंडो का उपयोग किया जाये। साथ ही रिवाइज्ड गाईड लाईन्स का कड़ाई से पालन सुनिश्चित किये जाने हेतु अपने अधिनस्थ को निर्देशित करने का अनुरोध है। उपरोक्तानुसार कार्यवाही कर की गई कार्यवाही से इस कार्यालय को अवगत कराने का अनुरोध है। कृपया इसे आवश्यक समझे व प्राथमिकता से कार्यवाही करें।

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल, भिलाई
दिनांक 08/10/21

पृ. क्रमांक 2575/क्षेत्रीय/छगपसं/भिलाई/2021
प्रतिलिपि :-

1. सदस्य सचिव, छत्तीसगढ़ संरक्षण मंडल, नवा रायपुर अटल नगर, रायपुर की ओर कृपया सूचनार्थ प्रेषित।
2. कलेक्टर, कार्यालय कलेक्टर, जिला-दुर्ग/बालोद/बेमेतरा/राजनांदगांव/कबीरधाम की ओर कृपया सूचनार्थ प्रेषित।
3. उपसंचालक नगरीय प्रशासन विभाग दुर्ग संभाग, जिला दुर्ग की ओर कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल, भिलाई

कार्यालय नगर पालिका परिषद बालोद, जिला-बालोद (छ.ग.)

Phone - 07749- 222008, Fax - 07749- 222008, E-mail - cmobalod@rediffmail.com

क्रमांक / 704 / लो.नि.वि / न.पा.प. / 2021-22
प्रति,

बालोद दिनांक - 20/10/2021



सदस्य सचिव,
छत्तीसगढ़ पर्यावरण संरक्षण मंडल पर्यावास
भवन नॉर्थ ब्लॉक, सेक्टर-19
नवा रायपुर अटल नगर जिला- रायपुर (छ.ग.)

विषय :- **Directions under section 5 of the Environment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.**

संदर्भ :- कार्या. कलेक्टर बालोद के पत्र + 6. 6299 / जि.पर्या.स. / बालोद दिनांक 14.10.2021

विषयांतर्गत एवं संदर्भित पत्र द्वारा लेख है, कि स्वच्छ गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 क सेक्शन 5 के तहत विभिन्न त्योहारों जैसे गणेश, चतुर्थी, विश्वकर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विसर्जन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्र में दिये गये बिन्दु का परिपालन सुनिश्चित करने हेतु लेख किया गया है। पालन प्रतिवेदन इस प्रकार है

1. बालोद नगर पालिका क्षेत्र में मूर्ति विसर्जन कार्य जैसे - गणेश, चतुर्थी, विश्वकर्मा पूजा, छठ पूजा, दुर्गा पूजा का विसर्जन गंगासागर तालाब में किया जाता है। इसके लिए अलग से विसर्जन कुण्ड भी बनाया गया है।
2. जल स्रोतों की गुणवत्ता के जांच के लिए नमूना लोग स्वास्थ्य यांत्रिकी को भेजी गई है।
3. विसर्जन पश्चात् जो भी कचरा रहता है उसे सफाई विभाग द्वारा विसर्जन कुण्ड से एकत्रित कर ली जाती है जिसे निपटान हेतु भेज दी जाती है।
4. निकाय क्षेत्र में विसर्जित समस्त प्रकार की मूर्ति मिट्टी द्वारा निर्मित रहते हैं। जिससे किसी भी प्रकार का पीओपी का स्तेमाल नहीं किया जाता है।
5. किसी भी प्रकार का विसर्जन तांदुला नदी में नहीं की जा रही है।
6. विसर्जन के दौरान गंगासागर के घाटों में बेरिकेट एवं पर्याप्त व्यवस्था निकाय द्वारा किया जाता है।
7. घाट के आस-पास चारों तरफ कचरा एकत्रिकरण हेतु डस्टबिन रखे हुए हैं। जिसमें गिला कचरा एवं सुखा कचरा हेतु अलग-अलग डस्टबिन रखे हुए हैं।
8. पूजा स्थल या पंडाल के पास 03 स्तरीय गिला, सूखा बायोमैडिकल डस्टबिन की व्यवस्था की गई है।

कमश:

9. पूजा सामाग्री को सीधा तालाब मे न डालाकर डस्टबिन में डाले जाने की व्यवस्था की गई है।
10. पूजा स्थल पड़ाल के आस-पास स्वच्छता बनाये रखने हेतु निकाय द्वारा निशा-निर्देश बैनर एवं मुनादी के द्वारा व्यवस्था की गई है।
11. विसर्जन संबंधी जिला प्रशासन नगर पालिका स्वा. सहायता समुह एवं पूजा कमेटियों द्वारा परस्पर सहयोग के द्वारा की जा रही है।


मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद बालोद
बालोद दिनांक -

पृ.क्रमांक / /लो.नि.वि./न.पा.प./2021-22
प्रतिलिपि -

1. कलेक्टर महोदय बालोद, जिला बालोद को सादर सूचनार्थ सम्प्रेषित है।
2. क्षेत्रीय अधिकारी, छ.ग. पर्यावरण संरक्षण मडल 5/32 बंगला भिलाई, जिला दुर्ग (छ.ग.) को सूचनार्थ।



मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद बालोद




कार्यालय, नगर पालिक निगम, भिलाई

क्र./जन.स्वा.वि./जोन क्र.-1/2021/
प्रति,

स्वास्थ्य अधिकारी
नगर पालिक निगम,
भिलाई

भिलाई दिनांक.....



विषय:- Directions under section 5 of Environment(Protection) Act, 1986 regarding the immersion of idols and bodies on festive occasions.

संदर्भ:- राष्ट्रीय स्वच्छ गंगा मिशन का मुख्य सचिव कार्यालय को संबोधित पत्र क्रमांक **F.No. L-25011(13)/7/2019-LME NMCG/01** दिनांक 16/09/2021

उपरोक्त विषयांतर्गत संदर्भित पत्र के अनुक्रम में लेख है कि राष्ट्रीय स्वच्छ गंगा मिशन के द्वारा पर्यावरण(संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्यौहारों जैसे गणेश चतुर्थी, विश्व कर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विर्सजन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु वांछित जानकारी उपलब्ध कराने के संबंध में निर्देश प्राप्त हुआ है।

उक्त पत्र के परिपालन में शासन के गाईडलाईन अनुसार गणेश चतुर्थी, विश्वकर्मा पूजा के दौरान हुए मूर्ति/पूजन सामग्री विर्सजन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु जलस्रोतों एवं आस पास स्थल का साफ सफाई कार्य संपादन कर मय फोटोग्राफ सादर संप्रेषित है।

संलग्न:- फोटोग्राफ

जोन स्वास्थ्य अधिकारी
जोन-1
नगर पालिक निगम
भिलाई

पृ. क्र./जन.स्वा.वि./जोन क्र.-1/2021/ 288/-
प्रतिलिपि :-

भिलाई दिनांक 11/10/21

- 1 जोन आयुक्त ,जोन-01 नगर पालिक निगम, भिलाई को सूचनार्थ।
- 2 सदस्य सचिव, छ.ग.पर्यावरण संरक्षण मंडल, नवा रायपुर अटल नगर, रायपुर(छ.ग.)।

जोन स्वास्थ्य अधिकारी
प्र. जोन स्वास्थ्य अधिकारी
जोन-1
नगर पालिक निगम
भिलाई

"नगर को स्वच्छ रखें, स्वस्थ रहें"

"मतदान करें, राष्ट्र निर्माण में योगदान दें"

"प्लास्टिक का उपयोग छोड़ो पर्यावरण से नाता जोड़ो"

कार्यालय, नगर पालिक निगम, भिलाई




जन स्वास्थ्य विभाग


जोन-01 क्षेत्रान्तर्गत गणेश प्रतिमा विसरजन हेतु तालाबो की सूची

क्रं.	वार्ड क्रं.	तालाब	रिमार्क
1	1	आला बंध तालाब खम्हरिया	
2	2	स्मृति नगर तालाब	
3	6	शीतला तालाब	
4	7	आमा तालाब	
7	8	लिम्हा तालाब	
8	9	शीतला तालाब भेलवा तालाब	
कुल			


प्र. क्षेत्र स्वे. अधिकारी
जोत-1, नेहरू नगर
नगर पालिक निगम, भिलाई

वार्ड क्रं. 09 मूर्ति/पूजन सामग्री विर्सजन के पश्चात् विभिन्न जलस्रोतों शीतला तालाब एवं भेलवा तालाब साफ सफाई






House No 2, Street No 2, D. D. Nagar, Bhopal, Madhya Pradesh, India

BHILAI
CHHATTISGARH
INDIA

2021-09-21(TUE) 07:12(AM)

24°C
75°F

वार्ड 07 मूर्ति/पूजन सामग्री विर्सजन के पश्चात् विभिन्न जलस्रोतों शीतला तालाब एवं भेलवा तालाब साफ सफाई



Street No



Shivaji Nagar

Google

Shivaji Nagar, Chhattisgarh, India

Dau Bada Talab, Shivaji Nagar, Chhattisgarh 490023, India

Lat 21.214104°

Long 81.338244°

08/10/21 11:28 AM



क्षेत्रीय कार्यालय
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
तहसील कार्यालय के पास, रामपुर, कोरबा, जिला-कोरबा (छ.ग.)495677
ई. मेल-rocecbkorba@gmail.com

क्रमांक 655 /क्षे.का./छ.ग.प.सं.मं./2021

कोरबा दिनांक 29/10/2021

प्रति,

✓ सदस्य सचिव,
छत्तीसगढ़ पर्यावरण संरक्षण मंडल,
नार्थ ब्लॉक, सेक्टर-19, नवा रायपुर,
अटल नगर रायपुर (छ.ग.)

विषय:- मूर्ति विसर्जन के संबंध में।

संदर्भ:- मंडल मुख्यालय रायपुर का पृ.क्रं. 3499, दिनांक 18.8.2021.

उपरोक्त संदर्भित विषयांतर्गत लेख है कि गणेश एवं दुर्गा विसर्जन के पहले/दौरान/पश्चात संबंधित चिन्हित स्थलों पर जल नमूना संग्रहण कर विश्लेषण रिपोर्ट के साथ अस्थायी विसर्जन कुण्ड एवं विसर्जन पश्चात् साफ सफाई की फोटो संलग्न कर प्रेषित है।

संलग्न:- उपरोक्तानुसार।

(Signature)

(Signature)

क्षेत्रीय अधिकारी,
छ.ग. पर्यावरण संरक्षण मंडल, कोरबा

(Signature)

(Signature)
29/11/2021

8 NOV 2021

Before Idols Immerse of Lord Ganesh at Korba

Date of Collection – 16.09.2021

S.N	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.17	7.4	0.4	10.0	62.0	105.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.19	7.2	0.6	14.0	66.0	107.0

During Idols Immerse of Lord Ganesh at Korba

Date of Collection – 19.09.2021

S.N	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.20	7.2	0.6	14.0	65.0	109.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.23	7.0	0.8	18.0	68.0	114.0

After Idols Immerse of Lord Ganesh at Korba

Date of Collection – 21.09.2021

S. N.	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.18	7.2	0.4	12.0	64.0	107.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.21	7.0	0.6	16.0	65.0	110.0


(Lab Asst.-II)


Jr. Scientist


Scientist

Before Idols Immerse of Lord Durga Korba

Date of Collection – 12.10.2021

S.N	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.15	7.6	0.2	8.0	65.0	110.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.16	7.4	0.4	12.0	67.0	114.0

During Idols Immerse of Lord Durga at Korba


Date of Collection – 15.10.2021

S.N	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.17	7.2	0.4	12.0	66.0	116.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.20	7.2	0.6	16.0	70.0	123.0

After Idols Immerse of Lord Durga at Korba

Date of Collection – 18.10.2021

S. N.	Place	Parameter					
		P _H	DO Mg/L	BOD Mg/L	COD Mg/L	TDS Mg/L	Ts Mg/L
1.	Hasdeo River at Hasdeo Barrage, Darri Korba	7.16	7.4	0.2	10.0	66.0	113.0
2.	Hasdeo River near sarvamangla mandir, Korba	7.18	7.6	0.2	14.0	67.0	118.0



(Lab Asst.-II)



Jr. Scientist


Scientist


करेना



स्वादि विविजन (पुल)













क्षेत्रीय कार्यालय
छत्तीसगढ़ पर्यावरण संरक्षण मण्डल
तहसील कार्यालय के पास, रामपुर, कोरबा, जिला-कोरबा (छ.ग.) 495677
ई. मेल-rocecbkorba@gmail.com

क्रमांक /क्षे.का./छ.ग.प.सं.मं./2021

कोरबा दिनांक / /2021

प्रति,

आयुक्त,
 नगर पालिक निगम,
 कोरबा, जिला-कोरबा (छ.ग.)

विषय:- Direction under section 5 of the Environment (Protection) Act, 1986 regarding the immersion of idols and water bodies on festive occasions.

संदर्भ:- 1. मण्डल मुख्यालय रायपुर का पृ.क्रमांक 1796 दिनांक 01.10.2021.
 2. राष्ट्रीय स्वच्छ गंगा मिशन का मुख्य सचिव कार्यालय को संबोधित पत्र क्रमांक F No. L-25011(13)/7/2019-LME NMCG/01 दिनांक 16/09/2021.

उपरोक्त संदर्भित विषयांतर्गत पत्र के अनुक्रम में लेख है कि राष्ट्रीय गंगा मिशन के द्वारा पर्यावरण (संरक्षण) अधिनियम 1986 के सेक्शन 5 के तहत विभिन्न त्यौहारों जैसे गणेश चतुर्थी, विश्व कर्मा पूजा, छठ पूजा इत्यादि के दौरान हुए मूर्ति/पूजन सामग्री विर्सजन के पश्चात् विभिन्न जलस्रोतों की गुणवत्ता में हुए अवांछित परिवर्तन के विश्लेषण एवं रोकथाम हेतु पत्रानुसार दिये गये बिन्दु का परिपालन सुनिश्चित कराते हुए 7 दिवस के भीतर एक्शन टेकन रिपोर्ट प्रेषित करने हेतु निर्देशित किया गया है (पत्र की प्रति सुलभ संदर्भ हेतु संलग्न है)। कृपया निर्देशानुसार एक्शन टेकन रिपोर्ट उपलब्ध कराने का अनुरोध है।

संलग्न:- उपरोक्तानुसार।

पृ.क्रमांक 618 /क्षे.का./छ.ग.प.सं.मं./2021

क्षेत्रीय अधिकारी,
 छ.ग. पर्यावरण संरक्षण मंडल, कोरबा
 कोरबा दिनांक 20/10/2021

प्रतिलिपि:- ✓ सदस्य सचिव, छत्तीसगढ़ पर्यावरण संरक्षण मण्डल, नवा रायपुर, अटल नगर रायपुर
 ✓ छ.ग. को सादर सूचनार्थ।

SE (M)

क्षेत्रीय अधिकारी,
 छ.ग. पर्यावरण संरक्षण मंडल, कोरबा



क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल

एच.आई.जी. 5 एवं 6, अघनपुर, हाऊसिंग बोर्ड कालोनी,

चित्रकोट रोड, जगदलपुर (छ.ग.)-494001

दूरभाष नंबर-07782-229367, ई-मेल hocecbrojagdalpur@gmail.com

क्रमांक / 1089 / क्षेत्रीय कार्यालय / वैज्ञानिक / छ.ग.प.सं.मं. / 2021 जगदलपुर, दिनांक 29/10/2021
प्रति,

सदस्य सचिव,

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,

नवा रायपुर, अटल नगर (छ.ग.)

विषय :- माह सितम्बर 2021 (गणेश उत्सव) के दौरान मूर्ति विसर्जन स्थलों के जल नमूनों का विश्लेषण प्रतिवेदन भेजने बाबत।

महोदय,

उपरोक्त विषयांतर्गत इस कार्यालय द्वारा माह सितम्बर 2021 (गणेश उत्सव) के दौरान संग्रहित मूर्ति विसर्जन स्थलों के प्राकृतिक जल नमूनों का विश्लेषण कार्य, क्षेत्रीय कार्यालय भिलाई में किया गया है, एवं BOD, का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल साल्यूशन लैब, रायपुर से कराया गया है। तदनुसार विश्लेषण रिपोर्ट संलग्न कर आवश्यक कार्यवाही हेतु कृपया प्रेषित है।

संलग्न :- उपरोक्तानुसार ।

5/10/21
[Signature]

[Signature]

क्षेत्रीय अधिकारी

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल

जगदलपुर (छ.ग.)

18 Nov 2021
[Signature]
29/10/2021

**List of Natural water samples collected Before
Idol immersion of Ganesh Festival, September - 2021**

A- Package

SN.	Description	Analysis Report No.
1	Indrawati River at Jagdalpur At Identified Idol Immersion Site Near Old Road Bridge	1966
2	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. Up Stream of Identified Idol Immersion Site	1967
3	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. DS of Identified Idol Immersion Site	1968
4	Indrawati River at Jagdalpur Near Old Road Bridge 1km. DS of Identified Idol Immersion Site	1969

**List of Natural water samples collected During
Idol immersion of Ganesh Festival, September - 2021**


A- Package

SN.	Description	Analysis Report No.
1	Indrawati River at Jagdalpur At Identified Idol Immersion Site Near Old Road Bridge	1970
2	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. Up Stream of Identified Idol Immersion Site	1971
3	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. DS of Identified Idol Immersion Site	1972
4	Indrawati River at Jagdalpur Near Old Road Bridge 1km. DS of Identified Idol Immersion Site	1973

**List of Natural water samples collected After
Idol immersion of Ganesh Festival, September - 2021**

A- Package

SN.	Description	Analysis Report No.
1	Indrawati River at Jagdalpur At Identified Idol Immersion Site Near Old Road Bridge	1974
2	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. Up Stream of Identified Idol Immersion Site	1975
3	Indrawati River at Jagdalpur Near Old Road Bridge 100 Mt. DS of Identified Idol Immersion Site	1976
4	Indrawati River at Jagdalpur Near Old Road Bridge 1km. DS of Identified Idol Immersion Site	1977


CECB, Jagdalpur



Report No. 1966

REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample At identified idol immersion site, Near old road bridge
(Before Ganesh ji Idol immersion)
Date Of Collection 18/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	$^{\circ}\text{C}$	27.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.3
5	Total Solids	mg/L	360.0
6	Dissolved Solids	= " =	285.0
7	Suspended Solids	= " =	75.0
8	Chloride (as Cl)	= " =	34.0
9	Total Hardness	= " =	80.0
10	Calcium Hardness	= " =	46.0
11	Magnesium Hardness	= " =	34.0
12	Dissolved Oxygen	= " =	7.6
13	B.O.D (3day 27°C)	= " =	2.3
14	C.O.D.	= " =	29.16
15	Calcium	= " =	18.4
16	Magnesium	= " =	8.29
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1967

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Up-stream of Identified Idol Immersion site,
Near Old Road Bridge (Before Ganesh ji Idol immersion)
Date Of Collection 18/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	$^{\circ}\text{C}$	27.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.3
5	Total Solids	mg/L	340.0
6	Dissolved Solids	= " =	270.0
7	Suspended Solids	= " =	70.0
8	Chloride (as Cl)	= " =	31.0
9	Total Hardness	= " =	76.0
10	Calcium Hardness	= " =	44.0
11	Magnesium Hardness	= " =	32.0
12	Dissolved Oxygen	= " =	7.7
13	B.O.D (3day 27°C)	= " =	2.1
14	C.O.D.	= " =	29.16
15	Calcium	= " =	17.6
16	Magnesium	= " =	7.80
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1968

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Down-stream of Identified Idol Immersion site,
Near Old Road Bridge (Before Ganesh ji Idol immersion)
Date Of Collection 18/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	$^{\circ}\text{C}$	27.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.3
5	Total Solids	mg/L	375.0
6	Dissolved Solids	= " =	305.0
7	Suspended Solids	= " =	70.0
8	Chloride (as Cl)	= " =	34.0
9	Total Hardness	= " =	84.0
10	Calcium Hardness	= " =	48.0
11	Magnesium Hardness	= " =	36.0
12	Dissolved Oxygen	= " =	7.6
13	B.O.D (3day 27°C)	= " =	2.4
14	C.O.D.	= " =	29.16
15	Calcium	= " =	19.2
16	Magnesium	= " =	8.78
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1969

REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 1.0 K.M. Down-stream of Identified Idol immersion site,
Near Old Road Bridge (Before Ganesh ji Idol Immersion)
Date Of Collection 18/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	27.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.3
5	Total Solids	mg/L	370.0
6	Dissolved Solids	= " =	300.0
7	Suspended Solids	= " =	70.0
8	Chloride (as Cl)	= " =	32.0
9	Total Hardness	= " =	80.0
10	Calcium Hardness	= " =	44.0
11	Magnesium Hardness	= " =	36.0
12	Dissolved Oxygen	= " =	7.6
13	B.O.D (3day 27 ⁰ C)	= " =	2.4
14	C.O.D.	= " =	29.16
15	Calcium	= " =	17.6
16	Magnesium	= " =	8.78
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1970

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample At identified idol immersion site, Near old road bridge
(during idol immersion of Ganesh ji)
Date Of Collection 19/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	$^{\circ}\text{C}$	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	6.6
5	Total Solids	mg/L	410.0
6	Dissolved Solids	= " =	300.0
7	Suspended Solids	= " =	110.0
8	Chloride (as Cl)	= " =	66.0
9	Total Hardness	= " =	118.0
10	Calcium Hardness	= " =	66.0
11	Magnesium Hardness	= " =	52.0
12	Dissolved Oxygen	= " =	6.2
13	B.O.D (3day 27°C)	= " =	4.8
14	C.O.D.	= " =	68.04
15	Calcium	= " =	26.4
16	Magnesium	= " =	12.68
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1971

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Up-stream of Identified Idol Immersion site,
Near Old Road Bridge (during idol immersion of Ganesh ji)
Date Of Collection 19/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	6.9
5	Total Solids	mg/L	390.0
6	Dissolved Solids	= " =	305.0
7	Suspended Solids	= " =	85.0
8	Chloride (as Cl)	= " =	52.0
9	Total Hardness	= " =	96.0
10	Calcium Hardness	= " =	54.0
11	Magnesium Hardness	= " =	42.0
12	Dissolved Oxygen	= " =	6.4
13	B.O.D (3day 27 ⁰ C)	= " =	3.2
14	C.O.D.	= " =	48.00
15	Calcium	= " =	21.6
16	Magnesium	= " =	10.24
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1972

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Down-stream of Identified Idol Immersion site,
Near Old Road Bridge (during idol immersion of Ganesh ji)
Date Of Collection 19/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	6.8
5	Total Solids	mg/L	400.0
6	Dissolved Solids	= " =	310.0
7	Suspended Solids	= " =	90.0
8	Chloride (as Cl)	= " =	57.0
9	Total Hardness	= " =	92.0
10	Calcium Hardness	= " =	52.0
11	Magnesium Hardness	= " =	40.0
12	Dissolved Oxygen	= " =	6.8
13	B.O.D (3day 27 ⁰ C)	= " =	4.9
14	C.O.D.	= " =	48.60
15	Calcium	= " =	20.8
16	Magnesium	= " =	9.76
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1973

REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 1.0 K.M. Down-stream of Identified Idol Immersion site, Near Old Road Bridge (during idol immersion of Ganesh ji)
Date Of Collection 19/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	6.8
5	Total Solids	mg/L	385.0
6	Dissolved Solids	= " =	295.0
7	Suspended Solids	= " =	90.0
8	Chloride (as Cl)	= " =	56.0
9	Total Hardness	= " =	90.0
10	Calcium Hardness	= " =	50.0
11	Magnesium Hardness	= " =	40.0
12	Dissolved Oxygen	= " =	6.8
13	B.O.D (3day 27 ⁰ C)	= " =	3.8
14	C.O.D.	= " =	48.60
15	Calcium	= " =	20.0
16	Magnesium	= " =	9.76
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1974

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample At identified idol immersion site, Near old road bridge
(After idol immersion of Ganesh ji)
Date Of Collection 21/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	6.9
5	Total Solids	mg/L	380.0
6	Dissolved Solids	= " =	290.0
7	Suspended Solids	= " =	90.0
8	Chloride (as Cl)	= " =	36.0
9	Total Hardness	= " =	86.0
10	Calcium Hardness	= " =	48.0
11	Magnesium Hardness	= " =	38.0
12	Dissolved Oxygen	= " =	7.4
13	B.O.D (3day 27 ⁰ C)	= " =	2.6
14	C.O.D.	= " =	29.40
15	Calcium	= " =	19.2
16	Magnesium	= " =	9.27
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1975

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Up-stream of Identified Idol Immersion site,
Near Old Road Bridge (After idol immersion of Ganesh ji)
Date Of Collection 21/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.2
5	Total Solids	mg/L	355.0
6	Dissolved Solids	= " =	280.0
7	Suspended Solids	= " =	75.0
8	Chloride (as Cl)	= " =	34.0
9	Total Hardness	= " =	82.0
10	Calcium Hardness	= " =	46.0
11	Magnesium Hardness	= " =	36.0
12	Dissolved Oxygen	= " =	7.5
13	B.O.D (3day 27 ⁰ C)	= " =	2.4
14	C.O.D.	= " =	29.40
15	Calcium	= " =	18.4
16	Magnesium	= " =	8.78
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1976

REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 100m. Down-stream of Identified Idol Immersion site,
Near Old Road Bridge (After idol immersion of Ganesh ji)
Date Of Collection 21/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.2
5	Total Solids	mg/L	375.0
6	Dissolved Solids	= " =	295.0
7	Suspended Solids	= " =	80.0
8	Chloride (as Cl)	= " =	35.0
9	Total Hardness	= " =	86.0
10	Calcium Hardness	= " =	50.0
11	Magnesium Hardness	= " =	36.0
12	Dissolved Oxygen	= " =	7.4
13	B.O.D (3day 27 ⁰ C)	= " =	2.8
14	C.O.D.	= " =	29.40
15	Calcium	= " =	20.0
16	Magnesium	= " =	8.78
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



Report No. 1977

**REGIONAL OFFICE
CHHATISHGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Sample Collected From Indrawati River, Jagdalpur
Description Of Sample 1.0 K.M. Down-stream of Identified Idol Immersion site, Near Old Road Bridge (After idol immersion of Ganesh ji)
Date Of Collection 21/09/2021
Date Of Received 21/09/2021
Date Of Analysis 22/09/2021
Sample Collected By Pravin Kumar Bharti, Chemist
Analysed By Pravin Kumar Bharti, Chemist
Analysed At R.O.C.E.C.B., BHILAI

S.No.	Characteristics	Unit	Result
1	Temperature	⁰ C	26.0
2	Appearance	NTU	Clear
3	Odour	Threshold No	Odourless
4	pH	pH Unit	7.2
5	Total Solids	mg/L	370.0
6	Dissolved Solids	= " =	290.0
7	Suspended Solids	= " =	80.0
8	Chloride (as Cl)	= " =	34.0
9	Total Hardness	= " =	84.0
10	Calcium Hardness	= " =	46.0
11	Magnesium Hardness	= " =	38.0
12	Dissolved Oxygen	= " =	7.4
13	B.O.D (3day 27 ⁰ C)	= " =	2.9
14	C.O.D.	= " =	29.40
15	Calcium	= " =	18.4
16	Magnesium	= " =	9.27
17	Any Other Test		

Remarks:- ☐ Parameters Exceeds the limits as per Board Standards


Chemist


Regional Officer



HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, JAGDALPUR (C.G.)	REPORT NO	UES/TR/21-22/432	
	LAB REF NO	UES/21-22/W/475-478	
	DATE OF SAMPLING	19/09/2021	
	DATE OF RECEIPT	22/09/2021	
	DATE OF REPORT	25/09/2021	
	DATE OF ANALYSIS	START:22/09/2021	END:25/09/2021

SAMPLE DETAILS	
CUSTOMER REF. NO. & DATE	830/शे. कार्य. / वैसा. / छ. प. सं. मं. /2021, DATED: 21/09/2021
CUSTOMER SAMPLE ID	1. Indravati River, Jagdalpur At Identified Idol immersion site Near Old Road Bridge.
	2. Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.
	3. Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.
	4. Indravati River, Jagdalpur 1KM Down-stream of Identified Idol immersion site Near Old Road Bridge.
SAMPLE TYPE	SURFACE WATER
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) X 4
SAMPLE COLLECTED BY	CECB STAFF
OTHER DETAILS	SEALED

Test Method

Parameter	Unit	Method of Test
Bio-chemical Oxygen Demand at 27°C for three day	mg/L	IS:3025: (Part-44)

TEST REPORT

BEFORE GANESH POJA IDOL IMMERSION

SR. NO.	LOCATIONS	RESULT
		BOD At 27°C For 3 Day
1	Indravati River, Jagdalpur At Identified Idol immersion site Near Old Road Bridge.	2.3
2	Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.	2.1
3	Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.	2.4
4	Indravati River, Jagdalpur 1KM Down-stream of Identified Idol immersion site Near Old Road Bridge.	2.4

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

		For ULTIMATE ENVIROLYTICAL SOLUTIONS AUTHORIZED SIGNATORY
--	--	--

-----End of the test report-----


Ultimate
 ENVIROLYTICAL SOLUTIONS

 HDD-272, Phase III - Near JP Chowk
 Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
 Ph: 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, JAGDALPUR (C.G.)	REPORT NO	UES/TR/21-22/433	
	LAB REF NO	UES/21-22/W/479-482	
	DATE OF SAMPLING	19/09/2021	
	DATE OF RECEIPT	22/09/2021	
	DATE OF REPORT	25/09/2021	
	DATE OF ANALYSIS	START:22/09/2021	END:25/09/2021

SAMPLE DETAILS

CUSTOMER REF. NO. & DATE	830/श्री. कार्य. /वैसा. /छ. प. सं. सं. /2021, DATED: 21/09/2021		
CUSTOMER SAMPLE ID	1.	Indravati River, Jagdalpur At Identified Idol Immersion site Near Old Road Bridge.	
	2.	Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.	
	3.	Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.	
	4.	Indravati River, Jagdalpur 1KM Down-stream of Identified Idol immersion site Near Old Road Bridge.	
SAMPLE TYPE	SURFACE WATER		
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) X 4		
SAMPLE COLLECTED BY	CECB STAFF		
OTHER DETAILS	SEALED		

Test Method

Parameter	Unit	Method of Test
Bio-chemical Oxygen Demand at 27°C for three day	mg/L	IS:3025: (Part-44)

TEST REPORT
DURING GANESH POJA IDOL IMMERSION

SR. NO.	LOCATIONS	RESULT
		BOD At 27°C For 3 Day
1	Indravati River, Jagdalpur At Identified Idol immersion site Near Old Road Bridge.	4.8
2	Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.	3.2
3	Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.	4.9
4	Indravati River, Jagdalpur 1KM Down-stream of Identified Idol immersion site Near Old Road Bridge.	3.8

REMARKS: RESULTS ARE AS ABOVE
Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only

 25/09/2021 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS 25/09/2021 AUTHORIZED SIGNATORY
-------------------------------	--	--

-----End of the test report-----



Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviron@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, JAGDALPUR (C.G.)	REPORT NO	UES/TR/21-22/434	
	LAB REF NO	UES/21-22/W/483-486	
	DATE OF SAMPLING	21/09/2021	
	DATE OF RECEIPT	22/09/2021	
	DATE OF REPORT	25/09/2021	
	DATE OF ANALYSIS	START:22/09/2021	END:25/09/2021

SAMPLE DETAILS

CUSTOMER REF. NO. & DATE	830/शे. कार्य. / वैसा. / छ. प. सं. मं. /2021, DATED: 21/09/2021
CUSTOMER SAMPLE ID	1. Indravati River, Jagdalpur At Identified Idol immersion site Near Old Road Bridge.
	2. Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.
	3. Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.
	4. Indravati River, Jagdalpur 1KMDown-stream of Identified Idol immersion site Near Old Road Bridge.
SAMPLE TYPE	SURFACE WATER
PACKING OF SAMPLE	PLASTIC BOTTLE (3 LTR) X 4
SAMPLE COLLECTED BY	CECB STAFF
OTHER DETAILS	SEALED

Test Method

Parameter	Unit	Method of Test
Bio-chemical Oxygen Demand at 27°C for three day	mg/L	IS:3025: (Part-44)

TEST REPORT



AFTER GANESH POJA IDOL IMMERSION

SR. NO.	LOCATIONS	RESULT
		BOD At 27°C For 3 Day
1	Indravati River, Jagdalpur At Identified Idol immersion site Near Old Road Bridge.	2.6
2	Indravati River, Jagdalpur 100m Up-stream of Identified Idol immersion site Near Old Road Bridge.	2.4
3	Indravati River, Jagdalpur 100m Down-stream of Identified Idol immersion site Near Old Road Bridge.	2.8
4	Indravati River, Jagdalpur 1KM Down-stream of Identified Idol immersion site Near Old Road Bridge.	2.9

REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

- > The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only

 REVIEWED BY		For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY
---	---	---

-----End of the test report-----



क्षेत्रीय कार्यालय

छत्तीसगढ़ पर्यावरण संरक्षण मण्डल

एच.आई.जी. 5 एवं 6 अघनपुर हाऊसिंग बोर्ड कालोनी

चित्रकोट रोड, जगदलपुर (छ.ग.)

दूरभाष नंबर-07782-229367, ई-मेल hocecbrojadalpur@gmail.com

क्रमांक 1380 / क्षे.कार्या. / वैज्ञा. / छ.प.सं.मं. / 2021
प्रति

जगदलपुर, दिनांक 30/12/2021



सदस्य सचिव,

छ.ग. पर्यावरण संरक्षण मण्डल,

नवा रायपुर, अटल नगर (छ.ग.)

विषय:- मूर्ति के विसर्जन (गणेश उत्सव एवं दुर्गोत्सव) पर केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन के अनुसार की गई कार्यवाही की जानकारी भेजने बाबत।

- संदर्भ:-
1. मंडल मुख्यालय का पत्र पृ. क्रमांक 3501 नवा रायपुर अटल नगर, दिनांक 18.08.2021
 2. इस कार्यालय का पत्र क्रमांक 670 जगदलपुर दिनांक 01.09.2021
 3. इस कार्यालय का पत्र क्रमांक 970, 972, 974 जगदलपुर दिनांक 13.10.2021
 4. कार्यालय नगर पंचायत अंतगाढ़ का पत्र क्रमांक 2956 दिनांक 18.09.2021
 5. कार्यालय नगरपालिका परिषद नारायणपुर का पत्र क्रं. 1522 नारायणपुर दिनांक 23.10.2021
 6. कार्यालय नगरपालिक निगम जगदलपुर का पत्र क्रं. 3023 जगदलपुर दिनांक 27.10.2021
 7. कार्यालय नगरपालिका परिषद कांकेर का पत्र क्रं. 1331 कांकेर दिनांक 28.12.2021
 8. कार्यालय नगरपालिका परिषद दंतेवाड़ा का पत्र क्रं. 901 दंतेवाड़ा, दिनांक 28.12.2021
 9. कार्यालय नगरपालिका परिषद कोण्डागांव का पत्र क्रं. 2071 कोण्डागांव दिनांक 28.12.2021
 10. कार्यालय नगरपालिका परिषद बीजापुर का पत्र क्रं. 1616 बीजापुर, दिनांक 29.12.2021
 11. कार्यालय नगरपालिका परिषद सुकमा का पत्र क्रं. 2309 सुकमा, दिनांक 29.12.2021

महोदय,

उपरोक्त विषयांतर्गत जल स्रोतों को प्रदूषण से बचाने हेतु गणेश उत्सव एवं दुर्गोत्सव पर मूर्ति विसर्जन के संबंध में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा संशोधित गाईड लाइन जारी किया गया है। जिसके परिप्रेक्ष्य में संदर्भित पत्र क्रमांक-02 एवं 03 के द्वारा कार्यालय कार्यक्षेत्रांतर्गत आने वाले समस्त नगरीय निकायों को केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन अनुसार कार्यवाही करने हेतु पत्र जारी किया गया। उक्त के परिपालन में संदर्भित पत्र क्रमांक-04, 05, 06, 07, 08, 09, 10 एवं 11 के द्वारा की गई कार्यवाही यथा विसर्जन के पूर्व जन-जागरूकता, मूर्ति विसर्जन हेतु अस्थायी कुण्ड का निर्माण, कुण्ड की साफ-सफाई इत्यादित व्यवस्था की जानकारी प्रेषित की गई है। छायाप्रति कृपया अवलोकनार्थ संलग्न है। (अवलोकन-1)

गणेश उत्सव एवं दुर्गोत्सव के दौरान मूर्ति विसर्जन से पूर्व, मूर्ति विसर्जन के दौरान एवं मूर्ति विसर्जन के पश्चात् इन्द्रावती नदी जगदलपुर में निर्धारित बिन्दुओं से जल नमूने एकत्रित कर, क्षेत्रीय कार्यालय भिलाई एवं BOD, का विश्लेषण मेसर्स अल्टीमेट इन्वायरोलिटिकल साल्यूशन लैब, रायपुर से कराया गया है। सुलभ संदर्भ हेतु विश्लेषण परिणाम का तुलनात्मक विवरण अवलोकनार्थ संलग्न है। (अवलोकन-2)

संलग्न:- उपरोक्तानुसार।

(सं. 24-31)

SO (II)

Sudhakar Choudhary

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल
जगदलपुर (छ.ग.)

कार्यालय नगर पंचायत अन्तागढ़, जिला उत्तर बस्तर कांकेर(छ.ग.)

Phone No.- 7847-264482

E-Mail ID - cmoantagarh@gmail.com

क्रमांक/2956/ न.पं./स्था./2021-22

अन्तागढ़, दिनांक 18/09/2021

प्रति,

क्षेत्रीय कार्यालय,

छत्तीसगढ़ पर्यावरण संरक्षण मंडल


जगदलपुर (छ0ग0)

विषय :- मूर्ति विसर्जन के संबंध में।

संदर्भ :- आपका पत्र क्र./670/क्षे.कार्या./वैज्ञा./छ.ग.प.सं.मं./2021 जगदलपुर दिनांक 01/09/2021

—000—

उपरोक्त संदर्भित पत्र के परिपालन में लेख है कि आपका पत्र क्र./670/क्षे.कार्या./वैज्ञा./छ.ग.प.सं.मं./2021 जगदलपुर दिनांक 01/09/2021 के अनुसार निकाय क्षेत्र में मूर्ति विसर्जन हेतु दिशा-निर्देश दिये गये हैं। उक्त निर्देशों का पालन करते हुए प्रति वर्ष हमारे निकाय क्षेत्र में मूर्तियों का विसर्जन निकाय क्षेत्र के बाहर किया जाता है। तथा जल प्रदूषण के रोकथाम हेतु आपके द्वारा निर्देशित नियम-शर्तों का पालन किया जाता है।


मुख्य नगर पालिका अधिकारी
नगर पंचायत अन्तागढ़
जिला-उत्तर बस्तर कांकेर छ0ग0
अन्तागढ़, दिनांक 18/08/2021

पृ. क्रमांक/2957/ न.पं./स्था./2021-22

प्रतिलिपि :-

1. संचालक नगरीय प्रशासन एवं विकास विभाग, बस्तर संभाग जगदलपुर (छ0ग0) की ओर सादर सूचनार्थ सम्प्रेषित।


मुख्य नगर पालिका अधिकारी
नगर पंचायत अन्तागढ़
जिला-उत्तर बस्तर कांकेर छ0ग0

AE/CHEMIST
AG II/III

1
24/09/21



कार्यालय नगरपालिका परिषद् नारायणपुर, जिला - नारायणपुर (छ0ग0)

दूरभाष - 07781-252278 Email- cmonarayanpur@rediffmail.com

क्रमांक / 1522 / मु.न.अ. / न.पा.परि. / 2021

नारायणपुर, दिनांक 13/10/2021

प्रति,

क्षेत्रीय अधिकारी,
छ0ग0 पर्यावरण संरक्षण मंडल
जगदलपुर

विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा-निर्देश बाबत।
संदर्भ:- क्षेत्रीय कार्यालय पर्यावरण मंडल जगदलपुर के पत्र क्र. 972/क्षे.कार्या./वैज्ञा./छ.ग.प.सं.मं./2021 जगदलपुर दिनांक 13/10/2021

—00—

उपरोक्त विषयान्तर्गत संदर्भित पत्र के परिपालन में लेख है कि मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम हेतु की गई कार्यवाही की जानकारी संलग्न प्रपत्र में तैयार कर आपकी ओर सादर सम्प्रेषित है।

संलग्न- उपरोक्तानुसार।

मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद् नारायणपुर
नारायणपुर, दिनांक / / 2021

पृ.क्रमांक / / मु.न.अ. / न.पा.परि. / 2021
प्रतिलिपि:-

1. कलेक्टर महोदय, जिला- नारायणपुर की ओर सादर सूचनार्थ सम्प्रेषित।
2. संयुक्त संचालक, नगरीय प्रशासन एवं विकास विभाग बस्तर संभाग जगदलपुर की ओर सादर सूचनार्थ सम्प्रेषित।

AE/CHEMIST
AG II/III

26/10/2021



मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद् नारायणपुर

कार्यालय नगर पालिका, परिषद नारायणपुर जिला - नारायणपुर (छ0ग0)

दूरभाष - 07781-252278 Email- cmonarayanpur@rediffmail.com

क्रमांक / / एम.सी.सी. / न.पा.परि. / 2021/117

नारायणपुर, दिनांक 07/09/2021

प्रति,

जन संपर्क अधिकारी,

जिला- नारायणपुर

विषय:-

प्रेस विज्ञप्ति के संबंध में।

उपरोक्त विषयान्तर्गत लेख है कि आगामी गणेश चतुर्थी व दुर्गा उत्सव के संबंध में प्रेस विज्ञप्ति जारी किया जाना अति आवश्यक है।

अतः आपसे सनम्र निवेदन है कि संलग्न प्रेस विज्ञप्ति जारी करने का कष्ट करें।

मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद नारायणपुर
जिला नारायणपुर

क्रमांक / / एम.सी.सी. / न.पा.परि. / 2021

नारायणपुर, दिनांक / / 2021

प्रतिलिपि:-

1. कलेक्टर महोदय, जिला- नारायणपुर की ओर सादर सूचनार्थ संप्रेषित।

मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद नारायणपुर
जिला नारायणपुर

o/c

8/9/21

कार्यालय नगरपालिका परिषद् नारायणपुर, जिला - नारायणपुर (छ०ग०)

दूरभाष - 07781-252278 Email- cmonarayanpur@rediffmail.com

// मुनादी //

आम जनता को सूचित किया जाता है कि आगामी विभिन्न त्यौहार, उत्सव जैसे- गणेशोत्सव, दुर्गा उत्सव, में मूर्ति स्थापना के संबंध में एवं मूर्तियों के विसर्जन से जल स्रोतों के गुणवत्ता पर पड़ने वाले विपरीत प्रभावों के रोकथाम हेतु माननीय एन.जी.टी. के दिशा-निर्देश अनुसार प्लास्टर ऑफ पेरिस एवं बैक्ड क्ले से बनी मूर्तियां नदी नालों में विसर्जित करना प्रतिबंधित है। मूर्ति विसर्जन से जल स्रोतों की गुणवत्ता प्रभावित होती है, जिसके फलस्वरूप न केवल जलीय जीव-जन्तुओं की जान का खतरा उत्पन्न होता है। अपितु जल प्रदूषण की स्थिति भी उत्पन्न होती है। पूजा सामग्री जैसे- फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुएं इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जावे एवं नगरपालिका नारायणपुर द्वारा निर्धारित स्थल अस्थायी पॉड पर ही मूर्ति विसर्जन किया जाना सुनिश्चित किया जावे। गणेश चतुर्थी एवं दुर्गा पूजा के उत्सव में प्राकृतिक मिट्टी से निर्मित मूर्तियां एवं प्राकृतिक रंगों का उपयोग किया हुआ तथा इको फ्रेंडली मूर्तियां ही स्थापित किया जावे तथा समय-समय पर शासन द्वारा जारी कोविड-19 के दिशा-निर्देशों का पालन करना भी अनिवार्य होगा।


दिनांक - 07-09-2021



(Signature)

आदेशानुसार

मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद् नारायणपुर



दे. प्रखर

मूर्तियों की ऊंचाई 5 फीट से अधिक नहीं होगी

मूर्ति निर्माण में प्राकृतिक मिट्टी एवं प्राकृतिक रंगों का उपयोग अनिवार्य

नारायणपुर (प्रखर)। गणेश चतुर्थी एवं दुर्गा पूजा के उत्सव को ध्यान में रखते हुए मुख्य नगर पालिका अधिकारी मोनिन अली ने पालन द्वारा प्राप्त निर्देशों के तहत सभी नगरवासियों से अपील की है, गणेश चतुर्थी एवं दुर्गा पूजा के उत्सव में प्राकृतिक मिट्टी से निर्मित मूर्तियाँ एवं प्राकृतिक रंगों का उपयोग करें, तथा इन्हें फण्डली ही मूर्तियाँ स्थापित कि जाये। मूर्तियों की ऊंचाई 5 फीट से अधिक न हो तथा मूर्ति निर्माण में सिन्थेटिक केमिकल, पेंट्स तथा ढाई का उपयोग न किया हो। इसके अतिरिक्त सार्वजनिक स्थलों या घर के बाहर के पास में मूर्ति स्थापित कर पूजा आराधना हेतु पंडाल लगाने से पूर्व नगर पालिका कार्यालय से

अनुमति प्राप्त करना अति आवश्यक होगा। साथ ही समय-समय पर शासन द्वारा जारी कोविड-19 गाईडलाइन में नियमों का पालन करना अनिवार्य होगा।

मुख्य नगर पालिका अधिकारी मोनिन अली ने बताया कि नगरपालिका नारायणपुर क्षेत्र अन्तर्गत गणेश चतुर्थी व दुर्गा पूजा के उत्सव में प्लास्टर ऑफ पेरिस एवं वेण्ड पले से बनी मूर्तियों की स्थापना एवं विसर्जन पूर्णतः प्रतिबंध रहेगा। उन्होंने बताया कि माननीय राष्ट्रीय हरित अधिकरण जोनल चौध द्वारा पारित आदेश के तहत प्लास्टर ऑफ पेरिस एंड से बनी गणेश व दुर्गा मूर्तियों को नदी, तालाबों में विसर्जित करना प्रतिबंधित है। मूर्ति विसर्जन से जल

स्रोतों की गुणवत्ता प्रभावित होती है, जिसके फलस्वरूप न योदल जलीय जीव-जन्तुओं को जान को खतरा उत्पन्न अपितु जल प्रदूषण की स्थिति

भी उत्पन्न होती है। पूजा सामग्री जैसे फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुएं इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली

जाये एवं निकाय द्वारा निर्धारित स्थल अस्थायी पोंड पर ही मूर्ति विसर्जन किया जाना सुनिश्चित करने कहा गया है।

नगर पालिका परिषद नारायणपुर - मूर्ति विसर्जन
एलु आर्थोस पोण्ड

५

© GPS Mo
Camera Lib

Unnamed Road, Narayanpur, Chhattisgarh 494661, India

Latitude

19.71916376°

Local 04:21:28 PM

GMT 10:51:28 AM

Longitude

81.25275694°


Altitude 475.33 meters

Monday, 13-09-2021

रूप आगेदर्
नगरपालिका परिषद
नारायणपुर छ.ग.

मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद नारायणपुर

नगर पालिका परिषद नारायणपुर ७ भूगर्भ विभाग द्वारा शोध प्रयोग ।





उप आभयल
नगरपालिका परिषद
नारायणपुर ७



मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद नारायणपुर

कार्यालय नगरपालिक निगम, जगदलपुर
जिला-बस्तर (छ.ग.)

क्रमांक/ 3023 /न.पा.नि./स्वा.शा./2021
प्रति.

जगदलपुर, दिनांक 27/10/2021

सदस्य सचिव
छत्तीसगढ़ पर्यावरण संरक्षण मंडल
नवा रायपुर, अटल नगर रायपुर

विषय :- मूर्तियों के विराजन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले
विपरीत प्रभावों की रोकथाम के संबंध में।

- 00 -

उपरोक्त विषयसंबंधित लेख है कि माननीय नेशनल ग्रीन ट्रिब्यूनल के दिशा
निर्देशानुसार एवं केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी संशोधित गाईड लाईन के
परिपालन में गणेश एवं दूर्गा उत्सव के दौरान की गई कार्यवाही की रिपोर्ट फोटोग्राफ
सहित पालन प्रतिवेदन आपकी ओर प्रेषित है।

आयुक्त
नगरपालिक निगम
जगदलपुर

पृ.क्रमांक/ 3024 /न.पा.नि./स्वा.शा./2021
प्रतिलिपि :-

जगदलपुर, दिनांक 27/10/2021

संयुक्त संचालक, नगरीय प्रशासन एवं विकास, क्षेत्रीय कार्यालय बस्तर
संभाग जगदलपुर को सूदनार्थ।

आयुक्त
नगरपालिक निगम
जगदलपुर

RE/CHEMIST
AG II/III

29/10/2021



प्रतिवेदन

गणशाला कलेक्टर एवं जिला दण्डाधिकारी, जमदलपुर जिला - कलार 22090 का पत्र क्रमांक 122/अविजि040/एस0डलपु/2021 जमदलपुर दिनांक 01/09/2020 के अनुसार भवन काशी काशी के शकम्प के नियन्त्रण एवं प्रकल्प को दृष्टिगत रखते हुए कम आवासीय गृह व जिले में कोयला पौजटिव प्रकल्पों की शकम्प में जिला में शकम्पों है। जिला शकम्प एवं नियन्त्रण में रखने हेतु सभी शकम्पों को जिला अन्तर्गत जिला शकम्प एवं आवासीय हो गया है। जिला दृष्टिगत रखते हुए गणशाला एवं दुर्गोत्सव के शकम्प में जारी निर्देशानुसार की जाने तथा केन्द्रीय प्रदूषण नियन्त्रण बोर्ड, दिल्ली द्वारा माननीय नेशनल ग्रीन ट्रिब्यूनल के आ0पु0 38 (डब्ल्यू जेड) के मामले में पारित आदेश के परिपालन में गणशाला एवं दुर्गोत्सव पर मूर्तियों के निर्माण स्थापना एवं विसर्जन से संबंधित माननीय एनजीटी के आदेश शासन के निर्देश तथा सीपीसीवी दिल्ली द्वारा जारी गाइड लाईन आदि के शकम्प में सभी मूर्तिकारों को मूर्ति निर्माण शासन द्वारा जारी निर्देशानुसार की जाने तथा विशेष रूप से मिट्टी से निर्मित मूर्ति निर्माण हेतु दूसरों का एवं स्थापना कलाओं को प्रेरित करें। तदनुसार निर्देशानुसार मूर्ति - कला द्वारा मिट्टी की मूर्तियों का ही निर्माण किया जाएगा एवं दिए गये निर्देशों का पालन भलीभांति किया जाएगा।

इसी अनुक्रम में शहर के सार्वजनिक गणशाला एवं दुर्गोत्सव समितियां व मूर्ति स्थापित करने वाले व्यक्ति अथवा समिति एक संजिस्टर संघारत करनी, तथा संजिस्टर संघारत रिजनिंग, आवासीयमीटर, हंडवाश एवं न्यू मेनजमेट सिस्टम की व्यवस्था की जायेगी। ताकि जिसमें दर्शन हेतु आने वाले सभी व्यक्तियों का नाम व मातृशाला नंबर दर्ज किया जायेगा। मूर्ति दर्शन अथवा पूजा में शामिल होने वाला कोई भी व्यक्ति बिना मास्क के नहीं जायेगा, उनके द्वारा प्रतिमा केवल मिट्टी से बनी हुई है तथा इसमें प्लास्टर ऑफ पेरिस का इस्तेमाल नहीं किया गया है।

विशेष सचिव 22090 शासन नगरीय प्रशासन एवं विकास विभाग तथा समपुर के निर्देशानुसार मूर्तियों के विसर्जन हेतु सीपीसीवी दिल्ली द्वारा जारी गाइड लाईन के पालन हेतु मूर्तिकारों को मूर्ति निर्माण में कृत्रिम मटेरियल अथवा प्लास्टर ऑफ पेरिस से निर्मित मूर्तियों का निषेध वर्जित किया गया।

स्वयं जीपेंवाणी को धरमराता आवाज को प्रभाती कहकर यह अधिवक्ताजी का प्रभाती व जलदाई जीपेंवाणी को हाथ ठाम्मे बंधाकर खड़ा था। उस निमित्त कि मैं तो एक मूर्खी निमित्त स्वयं जीपेंवाणी निमित्त प्रभाती जीपेंवाणी प्रभाती आवाज को सुनाकर मैं जानकर प्रभाती निमित्त कि मैं जीपेंवाणी को निमित्त किया गया है।

महोदयों, दिनांक 02-09-2021 से दिनांक 07-09-2021 तक एवं दूसरा सत्र दिनांक 30-09-2021 से दिनांक 05-10-2021 तक अष्टाक्षर विनियम पालना पर मूर्ति सिद्धताओं की पुष्टि तथा गणित दल के द्वारा जाँच की गई। जिसमें पाया गया कि वाजपेयी न विनियम अनुसार सभी प्रतिस्पर्धी मिट्टी की बनी हुई है व साथ ही उनको आटाछानकी की गई जो कि प्रतियोग में लाभ संलग्न है ।

शहर में मूर्ति स्थापना को पर्यटन पंडालों में लगाने से संबंधित प्रतिभागों की भी परीक्षाओं को भर्ष है ।

नूतन विसर्जन के पूर्व चिह्नांकित स्थलों का निरीक्षण किया गया जिससे उपरान्त स्थलों की सफाई तथा एवं विद्वत् व्यवस्था का कार्य किया गया।


मूर्ति विसर्जन हेतु अस्थायी कुण्ड के निर्माण विषय जाकर मूर्ति एवं पूजा स्थानों, जैसे फूल, चन्द्र, कागज एवं प्लास्टिक से बनी साप्ताहिक की वस्तुय इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जावें। शहर में पृथक से मूर्ति विसर्जन तालाब, पोड, बनाने हेतु पूर्ण से ही निर्देश दिये गये हैं, जिन्हें मान, नेशनल मान दिव्यमूल के निर्देशानुसार किया जाना है।

Figure 1

01. मूर्तियों के निर्माण एवं विक्रय कर से समस्त की फोटोसहपा

आयुक्त
नगर पालिक निगम
जमदलपुर

ગાંધી પોલીસ તિરાડ. ગંગાલક્ષ્મી તિરાડ-બેલ



कार्यालय नगरपालिका परिषद् कांकेर जिला उत्तर बस्तर कांकेर (छ.ग.)

क्रमांक/133/लो.स्वा./नपाप/2021

कांकेर, दिनांक 28/12/21

प्रति,

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल
जगदलपुर (छ.ग.)

विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा-निर्देश बाबत ।
संदर्भ:- क्षेत्रीय कार्यालय छ.ग. पर्यावरण संरक्षण मंडल जगदलपुर छ.ग. का पत्र क्र. /972/क्षे.कार्या./वैज्ञा./छ.ग.प.सं.मं./2021 जगदलपुर दिनांक 13.10.2021

--000--

विषयान्तर्गत संदर्भित पत्र के परिपालन में लेख है कि विभिन्न त्यौहार/उत्सव यथा-गणेशोत्सव एवं दुर्गोत्सव के दौरान मूर्तियों के विसर्जन से जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम हेतु समय-समय पर माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार सी.पी.सी.बी. द्वारा जारी दिशा-निर्देश के आधार पर मूर्तियों का विसर्जन किया गया। जिसका फोटोग्राफ संलग्न कर आपकी ओर सादर प्रेषित है ।

मुख्य नगरपालिका अधिकारी
Chief Municipal Officer
नगरपालिका परिषद् कांकेर
Municipal Council Kanker
कांकेर, दिनांक

क्रमांक/...../लो.स्वा./नपाप/2021

प्रतिलिपि:-

01- संयुक्त संचालक, नगरीय प्रशासन एवं विकास क्षेत्रीय कार्यालय बस्तर संभाग जगदलपुर छ.ग. की ओर सादर सूचनार्थ ।

AE/CHEMIST
AG II/III

28/12/2021



मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद् कांकेर



Scanned by CamScanner





कार्यालय नगरपालिका परिषद्, दंतेवाड़ा, जिला दक्षिण बस्तर दंतेवाड़ा (छ.ग.)

कार्यालय - 07856252203 फ़ैक्स - 07856252203 मोबाईल - 9406257888 ई मेल पता - cmodantowada@gmail.com

क्रमांक 901/न0पा0परि0/2021-22

दंतेवाड़ा, दिनांक 28/12/2021

प्रति,

क्षेत्रीय अधिकारी
छ.ग. पर्या. संरक्षण मण्डल
जगदलपुर (छ.ग.)

विषय:- मूर्ति विसर्जन के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरित प्रभावों के रोकथाम के लिए की गई कार्यवाही की जानकारी बाबत।

संदर्भ:- क्षेत्रीय कार्यालय, छ.ग.पर्या.संरक्षण मण्डल, जगदलपुर के पत्र क्रमांक/972/क्षे. कार्या./वैज्ञा./छ.प.सं.मं./2020/जगदलपुर, दिनांक 13.10.2021।

—00—

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र के अनुसार बिन्दुवार पर्यावरण संरक्षण हेतु गार्ड लाइन प्राप्त हुआ था, जिसके बिन्दुवार पालन किया जा रहा है एवं संदर्भित पत्र के परिपालन में निकाय द्वारा मूर्ति एवं पूजन सामग्री विसर्जन हेतु अस्थायी कुण्ड का निर्माण किया गया है। उक्त स्थल की जानकारी निम्नानुसार है:-

क्र.	स्थल का विवरण
1	डंकनी नदी में मूर्ति एवं पूजन सामग्री विसर्जन हेतु अस्थाई कुण्ड निर्माण कार्य।

उपरोक्तानुसार उक्त कार्य संपादन का फोटोग्राफ सहित जानकारी आपकी ओर सादर संप्रेषित।

संलग्न:- उपरोक्तानुसार।

AE/CHEMIST
AG II/III


29/12/2021



मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद, दंतेवाड़ा
जिला दक्षिण बस्तर दंतेवाड़ा (छ.ग.)











नगरपालिका परिषद दन्तवाडा
प्राचीन शहर भित्तिका तथा पुराना कालको स्तूपको अवशेष
प्राचीन नामाङ्कनको विभाजन गर्नेको स्थान



कॉन्डिगांव

कार्यालय नगरपालिका परिषद् कोण्डागांव
जिला-कोण्डागांव (छ०ग०)

Fax NO. - 07786-242230

Email cmokondagaon.2010@rediffmail.com

क्रमांक/2071/न०पा०/लो.नि.शाखा/2021
प्रति,

कोण्डागांव दिनांक 28/12/2021

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल
जगदलपुर (छ.ग.)

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा-निर्देश बाबत।
संदर्भ :- आपका पत्र क्रमांक/972/क्षे.कार्या./वैज्ञा./छ.ग.प.सं.म./2021 जगदलपुर दिनांक 13.10.2021

---:00:---

विषयांतर्गत लेख है कि आपके द्वारा विभिन्न त्यौहार/उत्सव यथा-गणेशोत्सव एवं दुर्गाोत्सव के दौरान मूर्तियां के विसर्जन से जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम हेतु समय-समय पर माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार सी.पी.सी.बी. द्वारा दिशा-निर्देश जारी किये गये हैं।

उपरोक्तानुसार नगरपालिका परिषद कोण्डागांव क्षेत्रांतर्गत अध्यक्ष दुर्गा समिति, गणेश उत्सव समितियों अन्य को मूर्ति विसर्जन हेतु पत्र के माध्यम से सूचित किया गया है कि, मूर्ती विसर्जन हेतु जोधरापदर रोड (नारंगी नदी) पुराना पूल, बंधापारा वार्ड में जल संसाधन केन्द्र के पास विसर्जन कुण्ड बनाया गया है कृपया उक्त कुण्ड में ही मूर्ति विसर्जन किया जावे।

अतः जानकारी आपकी ओर सादर सूचनार्थ।

संलग्न :- फोटोग्राफ्स।

मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद कोण्डागांव
जिला-कोण्डागांव(छ.ग.)
कोण्डागांव दिनांक 28/12/2021

पृ० क्रमांक/2074/न०पा०/लो.नि.शाखा/2021
प्रतिलिपि :-

1. कलेक्टर महोदय जिला कोण्डागांव की ओर सादर सूचनार्थ सम्प्रेषित।
2. संयुक्त संचालक नगरीय प्रशासन एवं विकास क्षेत्रीय कार्यालय बस्तर संभाग जगदलपुर की ओर सादर सूचनार्थ सम्प्रेषित।

AE/CHEMIST
AG II/III

29/12/21



मुख्य नगरपालिका अधिकारी
नगरपालिका परिषद कोण्डागांव
जिला-कोण्डागांव(छ.ग.)





कार्यालय नगर पालिका परिषद बीजापुर

जिला-बीजापुर (छ.ग.)

E-Mail - nagarpanchayatbijapur@rediffmail.com,

Phone No. - 07853-220122

क्र० / 1616 / न.पा.प. / 2021

बीजापुर, दिनांक 29/12/2021

प्रति,

क्षेत्रीय अधिकारी
छ०ग० पर्यावरण संरक्षण मंडल जगदलपुर,
जिला-बस्तर (छ०ग०)

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा-निर्देश बाबत।

संदर्भ :- पत्र क्र०/972/क्ष.कार्या./वैज्ञा./छ.ग.प.सं.म./2021 जगदलपुर, दिनांक 13/10/2021।

—:000:—

उपरोक्त संदर्भित विषयांतर्गत लेख है, कि नगर पालिका बीजापुर क्षेत्रान्तर्गत विभिन्न त्यौहार/उत्सव यथा-गणेशोत्सव एवं दुर्गात्सव के दौरान मूर्तियों के विसर्जन से जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम हेतु समय-समय पर माननीय नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार सी.पी.सी.बी. द्वारा दिशा-निर्देश जारी किये गये हैं। इस संबंध में कार्यालय द्वारा आवश्यक कार्यवाही बाबत पत्राचार भी किये गये हैं। अतः तदनुक्रम में मूर्तियों के विसर्जन के दौरान रोकथाम हेतु नगरपालिका द्वारा की गई कार्यवाही की जानकारी फोटोग्राफ्स सहित आपकी ओर सादर सम्प्रेषित है:-

क्र०	स्थल का विवरण	रिमार्क
1	2	3
01	महादेव तालाब के पास अस्थायी कुंड का फोटोग्राफ	

संलग्न - फोटो।

AE/CHEMIST
AG II/III



P. K. S.
मुख्य नगर पालिका अधिकारी
नगर पालिका परिषद बीजापुर
जिला-बीजापुर (छ.ग.)

29/12/2021

Nagar Palika Bijapur



Prin
 मुख्य नगर पालिका अधिकारी
 नगर पालिका परिषद बीजापुर
 जिला-बीजापुर (छ.ग.)

कार्यालय नगरपालिका परिषद् सुकमा, जिला - सुकमा (छोगा)

फोन - ०१२६६ २६६६० फेक्स - ०१२६६-२६६६१

Email - cmosukma@rediffmail.com

क्रमांक / २३०९ / ले.शा. / न.पा.प. / २०२१-२२

सुकमा, दिनांक २९/१२/२०२१

प्रति,

क्षेत्रीय अधिकारी

छोगा पर्याप्त संरक्षण मण्डल

जगदलपुर (छोगा)

विषय:- मूर्ति विसर्जन के जल स्त्रोतों की जल गुणवत्ता पर पड़ने वाले विपरित प्रभावों के संवर्धन के लिए की गई कार्यवाही की जानकारी बाबत।

सन्दर्भ:- क्षेत्रीय कार्यालय छ.ग.पर्याप्त संरक्षण मण्डल, जगदलपुर के पत्र क्रमांक / ९७२ / क्षेत्रीय कार्य / वैशा / छ.प.स.म. / २०२० / जगदलपुर, दिनांक १३.१०.२०२१।

विषयगतगत लेख है, कि संदर्भित पत्र के अनुसार बिन्दुवार पर्यावरण संरक्षण हेतु गाईड लाइन प्राप्त हुआ था, जिसका बिन्दुवार पालन किया जा रहा है एवं संर्भित पत्र के परिधानन में निकाय द्वारा मूर्ति एवं पूजन सामग्री विसर्जन हेतु अस्थायी कुण्ड का निर्माण किया गया है। उक्त स्थल की जानकारी निम्नानुसार है:-

क्र.	स्थल का विवरण
१	भुक्तिधाम के पास मूर्ति एवं पूजन सामग्री विसर्जन हेतु अस्थायी कुण्ड निर्माण कार्य।

उपरोक्तानुसार उक्त कार्य संपादन की जानकारी आपकी ओर साफ़ सम्प्रेषित है।
सलसल - उपरोक्तानुसार

मुख्य नगरपालिका अधिकारी
नगर पालिका परिषद् सुकमा
जिला-सुकमा (छ.ग.)

AE/CHEMIST
AG II/III
१०/१२/२०२१




REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

**CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur At identified idol immersion site,
Near old road bridge**

S.No	Charactersties	Unit	Before Idol immersion of Ganeshji	During Idol immersion of Ganeshji	After Idol immersion of Ganeshji	Indian Standard IS - 2296 Class - C
	Report No		1966	1970	1974	
	Date of Collection		18.09.2021	19.09.2021	21.09.2021	
1	pH	pH unit	7.3	6.6	6.9	6.5-8.5
2	Suspended Solids	..	75.0	110.0	90.0	
3	Chloride (as Cl)	..	34.0	66.0	36.0	600 mg/lit.
4	Dissolved oxygen (DO)	..	7.6	6.2	7.4	4 mg/lit.
5	B.O.D (3day 270C)	..	2.3	4.8	2.6	3 mg/lit.
6	C.O.D.	..	29.16	68.04	29.40	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C


Report Prepared by


Checked by


REGIONAL OFFICER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 100m. Up-stream of Identified Idol Immersion site, Near Old Road Bridge

S.No.	Charactersties	Unit	Before Idol immersion of Ganeshji	During Idol immersion of Ganeshji	After Idol immersion of Ganeshji	Indian Standard IS - 2296 Class - C
	Report No		1967	1971	1975	
	Date of Collection		18.09.2021	19.09.2021	21.09.2021	
1	pH	pH unit	7.3	6.9	7.2	6.5-8.5
2	Suspended Solids	"	70.0	85.0	75.0	
3	Chloride (as Cl)	"	31.0	52.0	34.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.7	6.4	7.5	4 mg/lit.
5	B.O.D (3day 270C)	"	2.1	3.2	2.4	3 mg/lit.
6	C.O.D.	"	29.16	48.00	29.40	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

Report Prepared by

Checked by

REGIONAL OFFICER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 100m. Down-stream of Identified Idol Immersion site, Near Old Road Bridge

S.No	Charactersties	Unit	Before Idol immersion of Ganeshji	During Idol immersion of Ganeshji	After Idol immersion of Ganeshji	Indian Standard IS - 2296 Class - C
	Report No		1968	1972	1976	
	Date of Collection		18.09.2021	19.09.2021	21.09.2021	
1	pH	pH unit	7.3	6.8	7.2	6.5-8.5
2	Suspended Solids	"	70.0	90.0	80.0	
3	Chloride (as Cl)	"	34.0	57.0	35.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.6	6.8	7.4	4 mg/lit.
5	B.O.D (3day 270C)	"	2.4	4.9	2.8	3 mg/lit.
6	C.O.D.	"	29.16	48.60	29.40	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

Ashtad
 Report Prepared by

Amulya
 Checked by

L
 REGIONAL OFFICER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 1.0 K.M. Down-stream of Identified Idol immersion site, Near Old Road Bridge

S.No.	Charactersties	Unit	Before Idol immersion of Ganeshji	During Idol immersion of Ganeshji	After Idol immersion of Ganeshji	Indian Standard IS - 2296 Class - C
	Report No		1969	1973	1977	
	Date of Collection		18.09.2021	19.09.2021	21.09.2021	
1	pH	pH unit	7.3	6.8	7.2	6.5-8.5
2	Suspended Solids	"	70.0	90.0	80.0	
3	Chloride (as Cl)	"	32.0	56.0	34.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.6	6.8	7.4	4 mg/lit.
5	B.O.D (3day 270C)	"	2.4	3.8	2.9	3 mg/lit.
6	C.O.D.	"	29.16	48.60	29.40	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

Report Prepared by

Checked by

REGIONAL OFFICER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

**CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur At identified idol immersion site,
Near old road bridge**

S.No	Charactersties	Unit	Before Idol immersion of Durga ji	During Idol immersion of Durga ji	After Idol immersion of Durga ji	Indian Standard IS - 2296 Class - C
	Report No		1996	2000	2004	
	Date of Collection		14.10.2021	15.10.2021	16.10.2021	
1	pH	pH unit	7.4	6.7	7.3	6.5-8.5
2	Suspended Solids	„	75.0	120.0	85.0	
3	Chloride (as Cl)	„	36.0	69.0	42.0	600 mg/lit.
4	Dissolved oxygen (DO)	„	7.4	6.3	6.7	4 mg/lit.
5	B.O.D (3day 270C)	„	2.4	4.5	2.8	3 mg/lit.
6	C.O.D.	„	37.44	73.92	46.20	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

[Signature]
Report Prepared by

[Signature]
Checked by

[Signature]
REGIONAL OFFICER



**REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Year -2021

CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 100m. Up-stream of Identified Idol Immersion site, Near Old Road Bridge

S.No.	Charactersties	Unit	Before Idol immersion of Durga ji	During Idol immersion of Durga ji	After Idol immersion of Durga ji	Indian Standard IS - 2296 Class - C
	Report No		1997	2001	2005	
	Date of Collection		14.10.2021	15.10.2021	16.10.2021	
1	pH	pH unit	7.3	7.3	7.4	6.5-8.5
2	Suspended Solids	"	65.0	90.0	75.0	
3	Chloride (as Cl)	"	33.0	52.0	39.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.5	6.8	7.1	4 mg/lit.
5	B.O.D (3day 270C)	"	2.3	4.2	2.5	3 mg/lit.
6	C.O.D.	"	37.44	55.44	36.96	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

[Signature]
Report Prepared by

[Signature]
Checked by

[Signature]
REGIONAL OFFICER



REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)

Year -2021

CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 100m. Down-stream of Identified Idol Immersion site, Near Old Road Bridge

S.No	Charactersties	Unit	Before Idol immersion of Durga ji	During Idol immersion of Durga ji	After Idol immersion of Durga ji	Indian Standard IS - 2296 Class - C
	Report No		1998	2002	2006	
	Date of Collection		14.10.2021	15.10.2021	16.10.2021	
1	pH	pH unit	7.4	6.9	7.3	6.5-8.5
2	Suspended Solids	"	75.0	95.0	80.0	
3	Chloride (as Cl)	"	35.0	65.0	43.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.4	6.3	6.7	4 mg/lit.
5	B.O.D (3day 270C)	"	2.6	4.8	2.8	3 mg/lit.
6	C.O.D.	"	37.44	64.68	46.20	

Remarks Parameters Exceeds the limits as per IS Standard. 2296 Class - C

Report Prepared by

Checked by

REGIONAL OFFICER

27/10/2021 (231)



**REGIONAL OFFICE
CHHATTISGARH ENVIRONMENT CONSERVATION BOARD
JAGDALPUR, BASTAR (C.G.)**

Year -2021

**CAMPARATIVE STATEMENT OF - Indrawati River, Jagdalpur 1.0 K.M. Down-stream of Identified
Idol immersion site, Near Old Road Bridge**

S.No.	Charactersties	Unit	Before Idol immersion of Durga ji	During Idol immersion of Durga ji	After Idol immersion of Durga ji	Indian Standard IS - 2296 Class - C
	Report No		1999	2003	2007	
	Date of Collection		14.10.2021	15.10.2021	16.10.2021	
1	pH	pH unit	7.4	6.9	7.3	6.5-8.5
2	Suspended Solids	"	70.0	90.0	80.0	
3	Chloride (as Cl)	"	36.0	53.0	41.0	600 mg/lit.
4	Dissolved oxygen (DO)	"	7.4	6.6	6.8	4 mg/lit.
5	B.O.D (3day 270C)	"	2.4	4.9	2.6	3 mg/lit.
6	C.O.D.	"	37.44	55.44	46.20	

Remarks ☒ Parameters Exceeds the limits as per IS Standard. 2296 Class - C

[Signature]
Report Prepared by

[Signature]
Checked by

[Signature]
REGIONAL OFFICER



कार्यालय नगरपालिक निगम, जगदलपुर
जिला-बस्तर (छ.ग.)

क्रमांक / 3023 / न.पा.नि. / स्वा.शा. / 2021
प्रति,

जगदलपुर, दिनांक 27/10/2021

सदस्य सचिव

छत्तीसगढ़ पर्यावरण संरक्षण मंडल
नवा रायपुर, अटल नगर रायपुर

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले
विपरित प्रभावों की रोकथाम के संबंध में।

- 00 -

उपरोक्त विषयातर्गत लेख है कि माननीय नेशनल ग्रीन ट्रिब्यूनल के दिशा
निर्देशानुसार एवं केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी संशोधित गाईड लाईन के
परिपालन में गणेश एवं दूर्गा उत्सव के दौरान की गई कार्यवाही की रिपोर्ट फोटोग्राफ
सहित पालन प्रतिवेदन आपकी ओर प्रेषित है।

आयुक्त
नगरपालिक निगम
जगदलपुर

पृ.क्रमांक / 3024 / न.पा.नि. / स्वा.शा. / 2021
प्रतिलिपि :-

जगदलपुर, दिनांक 27/10/2021

संयुक्त संचालक, नगरीय प्रशासन एवं विकास, क्षेत्रीय कार्यालय बस्तर
संभाग जगदलपुर को सूचनार्थ।

आयुक्त
नगरपालिक निगम
जगदलपुर

550(A)
Q

J.S.
29/11/2021

8 NOV 2021

प्रतिवेदन

कार्यालय कलेक्टर एवं जिला दण्डाधिकारी, जगदलपुर, जिला— बस्तरि छ०ग० का पत्र क्रमांक/122/अ०जि०द०/एस०डब्ल्यू/2021 जगदलपुर दिनांक 01/09/2020 के अनुसार नोवेल कोरोना वायरस के संक्रमण के नियंत्रण एवं रोकथाम को दृष्टिगत रखते हुए तथा आगामी माह में जिले में कोरोना पॉजिटिव प्रकरणों की संख्या में वृद्धि की संभावना है। जिसे रोकने एवं नियंत्रण में रखने हेतु सभी संबंधित उपाय अमल लाया जाना उचित एवं आवश्यक हो गया है, जिसे दृष्टिगत रखते हुए गणेशोत्सव एवं दुर्गोत्सव के संबंध में जारी निर्देशानुसार की जावे तथा केन्द्रीय प्रदूषण नियंत्रण बोर्ड, दिल्ली द्वारा माननीय नेशनल ग्रीन ट्रिब्यूनल के ओ०ए० 38 (डब्ल्यू जेड) के मामले में पारित आदेश के परिपालन में गणेशोत्सव एवं दुर्गोत्सव पर्व मूर्तियों के निर्माण स्थापना एवं विसर्जन से संबंधित माननीय एनजीटी के आदेश शासन के निर्देश तथा सीपीसीबी की गाइड लाईन आदि के संबंध में सभी मूर्तिकारों को मूर्ति निर्माण शासन द्वारा जारी निर्देशानुसार की जावे तथा विशेष रूप से मिट्टी से निर्मित मूर्ति निर्माण हेतु दूसरों को एवं स्थापना कर्ताओं को प्रेरित करें। तदोपरान्त निर्देशानुसार मूर्ति – कारो द्वारा मिट्टी की मूर्तियों का ही निर्माण किया जावेगा एवं दिये गये निर्देशों का पालन भलीभांति किया जावेगा।

इसी अनुक्रम में शहर के सार्वजनिक गणेशोत्सव एवं दुर्गोत्सव समितियों व मूर्ति स्थापित करने वाले व्यक्ति अथवा समिति एक रजिस्टर संधारित करेगी, तथा सैनेटाइजर थर्मल स्कनिंग, आक्सीमीटर, हैंडवाश एवं क्यू मैनेजमेंट सिस्टम की व्यवस्था की जायेगी। ताकि जिसमें दर्शन हेतु आने वाले सभी व्यक्तियों का नाम व मोबाइल नंबर दर्ज किया जायेगा। मूर्ति दर्शन अथवा पूजा में शामिल होने वाला कोई भी व्यक्ति बिना मास्क के नहीं जावेगा, उनके द्वारा प्रतिमा केवल मिट्टी से बनी हुई है तथा इसमें प्लास्टर ऑफ पेरिस का इस्तेमाल नहीं किया गया है।

विशेष सचिव छ०ग० शासन नगरीय प्रशासन एवं विकास विभाग नया रायपुर के निर्देशानुसार मूर्तियों के विसर्जन हेतु सी.पी.सी.बी. दिल्ली द्वारा जारी गाइड लाइन के पालन हेतु मूर्तिकारों को मूर्ति निर्माण में कृत्रिम मटेरियल अथवा प्लास्टर ऑफ पेरिस से निर्मित मूर्तियों का विक्रय वर्जित किया गया।

उक्त कार्यवाही के पश्चात् निकाय के प्रभारी स्वास्थ्य अधिकारी एवं प्रभारी राजस्व अधिकारी के द्वारा टीम तैयार कर शहर में निर्माण किये जा रहे मूर्ति निर्माण स्थलों निरीक्षण किया गया जिसमें पाया गया कि मूर्तिकारों के द्वारा केवल मिट्टी से ही मूर्तियों का निर्माण किया गया है ।

गणेशोत्सव दिनांक 02.09.2021 से दिनांक 07.09.2021 तक एवं दुर्गोत्सव दिनांक 30.09.2021 से दिनांक 05.10.2021 तक शहर के विभिन्न स्थानों पर मूर्ति विक्रेताओं की दुकानों का गठित दल के द्वारा जाँच की गई जिसमें पाया गया कि बाजार में विक्रय हेतु लाई गयी प्रतिमायें मिट्टी की बनी हुई हैं । साथ ही उनकी फोटोग्राफी की गई जो कि प्रतिवेदन के साथ संलग्न है ।


शहर में मूर्ति स्थापना के पश्चात् पंडालों में जाकर स्थापित प्रतिमाओं की भी फोटोग्राफी की गई है ।

मूर्ति विसर्जन के पूर्व चिन्हांकित स्थलों का निरीक्षण किया गया जिसके उपरान्त स्थलों की साफ सफाई एवं विद्युत व्यवस्था का कार्य किया गया ।

मूर्ति विसर्जन हेतु अस्थायी कुण्ड के निर्माण किया जाकर मूर्ति एवं पूजा सामग्री जैसे फूल, वस्त्र, कागज एवं प्लास्टिक से बनी सजावट की वस्तुयें इत्यादि मूर्ति विसर्जन के पूर्व अलग कर ली जावें । शहर में पृथक से मूर्ति विसर्जन तालाब, पोंड, बनाने हेतु पूर्व से ही निर्देश दिये गये हैं, जिन्हें मान. नेशनल ग्रीन ट्रिब्यूनल के निर्देशानुसार किया जाना है ।

संलग्न :-

01. मूर्तियों के निर्माण एवं विक्रय करते समय की फोटोग्राफी ।


आयुक्त
शहर पालिक निगम
जगदलपुर



क्षेत्रीय कार्यालय
छ.ग. पर्यावरण संरक्षण मंडल
टी. वी. टावर रोड, रायगढ़ (छ.ग.)

Email Id : roraigarh.ceb@gmail.com

जावक क्र. 2007 / वैज्ञा. / पर्या.सं.मं. / 2022

रायगढ़, दिनांक 06/01/22

प्रति,

~~सदस्य सचिव,~~

छत्तीसगढ़ पर्यावरण संरक्षण मंडल,

पर्यावास भवन, नॉर्थ ब्लॉक, सेक्टर-19,

नवा रायपुर, अटल नगर, जिला-रायपुर (छ.ग.)

विषय :- माह अक्टूबर एवं सितंबर - 2021 में मूर्ति विसर्जन स्थलों से संग्रहित प्राकृतिक जल नमूनों के विश्लेषण रिपोर्ट से संबंधित संशोधित जानकारी प्रेषित करने बाबत।

संदर्भ :- मंडल मुख्यालय का पत्र क्र. 3499, दिनांक 08.08.2021.

—0—

उपरोक्त विषयान्तर्गत लेख है कि माह अक्टूबर एवं सितंबर - 2021 में गणेश उत्सव एवं दुर्गा उत्सव पर्व के दौरान केलो नदी रायगढ़ में मूर्ति विसर्जन स्थल से संग्रहित जल नमूनों के विश्लेषण रिपोर्ट, रायगढ़ नगर निगम से प्राप्त प्रतिवेदन तथा समाचार पत्रों में प्रकाशित समाचार की प्रति संलग्न कर कृपया प्रेषित है।

संलग्न :- उपरोक्तानुसार।

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल,
रायगढ़ (छ.ग.)



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh

Sample Collected From : Kelo River at Raigarh (Before Ganesh idol immersion)
Description of Sample : 1. Kelo River Up stream of Raigarh City
2. Idol Immersion point at Chakrapath Bhagat Singh Bridge, near Marine Drive.
3. 1.0 K.M. away from down stream of Idol Immersion point, near village-Bade Atarmuda.
Date of Collection : 16.09.2021
Date of Receive : 17.09.2021
Date of Analysis : 17.09.2021
Analysed By : S.K. Patel (Chemist)

SAMPLE COLLECTED BY
S.K. Patel (Chemist)

WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [I]	Results [ii]	Results [iii]
1	pH	pH Unit	7.5	7.6	76
2	Turbidity	NTU	56	67	67
3	Specific Conductivity	Micro Mhos	204	206	208
4	Total Solid	Mg/L	246	268	268
5	Dissolved Solids	Mg/L	159	170	172
6	D.O.	Mg/L	7.3	7.1	7.1
7	B.O.D. (3 day 27°C)	Mg/L	1.7	2.1	2.1
8	C.O.D.	Mg/L	29	31	31
9	Heavy Metals*				
	1. Chromium (as Cr)	Mg/L	N.D.	N.D.	0.038
	2. Lead (as Pb)	Mg/L	0.067	0.066	0.073
	3. Zinc (as Zn)	Mg/L	N.D.	N.D.	N.D.
	4. Copper (as Cu)	Mg/L	N.D.	N.D.	N.D.
	5. Cadmium (as Cd)	Mg/L	N.D.	N.D.	N.D.
	6. Mercury (as Hg)	Mg/L	N.D.	N.D.	N.D.
	7. Antimony (as Sb)	Mg/L	N.D.	N.D.	N.D.
	8. Barium (as Ba)	Mg/L	N.D.	N.D.	N.D.
	9. Cobalt (as Co)	Mg/L	N.D.	N.D.	N.D.
	10. Manganese (Mn)	Mg/L	N.D.	N.D.	N.D.
	11. Strontium (as Sr)	Mg/L	N.D.	N.D.	N.D.

Remark:- - Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)

Chemist

Scientist

Regional Officer



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh

Sample Collected From : Kelo River at Raigarh (During Ganesh idol immersion)
Description of Sample : 1. Kelo River Up stream of Raigarh City
2. Idol Immersion point at Chakrapath Bhagat Singh Bridge, near Marine Drive.
3. 1.0 K.M. away from down stream of Idol Immersion point, near village-Bade Atarmuda.
Date of Collection : 19.09.2021
Date of Receive : 20.09.2021
Date of Analysis : 20.09.2021
Analysed By : S.K. Patel (Chemist)

SAMPLE COLLECTED BY
S.K. Patel (Chemist)

WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [i]	Results [ii]	Results [iii]
1	pH	pH Unit	7.3	7.4	7.5
2	Turbidity	NTU	68	75	66
3	Specific Conductivity	Micro Mhos	208	207	208
4	Total Solid	Mg/L	270	296	274
5	Dissolved Solids	Mg/L	170	179	175
6	D.O.	Mg/L	7.1	6.8	6.9
7	B.O.D. (3 day 27°C)	Mg/L	1.8	2.6	2.2
8	C.O.D.	Mg/L	29	36	32
9	Heavy Metals*				
	1. Chromium (as Cr)	Mg/L	0.021	0.023	0.018
	2. Lead (as Pb)	Mg/L	0.072	0.079	0.077
	3. Zinc (as Zn)	Mg/L	N.D.	N.D.	N.D.
	4. Copper (as Cu)	Mg/L	N.D.	N.D.	N.D.
	5. Cadmium (as Cd)	Mg/L	N.D.	N.D.	N.D.
	6. Mercury (as Hg)	Mg/L	N.D.	N.D.	N.D.
	7. Antimony (as Sb)	Mg/L	N.D.	N.D.	N.D.
	8. Barium (as Ba)	Mg/L	N.D.	N.D.	N.D.
	9. Cobalt (as Co)	Mg/L	N.D.	N.D.	N.D.
	10. Manganese (Mn)	Mg/L	N.D.	N.D.	N.D.
	11. Strontium (as Sr)	Mg/L	N.D.	N.D.	N.D.

Remark:- - Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)


Chemist


Scientist


Regional Officer



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh

Sample Collected From : Kelo River at Raigarh (After Ganesh idol immersion)
Description of Sample : 1. Kelo River Up stream of Raigarh City
2. Idol Immersion point at Chakrapath Bhagat Singh Bridge, near Marine Drive.
3. 1.0 K.M. away from down stream of Idol Immersion point, near village-Bade Atarmuda.
Date of Collection : 21.09.2021
Date of Receive : 22.09.2021
Date of Analysis : 22.09.2021
Analysed By : S.K. Patel (Chemist)


SAMPLE COLLECTED BY

S.K. Patel (Chemist)


WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [I]	Results [ii]	Results [iii]
1	pH	pH Unit	7.2	7.4	7.4
2	Turbidity	NTU	63	65	67
3	Specific Conductivity	Micro Mhos	194	198	201
4	Total Solid	Mg/L	252	262	264
5	Dissolved Solids	Mg/L	158	162	163
6	D.O.	Mg/L	7.2	6.9	6.9
7	B.O.D. (3 day 27°C)	Mg/L	1.6	2.1	2.1
8	C.O.D.	Mg/L	27	32	32
9	Heavy Metals*				
	1. Chromium (as Cr)	Mg/L	0.023	0.027	0.024
	2. Lead (as Pb)	Mg/L	0.076	0.096	0.080
	3. Zinc (as Zn)	Mg/L	N.D.	N.D.	N.D.
	4. Copper (as Cu)	Mg/L	N.D.	N.D.	N.D.
	5. Cadmium (as Cd)	Mg/L	N.D.	N.D.	N.D.
	6. Mercury (as Hg)	Mg/L	N.D.	N.D.	N.D.
	7. Antimony (as Sb)	Mg/L	N.D.	N.D.	N.D.
	8. Barium (as Ba)	Mg/L	N.D.	N.D.	N.D.
	9. Cobalt (as Co)	Mg/L	N.D.	N.D.	N.D.
	10. Manganese (Mn)	Mg/L	N.D.	N.D.	N.D.
	11. Strontium (as Sr)	Mg/L	N.D.	N.D.	N.D.

Remark:- Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)


Chemist


Scientist


Regional Officer



Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer		REPORT NO.	UES/TR/21-22/462
TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, RAIGARH (C.G.)		DATE OF REPORT	27/09/2021
		LAB REF NO.	UES/21-22/W/0528-0530
		DATE OF SAMPLING	16/09/2021
		DATE OF RECEIPT	23/09/2021
		DATE OF ANALYSIS	START: 23/09/2021 END: 27/09/2021
SAMPLE DETAILS			
Customer Ref. No. & Date	1070 / क्षे.का. / स्या / छ.ग.प.स.म. / 2021, dated: 22/09/2021		
Customer Sample Id	1. UP Stream of Kelo River Near Urdana Village - Raigarh. 2. Kelo River Water from Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh. 3. Kelo River Water from Approx 01 KM Down Stream of Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh.		
Sample Type	Surface Water	Sample Condition At Receipt	Ok
Packing Of Sample	Plastic Bottle (5ltr*3)	Sample Collected By	CECB Staff
Other Details	Sealed	Quantity Received	Approx. 3Ltr. Each

Report No.0462

TEST REPORT

BEFORE GANESH POJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh
	Chromium (as Cr)	mg/l	IS 3025:(part-52)	N.D.	N.D.	0.038
2	Lead (as Pb)	mg/l	IS 3025:(part-47)	0.067	0.066	0.073
3	Zinc (as Zn)	mg/l	IS 3025:(part-49)	N.D.	N.D.	N.D.
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS 3025:(part-41)	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS 3025:(part-48)	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.



Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Report No.462

TEST REPORT

BEFORE GANESH POJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.
10	Manganese (Mn)	mg/l	USEPA SW-846 Method-7000B	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.

REMARKS: N.D.: Not Detected

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

[Signature]
27/09/21
REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

[Signature]
27/09/2021
AUTHORIZED SIGNATORY

-----End of the test report-----



HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer		REPORT NO.		UES/TR/21-22/463	
TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, RAIGARH (C.G.)		DATE OF REPORT		27/09/2021	
		LAB REF NO.		UES/21-22/W/0531-0533	
		DATE OF SAMPLING		19/09/2021	
		DATE OF RECEIPT		23/09/2021	
		DATE OF ANALYSIS		START: 23/09/2021 END: 27/09/2021	
SAMPLE DETAILS					
Customer Ref. No. & Date		1070 / ए.का. / स्था. / छ.ग.प.सं.सं. / 2021, dated: 22/09/2021			
Customer Sample Id		1. UP Stream of Kelo River Near Urdana Village - Raigarh. 2. Kelo River Water from Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh. 3. Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh.			
Sample Type	Surface Water	Sample Condition At Receipt	Ok		
Packing Of Sample	Plastic Bottle (5ltr*3)	Sample Collected By	CECB Staff		
Other Details	Sealed	Quantity Received	Approx. 3Ltr. Each		

Report No. 463

TEST REPORT						
DURING GANESH POJA IDOL IMMERSION						
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh
1	Chromium (as Cr)	mg/l	IS 3025:(Part-52)	0.021	0.023	0.018
2	Lead (as Pb)	mg/l	IS 3025:(Part-47)	0.072	0.079	0.077
3	Zinc (as Zn)	mg/l	IS 3025:(Part-49)	N.D.	N.D.	N.D.
4	Copper (as Cu)	mg/l	IS 3025:(Part-42)	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS 3025:(Part-41)	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS 3025:(Part-48)	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.



Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986
Report No. 463

TEST REPORT

DURING GANESH POJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.
10	Manganese (Mn)	mg/l	USEPA SW-846 Method-7000B	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.

REMARKS: N.D.: Not Detected

Terms & conditions

- > The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only.

Phach
27/09/21

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

Sanjay
27/09/2021

AUTHORIZED SIGNATORY

-----End of the test report-----



HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Name & Address Of The Customer TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, RAIGARH (C.G.)		REPORT NO.		UES/TR/21-22/464	
		DATE OF REPORT		27/09/2021	
		LAB REF NO.		UES/21-22/W/0534-0536	
		DATE OF SAMPLING		21/09/2021	
		DATE OF RECEIPT		23/09/2021	
		DATE OF ANALYSIS		START: 23/09/2021	END: 27/09/2021
SAMPLE DETAILS					
Customer Ref. No. & Date		1070 / क्षे.का. / स्था. / छ.ग.प.सं.मं. / 2021, dated: 22/09/2021			
Customer Sample Id		1. UP Stream of Kelo River Near Urdana Village - Raigarh. 2. Kelo River Water from Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh. 3. Kelo River Water from Approx 01 KM Down Stream of Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh.			
Sample Type		Surface Water	Sample Condition At Receipt		Ok
Packing Of Sample		Plastic Bottle (5ltr*3)	Sample Collected By		CECB Staff
Other Details		Sealed	Quantity Received		Approx. 3Ltr. Each

Report No.0464

TEST REPORT						
AFTER GANESH POJA IDOL IMMERSION						
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh
1	Chromium (as Cr)	mg/l	IS 3025:(part-52)	0.023	0.027	0.024
2	Lead (as Pb)	mg/l	IS 3025:(part-47)	0.076	0.096	0.080
3	Zinc (as Zn)	mg/l	IS 3025:(part-49)	N.D.	N.D.	N.D.
4	Copper (as Cu)	mg/l	IS 3025:(part-42)	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS 3025:(part-41)	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS 3025:(part-48)	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.



Ultimate
ENVIROLYTICAL SOLUTIONS

HDD-272, Phase III - Near JP Chowk
Ring Road No.-2, Kabir Nagar, Raipur (C.G.) - 492099
Ph : 0771 - 4027777 | Email : ultimatenviro@gmail.com

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Report No.0464

TEST REPORT

AFTER GANESH POJA IDOL IMMERSION

SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				UP Stream of Kelo River Near Urdana Village - Raigarh	Kelo River Water from Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh	Kelo River Water from Approx. 01 KM Down Stream of Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh
	Cobalt (as Co)	mg / l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.
10	Manganese (Mn)	mg / l	USEPA SW-846 Method-7000B	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg / l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.

REMARKS: N.D.: Not Detected

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only.

REVIEWED BY



For ULTIMATE ENVIROLYTICAL SOLUTIONS

AUTHORIZED SIGNATORY

-----End of the test report-----

कार्यालय नगर पालिक निगम रायगढ़, (छ0ग0)

क्र. 694/स्वा.वि./मूर्ति.विस./2021,
प्रति,

रायगढ़ दिनांक 11/10/2021

1. कार्यपालन अभियंता,
 2. सहायक अभियंता/उप अभियंता
 3. प्र0 सहायक स्वास्थ्य अधिकारी
 4. स्वच्छता निरीक्षक
 5. श्री प्रमोद साहू (दै.वे.भो.), स्वच्छता पर्यवेक्षक
 6. श्री संजय यादव, स्वच्छता पर्यवेक्षक
- नगर पालिक निगम रायगढ़, (छ0ग0)



विषय:- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा-निर्देश बावत्।

संदर्भ:- मुख्य छत्तीसगढ़ पर्यावरण संरक्षण मंडल सदस्य सचिव का पत्र क्रमांक 3500/मुख्या./वैज्ञा. /छ.ग.प.सं.म./2021 नवा रायपुर, दिनांक 18.08.2021।

—00—

उपरोक्त संदर्भित पत्र के संबंध में सदस्य सचिव छत्तीसगढ़ पर्यावरण संरक्षण मंडल रायपुर का पत्र क्रमांक क्रमांक 3500/मुख्या./वैज्ञा./छ.ग.प.सं.म./2021 नवा रायपुर, दिनांक 18.08.2021 का अवलोकन करें। उक्त पत्र में मूर्ति विसर्जन के संबंध में जारी गाईड लाइन के पालन संबंध में आवश्यक निर्देश दिया गया है।

अतः उपरोक्त संबंध में कार्यवाही सुनिश्चित करते हुये की गयी कार्यवाही से मय स्थल फोटोग्राफ के प्रतिदिन की जानकारी स्वास्थ्य अधिकारी नगर पालिक निगम के पास आवश्यक रूप से जमा करें तथा अधोहस्ताक्षरकर्ता को अवगत करावें।

संलग्न :- पत्र की छायाप्रति।

19.10.21

आयुक्त

नगर पालिक निगम
रायगढ़, (छ0ग0)

पृ. क्र. 694/स्वा.वि./मूर्ति.विस./2021,
प्रतिलिपि :-


रायगढ़ दिनांक 11/10/2021

1. पुलिस अधिक्षक, रायगढ़ को सादर सूचनार्थ सम्प्रषित।
2. अतिरिक्त पुलिस अधिक्षक, रायगढ़ को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
3. अतिरिक्त पुलिस अधिक्षक यातायात, रायगढ़ को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
4. थाना प्रभारी, सिटी कोतवाली/चक्रधर नगर/जूटमिल रायगढ़ सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
5. क्षेत्रीय अधिकारी, छत्तीसगढ़ पर्यावरण संरक्षण मंडल टी.वी. टावर रोड रायगढ़ को सूचनार्थ सम्प्रषित।
6. श्री त्रिलोकचंद शर्मा, वाटर फीटर, न.प.नि. रायगढ़ की ओर सूचनार्थ एवं चकपथ "दुर्गा मूर्ति विसर्जन स्थल पर आवश्यक बेरीकेट लगवाना सुनिश्चित करें।
7. श्री रमेश तांती, विद्युत प्रभारी, न.पा.नि. रायगढ़ की ओर सूचनार्थ एवं चकपथ "दुर्गा मूर्ति स्थल" स्थल पर आवश्यक विद्युत व्यवस्था लगवाना सुनिश्चित करें।
8. श्री तोष (राजू) माली (प्लेसमेंट) को फोटोग्राफि कर फोटो स्वास्थ्य विभाग के पास जमा करना सुनिश्चित करें।

19.10.21

आयुक्त

नगर पालिक निगम
रायगढ़, (छ0ग0)



अगले बरस तू जल्दी आ... कहीं ढोल व डीजे के साथ तो कहीं कार से घाट तक पहुंचे गणपति

भास्कर न्यूज | रायगढ़

अनंत चतुर्दशी पर रविवार को गणेश प्रतिमाओं का विसर्जन करने के लिए चक्रपथ में लोगों की भीड़ लगी रही। चक्रपथ, खरांघाट के साथ मरीन ड्राइव रोड पर बने चबूतरे में भी श्रद्धालुओं ने गणेश प्रतिमा का विसर्जन किया है। विसर्जन के लिए केलो नदी में डेम से पानी छोड़ा गया। सुबह 9 से रात 8 बजे तक गणेश विसर्जन करने के लिए श्रद्धालुओं पहुंचते रहे। सावंजनिक समिति और कॉलोनी में स्थापित प्रतिमाओं की विदाई के लिए लोग ढोल-ताशे और गुलाल उड़ाते मस्ती करते हुए विसर्जन के लिए गए। वहीं घरों में स्थापित गणराजा बाइक और कार से घाट तक पहुंचे।

कहीं तीन, पांच और सात तो



विदाई से पहले घाट पर हुई भगवान की पूजा।

किसी ने दस दिन तक मूर्ति स्थापित कर भगवान गणेश की पूजा अर्चना की। कोरोना संक्रमण की वजह से डीजे, बैंड या गाजे बाजे के साथ विसर्जन करने की अनुमति नहीं थी। केलो नदी के घाट पर ज्यादातर श्रद्धालुओं सादगी से विसर्जन

के लिए पहुंचे। बेहद ही सादगी के साथ लोगों ने गणेश प्रतिमाओं का विसर्जन किया है। चक्रपथ में विसर्जन करने के लिए तैराकों को रखने के साथ सुरक्षा को देखते हुए पुलिस कर्मियों को भी तैनात किया गया था।



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh

Sample Collected From : Kelo River at Raigarh (Before Durga idol immersion)
Description of Sample : 1. Idol Immersion point at Chakrapath Bhagat Singh Bridge,
near Marine Drive.
2. 1.0 K.M. away from down stream of Idol Immersion point,
near village-Bade Atarmuda.

Date of Collection : 13.10.2021
Date of Receive : 13.10.2021
Date of Analysis : 14.10.2021
Analysed By : Satish Kumar Patel (Chemist)
Verified By : Sooraj Kumar Dhurwe (Scientist)

SAMPLE COLLECTED BY
Samarjeet Singh (Sampler)

WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [I]	Results [ii]	Results[iii]
1	pH	pH Unit	7.2	7.4	
2	Turbidity	NTU	29.0	32.0	
3	Specific Conductivity	Micro Mhos	191.0	195.0	
4	Total Solid	Mg/L	210.0	217.0	
5	Dissolved Solids	Mg/L	156.0	159.0	
6	D.O.	Mg/L	6.9	6.7	
7	B.O.D. (3 day 27°C)	Mg/L	1.9	2.1	
8	C.O.D.	Mg/L	25.6	27.77	
9	Heavy Metals*				
	1. Chromium (as Cr)	Mg/L	N.D.		
	2. Lead (as Pb)	Mg/L	N.D.		
	3. Zinc (as Zn)	Mg/L	0.015		
	4. Copper (as Cu)	Mg/L	N.D.		
	5. Cadmium (as Cd)	Mg/L	N.D.		
	6. Mercury (as Hg)	Mg/L	N.D.		
	7. Antimony (as Sb)	Mg/L	N.D.		
	8. Barium (as Ba)	Mg/L	N.D.		
	9. Cobalt (as Co)	Mg/L	N.D.		
	10. Manganese (Mn)	Mg/L	N.D.		
	11. Strontium (as Sr)	Mg/L	N.D.		

Remark:- ☐ * Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)

Chemist

Scientist

Regional Officer



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh

Sample Collected From : Kelo River at Raigarh (During Durga idol immersion)
Description of Sample : 1. Idol Immersion point at Chakrapath Bhagat Singh Bridge,
near Marine Drive.
2. 1.0 K.M. away from down stream of Idol Immersion point,
near village-Bade Atarmuda.

Date of Collection : 16.10.2021
Date of Receive : 16.10.2021
Date of Analysis : 17.10.2021
Analysed By : Satish Kumar Patel (Chemist)
Verified By : Sooraj Kumar Dhurwe (Scientist)

SAMPLE COLLECTED BY
Samarjeet Singh (Sampler)

WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [I]	Results [ii]	Results[iii]
1	pH	pH Unit	7.3	7.5	
2	Turbidity	NTU	45.0	38.0	
3	Specific Conductivity	Micro Mhos	199.0	202.0	
4	Total Solid	Mg/L	270.0	240.0	
5	Dissolved Solids	Mg/L	169.0	167.0	
6	D.O.	Mg/L	6.8	6.9	
7	B.O.D. (3 day 27°C)	Mg/L	2.2	2.3	
8	C.O.D.	Mg/L	36.0	32.0	
9	Heavy Metals				
	1. Chromium (as Cr)	Mg/L	0.01		
	2. Lead (as Pb)	Mg/L	N.D.		
	3. Zinc (as Zn)	Mg/L	0.021		
	4. Copper (as Cu)	Mg/L	N.D.		
	5. Cadmium (as Cd)	Mg/L	N.D.		
	6. Mercury (as Hg)	Mg/L	N.D.		
	7. Antimony (as Sb)	Mg/L	N.D.		
	8. Barium (as Ba)	Mg/L	N.D.		
	9. Cobalt (as Co)	Mg/L	N.D.		
	10. Manganese (Mn)	Mg/L	N.D.		
	11. Strontium (as Sr)	Mg/L	N.D.		

Remark:- ☐ Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)


Chemist


Scientist


Regional Officer



Regional Office
C.G. Environment Conservation Board
T.V. Tower Road, Raigarh


Sample Collected From : Kelo River at Raigarh (After Durga idol immersion)
Description of Sample : 1. Idol Immersion point at Chakrapath Bhagat Singh Bridge,
near Marine Drive.
2. 1.0 K.M. away from down stream of Idol Immersion point,
near village-Bade Atarmuda.
Date of Collection : 20.10.2021
Date of Receive : 20.10.2021
Date of Analysis : 21.10.2021
Analysed By : Satish Kumar Patel (Chemist)
Verified By : Sooraj Kumar Dhurew (Scientist)

SAMPLE COLLECTED BY
Samarjeet Singh (Sampler)

WATER ANALYSIS REPORT

SL. No.	Characteristics	Unit	Results [i]	Results [ii]	Results[iii]
1	pH	pH Unit	7.3	7.4	
2	Turbidity	NTU	30.0	31.0	
3	Specific Conductivity	Micro Mhos	193.0	197.0	
4	Total Solid	Mg/L	208.0	215.0	
5	Dissolved Solids	Mg/L	155.0	157.0	
6	D.O.	Mg/L	6.8	6.9	
7	B.O.D. (3 day 27°C)	Mg/L	1.8	1.9	
8	C.O.D.	Mg/L	28.0	26.0	
9	Heavy Metals				
	1. Chromium (as Cr)	Mg/L	0.02		
	2. Lead (as Pb)	Mg/L	0.01		
	3. Zinc (as Zn)	Mg/L	0.031		
	4. Copper (as Cu)	Mg/L	N.D.		
	5. Cadmium (as Cd)	Mg/L	N.D.		
	6. Mercury (as Hg)	Mg/L	N.D.		
	7. Antimony (as Sb)	Mg/L	N.D.		
	8. Barium (as Ba)	Mg/L	N.D.		
	9. Cobalt (as Co)	Mg/L	N.D.		
	10. Manganese (Mn)	Mg/L	N.D.		
	11. Strontium (as Sr)	Mg/L	N.D.		

Remark:- ☐ Parameter Heavy Metals are analysed by M/s Ultimate Envirollytical solutions, Kabir nagar, Raipur (C.G.)




Chemist


Scientist


Regional Officer

ORIGINAL FOR RECEIPT

TAX INVOICE

Ultimate Envirolytical Solutions		GSTIN Number	22AAEFU4612N2Z4		
HDD - 272, Phase - III, Near JP Square,		State Code	22		
Kabir Nagar, Ring Road No. - 02,		SAC Code	9983		
Raipur (C.G.) - 492099		PAN No.	AAEFU4612N		
Email - ultimatenviro@gmail.com					
Party Details :		Invoice Number	UES/21-22/0531		
THE REGIONAL OFFICER,		Invoice Date	28-10-2021		
CHHATTISGARH ENVIRONMENT		Work Order No.			
CONSERVATION BOARD,		1301/क्षका/स्था/छ.ग.प.स. / 2021, dated :22/10/2021			
RAIGARH (C.G.)					
Sr. No.	Description	Parameters	No. of Samples	Rate (Rs.) / Sample	Amount (Rs.)
1	Water Analysis. (Heavy Metals)	Cr, Pb, Zn, Cu, Cd, Hg, Sb, Ba, Co, Mn, Sr	3	8800.00	26,400.00
Total Charges					26,400.00
CGST @ 9 %					2,376.00
SGST @ 9 %					2,376.00
Total Amount					31,152.00
Rupees in words:		(Thirty One Thousand One Hundred Fifty Two Only.)			
Our A/c Detail:			For, Ultimate Envirolytical Solutions		
Name: State Bank of India			 28/10/2021 Authorized Signatory		
Address: SME Pandri Raipur					
Branch Code: 63712					
A/c No: 35728362295					
IFSC Code: SBIN0063712					

TO, THE REGIONAL OFFICER, CHHATTISGARH ENVIRONMENT CONSERVATION BOARD, RAIGARH (C.G.)	REPORT NO	UES/TR/21-22/0588
	DATE OF REPORT	27/10/2021
	LAB REF NO.	UES/21-22/W/652-654
	DATE OF SAMPLING	13/10/2021 - 20/10/2021
	DATE OF RECEIPT	22/10/2021
	DATE OF ANALYSIS	START: 22/10/2021 END: 26/10/2021
SAMPLE DETAILS		
Customer Ref. No. & Date	1301/ अ.का. / स्था. / उ.ग.प.स.स. / 2021, dated: 22/10/2021	
Customer Sample Id	1. Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge, Raigarh(13/10/2021) 2. Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge, Raigarh(16/10/2021) 3. Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge, Raigarh(20/10/2021)	
Sample Type	Surface Water	Sample Condition At Receipt Ok
Packing Of Sample	Plastic Bottle (3ltr*3)	Sample Collected By CECB Staff
Other Details	Sealed	Quantity Received Approx. 3ltr Each

REPORT NO. 0588

TEST REPORT						
DURGA PUJA IDOL IMMERSION						
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh (13/10/2021)	Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh (16/10/2021)	Kelo River Water, Idol Immersion Spot Near Chkrpath Bhagat Bridge Raigarh (20/10/2021)
1	Chromium (as Cr)	mg/l	IS 3025:(Part-52)	N.D.	0.01	0.02
2	Lead (as Pb)	mg/l	IS 3025:(Part-47)	N.D.	N.D.	0.01
3	Zinc (as Zn)	mg/l	IS 3025:(Part-49)	0.015	0.021	0.031
4	Copper (as Cu)	mg/l	IS 3025:(Part-42)	N.D.	N.D.	N.D.
5	Cadmium (as Cd)	mg/l	IS 3025:(Part-41)	N.D.	N.D.	N.D.
6	Mercury (as Hg)	mg/l	IS 3025:(Part-48)	N.D.	N.D.	N.D.
7	Antimony (as Sb)	mg/l	APHA 23 rd Edition 3500-Sb	N.D.	N.D.	N.D.

[Signature]
26/10/21
REVIEWED BY


REPORT NO. 0588

TEST REPORT						
DURGA PUJA IDOL IMMERSION						
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	RESULT		
				Kelo River Water, Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh (13/10/2021)	Kelo River Water, Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh (16/10/2021)	Kelo River Water, Idol Immersion Spot Near Chkrapath Bhagat Bridge Raigarh (20/10/2021)
8	Barium (as Ba)	mg/l	APHA 23 rd Edition 3500-Ba	N.D.	N.D.	N.D.
9	Cobalt (as Co)	mg/l	APHA 23 rd Edition 3500-Co	N.D.	N.D.	N.D.
10	Manganese (Mn)	mg/l	USEPA SW-846 Method- 7000B	N.D.	N.D.	N.D.
11	Strontium (as Sr)	mg/l	APHA 23 rd Edition 3500-Sr	N.D.	N.D.	N.D.

REMARKS: N.D.: Not Detected

Terms & conditions

- The above analysis report refers to the particular sample received at our end and the use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for.

 REVIEWED BY				For ULTIMATE ENVIROLYTICAL SOLUTIONS  AUTHORIZED SIGNATORY	
--	--	---	--	---	--

-----End of the test report-----

कार्यालय नगर पालिक निगम रायगढ़, (छ0ग0)

क्र. 2323.../स्वा.वि./मूर्ति.विस./2021,

रायगढ़ दिनांक 03-12-2021

प्रति,

✓ क्षेत्रीय अधिकारी
पर्यावरण संरक्षण मंडल,
रायगढ़, (छ0ग0)



विषय:- मूर्ति विसर्जन वर्ष 2021 के सम्बन्ध में।

—00—

उपरोक्त विषयान्तर्गत लेख है कि नगर पालिक निगम रायगढ़ द्वारा निर्धारित स्थान पर मूर्तियों का विसर्जन करने हेतु समस्त गणेश/दुर्गा पंडालों को सूचित किया गया एवं उन लोगों को नदी के पानी प्रदूषण बावत उसका साइड एफेक्ट के बारे में मूर्ति बनाने में प्राकृतिक मिट्टी, बास, प्राकृतिक मटेरियल से बनाने के लिए निर्देशित किया गया।

मूर्ति विसर्जन स्थान चक्रपथ भगतसिंह ब्रिज के पास (मेरिन ड्राईव) पर किया गया है। मूर्तियों का पूजा सामग्री फूल, कपड़ा, कागज एवं अन्य सामग्री अलग कर मूर्ति विसर्जन के पश्चात् शेष अवशेषों को निर्धारित स्थान से बाहर निकालकर रामपुर ट्रेडिंग ग्राउण्ड में ट्रेक्टर ट्राली के माध्यम से डिस्पोज किया गया। मूर्ति विसर्जन स्थल की साफ-सफाई करा ली गई है।

3.12.21

आयुक्त
नगर पालिक निगम
रायगढ़, (छ0ग0)


पृ. क्र. / स्वा.वि. / मूर्ति.विस. / 2021,
प्रतिलिपि :-

रायगढ़ दिनांक

1. सदस्य सचिव छ.ग. पर्यावरण संरक्षण मंडल, रायपुर (छ.ग.) की ओर सूचनार्थ।
2. कलेक्टर महोदय, रायगढ़ को सूचनार्थ सम्प्रेषित।

Su.
08/12/21

आयुक्त
नगर पालिक निगम
रायगढ़, (छ0ग0)



डीजे पर झूमते भक्तों ने दी मां दुर्गा को विदाई

भास्कर न्यूज | रायगढ़

शनिवार को शहर में दुर्गा प्रतिमाओं का विसर्जन हुआ। ढोल, नगाड़े और डीजे पर भजनों की धुन पर गुलाल उड़ते समिति सदस्यों ने चक्रपथ पर बने घाट पर विसर्जन किया। जशपुर की घटना के बाद सुरक्षा इंतजाम किए गए थे। हेमू कालाणी चौक से कलेक्टरेट जाने वाली सड़क पर वॉरिंकेड्स लगाकर गाड़ियों को न्यू पारीन ड्राइव और भगत सिंह पुल होकर भेजा गया।

दुर्गा प्रतिमाओं के विसर्जन का सिलसिला सुबह 10 से देर शाम 10 बजे तक चलता रहा। इस बार 10 फीट की मूर्तियां होने की वजह से विसर्जन में ज्यादा परेशानी नहीं आई। नगर निगम ने ब्रेन का इंतजाम कराया था। शाम 6 बजे हर सड़क पर दुर्गा प्रतिमा विसर्जन जुलूस दिखा। एक



केल्लो नदी में दुर्गा प्रतिमा का विसर्जन करते समिति के सदस्य।

साथ आयोजन समितियों ने विसर्जन पहुंचे। कुछ समितियों ने डांडिया और के लिए एक साथ लाइन लगी रही। गरवा करते हुए मां दुर्गा को विदाई दी। कोटपारा, जूटमिल, पैलेस रोड, गांधी विसर्जन जुलूस के साथ हर जगह गंज समितियों ने रां गुलाल लगाकर पुलिस कर्मा नजर आए ताकि किसी धार्मिक गोलों के धुन पर नाचते हुए तरह की अप्रिय घटना न हो। शुक्रवार को पल्लवगांव में हुए रादसे के बाद शनिवार को गरियावद में भी भीड़ में एक गाड़ी पस गई थी। इसे देखते हुए पुलिस कर्मा विसर्जन पूरा होने तक तेनात दिखे।



क्षेत्रीय कार्यालय

छ.ग. पर्यावरण संरक्षण मंडल

कन्या परिसर रोड, शासकीय आयुर्वेदिक चिकित्सालय के पास, नमनाकला गंगपुर, अंबिकापुर (छ.ग.)

e-mail: rocecbamk@gmail.com

क्रमांक- 13657/क्षे.का./छ.ग.प.सं.मं./2021

अंबिकापुर/दिनांक: 26/11/2021

प्रति,

✓ सदस्य सचिव महोदय,
मुख्यालय, छत्तीसगढ़ पर्यावरण संरक्षण मण्डल,
नवा रायपुर, अटल नगर, जिला-रायपुर (छ.ग.)

विषय- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में संशोधित दिशा निर्देश बावत्।

संदर्भ- मण्डल मुख्यालय, रायपुर का पृ. पत्र क्र. 3499 दिनांक 18/08/2021

उपरोक्त विषयांतर्गत संदर्भित पत्र के निर्देशानुसार इस कार्यालय द्वारा गणेश उत्सव पर मूर्ति विसर्जन दिनांक 13/09/2021 एवं दुर्गा उत्सव पर मूर्ति विसर्जन दिनांक 08/10/2021 को चिन्हाकित मूर्ति विसर्जन स्थल बांक नदी शंकरघाट का मूर्ति विसर्जन स्थल के 100 मीटर पहले, मूर्ति विसर्जन स्थल एवं मूर्ति विसर्जन स्थल से 01 कि.मी. की निचली दूरी पर के जल नमूने एकत्रित किये गये। जल नमूने के विश्लेषण परिणाम एवं फोटोग्राफ तथा उक्त के संबंध में संयुक्त संचालक नगरीय प्रशासन एवं विकास विभाग सरगुजा एवं नगर निगम अम्बिकापुर द्वारा मूर्ति स्थापना एवं विसर्जन के संबंध में की गई कार्यवाही के पत्रों की छायाप्रति संलग्न कर अग्र कार्यवाही हेतु कृपया संप्रेषित है।

संलग्न-उपरोक्तानुसार।

550000

25
13/11/2021

क्षेत्रीय अधिकारी
छ.ग. पर्यावरण संरक्षण मंडल
अंबिकापुर

3 DEC 2021



Regional Office

Chhattisgarh Environment Conservation Board

Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River, (Pre immersion)
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Analysis No. 2278

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected by:- Harish Tiwari (Lab Asstt. Gr. 1) & Date of Sample collection -13/09/2021

Date of Sample Received -13/09/2021

Analysed by :- R.K.Singh (Jr. Scientist) &
Harish Tiwari (Lab Asstt. Gr. 1)

Date of Sample Analysis - 13/09/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	Clear	Clear	Clear
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.6	7.4	7.7
05	Total Solids	Mg/L	466.0	480.0	486.0
06	Dissolved Solids	Mg/L	405.0	414.0	418.0
07	Suspended Solids	Mg/L	62.0	66.0	68.0
08	Chloride	Mg/L	24.0	28.0	32.0
09	Dissolved Oxygen	Mg/L	7.1	7.2	6.9
10	B.O.D. (3 days 27 ^o c)	Mg/L	1.6	1.7	1.8
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	90.0	98.0	104.0
13	Total Hardness	Mg/L	86.0	94.0	98.0
14	Calcium Hardness	Mg/L	64.0	70.0	72.0
15	Magnesium Hardness	Mg/L	22.0	24.0	26.0

ANALYSED BY

Jr. Scientist

REGIONAL OFFICER



Regional Office

Chhattisgarh Environment Conservation Board
Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River, (During immersion) Analysis No. 2279
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected by:- Harish Tiwari (Lab Asstt. Gr. 1) & Date of Sample collection -19/09/2021
Analysed by :- R.K.Singh (Jr. Scientist) & Date of Sample Received -19/09/2021
Harish Tiwari (Lab Asstt. Gr. 1) Date of Sample Analysis - 19/09/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	Clear	S. Turbid	S. Turbid
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.4	7.6	7.7
05	Total Solids	Mg/L	484.0	486.0	490.0
06	Dissolved Solids	Mg/L	420.0	424.0	420.0
07	Suspended Solids	Mg/L	64.0	62.0	70.0
08	Chloride	Mg/L	26.0	28.0	30.0
09	Dissolved Oxygen	Mg/L	7.2	7.1	7.7
10	B.O.D. (3 days 27 ⁰ c)	Mg/L	1.7	1.8	1.6
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	98.0	102.0	107.0
13	Total Hardness	Mg/L	92.0	96.0	104.0
14	Calcium Hardness	Mg/L	70.0	72.0	78.0
15	Magnesium Hardness	Mg/L	22.0	24.0	26.0

ANALYSED BY

Jr. Scientist

REGIONAL OFFICER



Regional Office

Chhattisgarh Environment Conservation Board

Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River (After immersion)
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Analysis No. 2280

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected by:- Harish Tiwari (Lab Asstt. Gr. 1) & Date of Sample collection -25/09/2021

Date of Sample Received -25/09/2021

Analysed by :- R.K.Singh (Jr. Scientist) &
Harish Tiwari (Lab Asstt. Gr. 1)

Date of Sample Analysis - 25/09/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	Clear	Clear	Clear
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.6	7.7	7.4
05	Total Solids	Mg/L	456.0	462.0	470.0
06	Dissolved Solids	Mg/L	398.0	400.0	406.0
07	Suspended Solids	Mg/L	98.0	62.0	64.0
08	Chloride	Mg/L	24.0	26.0	22.0
09	Dissolved Oxygen	Mg/L	7.1	7.2	6.9
10	B.O.D. (3 days 27 ^o c)	Mg/L	1.7	1.8	1.6
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	90.0	94.0	92.0
13	Total Hardness	Mg/L	86.0	88.0	84.0
14	Calcium Hardness	Mg/L	64.0	64.0	58.0
15	Magnesium Hardness	Mg/L	22.0	24.0	26.0


ANALYSED BY

Jr. Scientist

REGIONAL OFFICER

क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, अंबिकापुर, सरगुजा (छ.ग.)

गणेश विसर्जन दिनांक 13/09/2021



W

W



Regional Office

Chhattisgarh Environment Conservation Board

Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River, (Pre immersion)
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Analysis No. 2281

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected by :- R.K.Singh (Jr. Scientist)
Analysed by :- Harish Tiwari, Lab Asst. Gr.1

Date of Sample collection -08/10/2021
Date of Sample Received -08/10/2021
Date of Sample Analysis - 08/10/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	Clear	Clear	S.Turbid
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.4	7.6	7.3
05	Total Solids	Mg/L	300.0	280.0	270.0
06	Dissolved Solids	Mg/L	242.0	216.0	208.0
07	Suspended Solids	Mg/L	58.0	64.0	62.0
08	Chloride	Mg/L	24.0	28.0	26.0
09	Dissolved Oxygen	Mg/L	7.1	7.2	7.2
10	B.O.D. (3 days 27 ^o c)	Mg/L	1.8	1.7	1.6
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	98.0	110.0	114.0
13	Total Hardness	Mg/L	90.0	94.0	98.0
14	Calcium Hardness	Mg/L	68.0	70.0	72.0
15	Magnesium Hardness	Mg/L	22.0	24.0	26.0

ANALYSED BY

Jr. Scientist

REGIONAL OFFICER



Regional Office

Chhattisgarh Environment Conservation Board

Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River, (During immersion)
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Analysis No. 2282

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected & R. K. Singh (Jr. Scientist)
Analysed by :-

Date of Sample collection -15/10/2021
Date of Sample Received -15/10/2021
Date of Sample Analysis - 15/10/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	S.Turbid	S. Turbid	S.Turbid
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.8	7.7	7.6
05	Total Solids	Mg/L	380.0	410.0	418.0
06	Dissolved Solids	Mg/L	318.0	342.0	348.0
07	Suspended Solids	Mg/L	62.0	68.0	70.0
08	Chloride	Mg/L	22.0	26.0	28.0
09	Dissolved Oxygen	Mg/L	7.1	6.9	7.1
10	B.O.D. (3 days 27 ^o c)	Mg/L	1.8	2.0	2.1
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	118.0	120.0	124.0
13	Total Hardness	Mg/L	110.0	112.0	118.0
14	Calcium Hardness	Mg/L	86.0	86.0	90.0
15	Magnesium Hardness	Mg/L	24.0	26.0	28.0

ANALYSED BY

Jr. Scientist

REGIONAL OFFICER



Regional Office

Chhattisgarh Environment Conservation Board

Kanya Parisar Road, Near Govt. Aayurvedic Hospital, Namnakala Gangapur, Ambikapur (C.G.)

Natural Water Analysis Report

Sample Collected from: Bank River (After immersion)
Shankar Ghat, Ambikapur
Distt.-Surguja (C.G.)

Analysis No. 2285

Discription of Sample: [1] River water Approx.100 mtr. up stream from the immersion spot.
[2] River water near immersion spot.
[3] River water Approx.500 mtr. down stream from the immersion spot.

Sample collected & R. K. Singh (Jr. Scientist) Date of Sample collection -22/10/2021
Analysed by :- Date of Sample Received -22/10/2021
Date of Sample Analysis - 22/10/2021

S.No.	Parameters	Unit	Results		
			[1]	[2]	[3]
01	Temperature	oC	-	-	-
02	Appearance	-	Clear	Clear	Clear
03	Odour	Threshold No.	Odourless	Odourless	Odourless
04	pH	-	7.3	7.4	7.6
05	Total Solids	Mg/L	320.0	318.0	324.0
06	Dissolved Solids	Mg/L	260.0	256.0	260.0
07	Suspended Solids	Mg/L	60.0	62.0	64.0
08	Chloride	Mg/L	20.0	22.0	26.0
09	Dissolved Oxygen	Mg/L	7.2	7.1	7.2
10	B.O.D. (3 days 27 ⁰ c)	Mg/L	1.7	1.8	1.6
11	C.O.D.	Mg/L	-	-	-
12	Total Alkalinity	Mg/L	103.0	108.0	96.0
13	Total Hardness	Mg/L	98.0	96.0	90.0
14	Calcium Hardness	Mg/L	77.0	74.0	72.0
15	Magnesium Hardness	Mg/L	21.0	22.0	18.0


ANALYSED BY

Jr. Scientist

REGIONAL OFFICER

क्षेत्रीय कार्यालय, छ.ग. पर्यावरण संरक्षण मंडल, अंबिकापुर, सरगुजा (छ.ग.)

दुर्गा विसर्जन दिनांक 08/10/2021



[Handwritten signature]

[Handwritten signature]

क्षेत्रीय कार्यालय, संयुक्त संचालक, नगरीय प्रशासन एवं विकास
सरगुजा संभाग अम्बिकापुर, जिला-सरगुजा (छ.ग.)

PHONE NO. 07774-221230

EMAIL ID-uadamb@rediffmail.com

क्रमांक / / यां.प्रको. / 98 / 2018

अम्बिकापुर दिनांक / / 2021

प्रति,

1. आयुक्त,
नगर पालिक निगम अम्बिकापुर/चिरमिरी
2. समस्त मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद्/नगर पंचायत
सरगुजा संभाग (छत्तीसगढ़)

अत्यन्त महत्वपूर्ण

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बावत्।

संदर्भ :- क्षेत्रीय कार्यालय, छ.ग. पर्यावरण मंडल अम्बिकापुर का पत्र पृष्ठा क्रमांक 851, दिनांक 31.08.2021

*****000*****

विषयांकित संदर्भित पत्र की छायाप्रति आवश्यक कार्यवाही हेतु संलग्न की जा रही है। कृपया आगामी गणेश उत्सव एवं दुर्गात्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु माननीय नेशनल ग्रीन ट्रिब्यूनल सेंट्रल जोनल बेंच, भोपाल द्वारा जारी गाईड लाईन का पालन करते हुए मूर्ति विसर्जन कराने का कष्ट करेंगे।

सहपत्र:-उपरोक्तानुसार।

संयुक्त संचालक

नगरीय प्रशासन एवं विकास

सरगुजा संभाग अम्बिकापुर (छ.ग.)

अम्बिकापुर दिनांक 08/09/2021

पृष्ठां. क्रमांक / 966 / यां.प्रको. / विविध /
प्रतिलिपि:-

1. क्षेत्रीय अधिकारी, छ.ग. पर्यावरण संरक्षण मंडल अम्बिकापुर की ओर संदर्भित पत्र के तारतम्य में सूचनार्थ प्रेषित।



संयुक्त संचालक

नगरीय प्रशासन एवं विकास

सरगुजा संभाग अम्बिकापुर (छ.ग.)

कार्यालय नगर पालिक निगम, अम्बिकापुर, सरगुजा (छ.ग.)

क्रमांक / / स्वा.वि. / न.पा.नि. / 2021

अम्बिकापुर, दिनांक / / 2021

सूचना पत्र

प्रति,

श्री

.....अम्बिकापुर

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में।

संदर्भ :- क्षेत्रीय कार्यालय पर्यावरण संरक्षण मंडल अम्बिकापुर जिला सरगुजा (छ.ग.) का पत्र क्रमांक 545 / क्षे.का. / छ.ग.प.सं.मं. / 2021 अम्बिकापुर, दिनांक 31.07.2021

—0—

विषयान्तर्गत विगत वर्ष भी सूचित किया गया था एवं पुनः सूचना दी जा रही है कि माननीय नेशनल ग्रीन ट्रिब्यूनल प्रिंसिपल बेंच, नई दिल्ली के आदेश दिनांक 09.05.2013 के आदेश के परिपालन में मूर्तियों की बनावट के संबंध में दिशा निर्देश दिये गये हैं।

मूर्तियों की ऊंचाई 5 फीट से अधिक न हो तथा मूर्तियों में प्लास्टर आफ पेशीस एवं बेकड क्ले का उपयोग न किया जाये और मूर्ति निर्माण में सिन्थेटिक केमिकल, पेन्ट्स तथा डाई का उपयोग न किया जाये। मूर्तियों में सिर्फ प्राकृतिक मिट्टी एवं प्राकृतिक रंग का उपयोग किया जाना है।

अतः उपरोक्त दिशा निर्देश का पालन कड़ाई से करना सुनिश्चित करें।

सही

आयुक्त

नगर पालिक निगम
अम्बिकापुर

क्रमांक / 1180 / स्वा.वि. / न.पा.नि. / 2021

अम्बिकापुर, दिनांक 28/08/2021

प्रतिलिपि:-

1. कलेक्टर, जिला सरगुजा अम्बिकापुर को सादर सूचनार्थ सम्प्रेषित।
2. संयुक्त संचालक नगरीय प्रशासन एवं विकास विभाग क्षेत्रीय कार्यालय अम्बिकापुर को सादर सूचनार्थ।
3. क्षेत्रीय अधिकारी छ.ग.पर्या.संरक्षण मंडल अम्बिकापुर को कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु।



01/09/2021

आयुक्त

नगर पालिक निगम
अम्बिकापुर

क्षेत्रीय कार्यालय, संयुक्त संचालक, नगरीय प्रशासन एवं विकास
सरगुजा संभाग अम्बिकापुर, जिला-सरगुजा (छ.ग.)

PHONE NO. 07774-221230

EMAIL ID-uadamb@rediffmail.com

क्रमांक / / यां.प्रको. / 98 / 2018
प्रति,

अम्बिकापुर दिनांक / / 2021

1. आयुक्त,
नगर पालिक निगम अम्बिकापुर/चिरमिरी
2. समस्त मुख्य नगर पालिका अधिकारी,
नगर पालिका परिषद्/नगर पंचायत
सरगुजा संभाग (छत्तीसगढ़)

अत्यन्त महत्वपूर्ण

विषय :- मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा-निर्देश बावत्।

संदर्भ :- क्षेत्रीय कार्यालय, छ.ग. पर्यावरण मंडल अम्बिकापुर का पत्र पृष्ठा क्रमांक 546, दिनांक 31.07.2021

*****000*****

विषयांकित संदर्भित पत्र की छायाप्रति आवश्यक कार्यवाही हेतु संलग्न की जा रही है। कृपया आगामी गणेश उत्सव एवं दुर्गोत्सव पर्व पर जल स्रोतों को प्रदूषण से बचाने हेतु माननीय नेशनल ग्रीन ट्रिब्यूनल सेंट्रल जोनल बेंच, भोपाल द्वारा जारी गाईड लाईन का पालन करते हुए मूर्ति विसर्जन कराने का कष्ट करेंगे।

सहपत्र:-उपरोक्तानुसार।

संयुक्त संचालक

नगरीय प्रशासन एवं विकास

सरगुजा संभाग अम्बिकापुर (छ.ग.)

पृष्ठां. क्रमांक / 438 / यां.प्रको. / विविध /
प्रतिलिपि:-

अम्बिकापुर दिनांक 24/08/2021

1. क्षेत्रीय अधिकारी, छ.ग. पर्यावरण संरक्षण मंडल अम्बिकापुर की ओर संदर्भित पत्र के तारतम्य में सूचनार्थ प्रेषित।



संयुक्त संचालक

नगरीय प्रशासन एवं विकास

सरगुजा संभाग अम्बिकापुर (छ.ग.)

कार्यालय नगर पालिक निगम, अम्बिकापुर, सरगुजा (छ.ग.)

क्रमांक/५१९९/स्वा.वि./न.पा.नि./2021

अम्बिकापुर, दिनांक 26/3/2021

प्रति,

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल

अम्बिकापुर



विषय:— Implementation of Revised Guidelines for Immersion of Idols-reg.

संदर्भ:— आपका पत्र क्रमांक 1556/क्षेत्र.का./छ.ग.प.सं.मं./2021 अम्बिकापुर दिनांक 10.03.2021

—0—

उपरोक्त विषयान्तर्गत संदर्भित पत्र के परिपेक्ष्य में लेख है कि वर्ष 2020-21 मूर्ति स्थापना अवसर(गणेश पूजा एवं दुर्गा पूजा) जिला प्रशासन द्वारा सार्वजनिक मूर्ति स्थापना में रोक लगाई गई थी, जिससे सार्वजनिक मूर्तियों की स्थापना नहीं हुई थी। निकाय क्षेत्र में मूर्ति निर्माताओं के यहां निकाय एवं पर्यावरण विभाग के संयुक्त दल द्वारा जांच कर समझाईस दी गई थी एवं जांच में पाया गया कि स्थानीय स्थल पर मूर्ति निर्माताओं द्वारा नियम का पालन करते हुये मिट्टी की मूर्तियां निर्धारित उंचाई के अनुरूप बनाई गई थी, जो बहुत ही छोटे आकार के थे एवं विर्सजन के दौरान निकाय क्षेत्र के विर्सजन स्थल पर कर्मचारियों की ड्यूटी लगाई गई थी। मूर्तियों के विर्सजन उपरांत विर्सजन स्थल, /पौड की समुचित साफ-सफाई कराई गई थी। तदनुसार सूचनार्थ प्रेषित है।

आमुक्त
नगर पालिक निगम, अम्बिकापुर
जिला-सरगुजा (छ.ग.)



क्षेत्रीय कार्यालय

छ.ग. पर्यावरण संरक्षण मंडल,

कन्या परिसर रोड, शासकीय आयुर्वेदिक चिकित्सालय के पास नमनाकला गंगापुर अंबिकापुर (छ.ग.)

email-rocecbamk@gmail.com



क्रमांक— /क्षे.का./छ.ग.प.सं.मं./2021

अंबिकापुर/दिनांक: /09/2021

प्रति,

आयुक्त,
नगर पालिक निगम, अंबिकापुर,
जिला—सरगुजा (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पंचायत— सीतापुर एवं लखनपुर,
जिला—सरगुजा (छ.ग.)

आयुक्त,
नगर पालिक निगम, चिरमिरी,
जिला—कोरिया (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पालिका परिषद, बैकुंठपुर/शिवपुरचर्चा/मनेन्द्रगढ़
जिला—कोरिया (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पंचायत, खोंगापानी, झगराखण्ड एवं नई लेदरी,
जिला—कोरिया (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पालिका परिषद—सूरजपुर,
जिला—सूरजपुर (छ.ग.)

मुख्य कार्यपालन अधिकारी
नगर पंचायत— बिश्रामपुर/प्रेमनगर/भटगांव/जरही
एवं प्रतापपुर, जिला—सूरजपुर (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पालिका परिषद, बलरामपुर,
जिला—बलरामपुर—रा.गंज (छ.ग.)

मुख्य कार्यपालन अधिकारी,
नगर पंचायत — वाड्डफनगर/रामानुजगंज /कुसमी एवं
राजपुर, जिला—बलरामपुर—रा.गंज (छ.ग.)

विषय— मूर्तियों के विसर्जन से राज्य के जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम के संबंध में दिशा निर्देश बावत् ।

संदर्भ— 1 मण्डल मुख्यालय, रायपुर का पृ. पत्र क्र. 3499, दिनांक 18/08/2021

2 इस कार्यालय का पत्र क्र. 545 दिनांक 31/07/2021

3 इस कार्यालय का पत्र क्र. 850 दिनांक 31/08/2021

उपरोक्त विषयांतर्गत संदर्भित पत्र क्र. 2 का अवलोकन हो। लेख है कि माननीय नेशनल ग्रीन ट्रिब्यूनल, सेन्ट्रल जोनल बेंच, भोपाल के निर्देश/केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा जारी गाईड लाईन के अनुसार मूर्ति विसर्जन कराया जाना था। जिससे जल स्रोतों की जल गुणवत्ता पर पड़ने वाले विपरीत प्रभावों की रोकथाम की जा सके। उक्त के संबंध में इस कार्यालय द्वारा आपको समय समय पर अवगत कराया गया है। आशा है कि आपके निकाय क्षेत्र में गाईड लाईन में उल्लेखित निर्देशों के पालन के संबंध में कार्यवाही की गई है। उक्त के संबंध में की गई कार्यवाही जिसमें मूर्ति विसर्जन के बाद विसर्जन स्थल

07

क्रमशः 02



के आस-पास मूर्ति विसर्जन के अवशेषों एवं अन्य बिखरी सामग्रियों की सफाई कराकर फोटोग्राफ सहित जानकारी कृपया इस कार्यालय को तत्काल उपलब्ध कराये जाने का कष्ट करें।

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल

अंबिकापुर/दिनांक: 23/09/2021

पृ. क्रमांक: 1055/क्षे.का./छ.ग.प.सं.मं./2021

प्रतिलिपि-

1. सदस्य सचिव महोदय, मुख्यालय, छत्तीसगढ़ पर्यावरण संरक्षण मण्डल, नवा रायपुर, अटल नगर की ओर कृपया सूचनार्थ संप्रेषित।
2. कलेक्टर महोदय, कार्यालय कलेक्टर-सरगुजा/सूरजपुर/कोरिया/बलरामपुर की ओर कृपया सूचनार्थ संप्रेषित।
3. संयुक्त संचालक, नगरीय प्रशासन एवं विकास विभाग, सरगुजा संभाग, अंबिकापुर की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु कृपया संप्रेषित।

क्षेत्रीय अधिकारी

छ.ग. पर्यावरण संरक्षण मंडल, अंबिकापुर

13 OCT 2021

45
02/11/21
17/11/2021